



2019 EVERPURE® & SHURFLO® FOODSERVICE CATALOG & PRICE LIST

www.pentair.com



DECADES OF FOODSERVICE
LEADERSHIP AND
INNOVATION

EVERPURE®

85
YEARS
1933-2018

EXCELLENCE

SHURFLO®

50
YEARS
1968-2018

EXCELLENCE

EVERPURE® • SHURFLO®

TABLE OF CONTENTS

**FOR FAST, EASY REFERENCE,
TABLE OF CONTENTS IS COLOR CODED
WITH PAGE EDGE BANDING.**

6	Resources	54	RO Replacement Cartridges / Accessories
13	Coffee / Tea / OCS Filtration Systems	57	Reverse Osmosis (RO) Booster Pumps
15	Espresso / Tea Softening & Filtration Systems	59	RO Booster / Delivery Pumps
16	Coffee / Tea / Espresso / OCS Softening & Filtration Systems	60	Delivery Pumps
18	Fountain Beverage Filtration Systems	63	Delivery / Carbonator Pumps
21	Fountain Filtration Systems / Chloramines Reduction	64	Drinking Water Filtration Systems
26	Beverage BIB Pumps	66	Drinking Water Appliances & Accessories
28	Beverage Gas Pumps / VRV	68	Softening
29	Beverage Air Vent / Brix	69	Softening / Warewashing
31	Water Boost Systems	70	Value Filtration
32	Water Boost Replacement Parts	71	General Beverage / OCS Systems
33	WPRV / Sold Out Switches	72	Water Management
34	Ice Filtration Systems	73	Flood Protection
38	Steam Filtration & Ion Exchange Systems	74	Manifold Systems / Filter Heads
41	Scale Reduction	79	Replacement Cartridges
42	Deliming / Sanitizing	85	Surge Tanks / Replacement Parts
43	Combination Filtration Systems	86	Pump Fittings / Accessories / Replacement Parts
49	Reverse Osmosis (RO) Systems	88	Reference
		90	Price List / Index

NOTE: All list prices contained within this catalog are in USD currency.



EVERPURE® · SHURFLO®



BEVERAGE
Air Vent



BEVERAGE
Automatic Selector Valve



BEVERAGE
Bag-in-Box (BIB)
Pump



BEVERAGE
Electric Delivery Pump



COMBINATION
High Flow CSR Triple-MC²
Filtration System



WATER BOOST
Medium Boost System




SOFTENING
CES-2850E Single
Tank Softener



FOUNTAIN
Coldrink® 2-MC²
Filtration System



BEVERAGE
Sold Out Switches



WATER TREATMENT SOLUTIONS EVERYWHERE YOU NEED THEM



PROBLEM WATER
MRS-600HE-II High
Efficiency Reverse
Osmosis System



REVERSE OSMOSIS
8075 Silver Series
RO Booster
Pump



WAREWASHING
Kleenware® HTS-11
Scale Control
System



ICE
Insurice® Twin PF-i20002
Filtration System



STEAM
Conserv® R0-75S
High Efficiency
RO System



ESPRESSO
Conserv R0-75E
High Efficiency
RO System



ICED TEA
Claris™ Ultra XXL
Filtration Systems



COFFEE
QL3-BH²
Filtration System



DRINKING WATER
OW4-Plus Cartridge/
QL3B Head

NEW FOR 2019


EVERPURE® CONSERV® HE-3 HIGH EFFICIENCY REVERSE OSMOSIS (RO) SYSTEM

Expandable and configurable system delivers filtered RO blended water for multiple foodservice applications



FEATURES NEW, PROPRIETARY IOT REMOTE MONITORING TECHNOLOGY

Exclusive Pentair remote monitoring technology enables real-time online performance monitoring of installed systems. This can help improve response to water changes and reduce equipment downtime through preventative maintenance.



CONNECT

Connect the Conserv HE-3 via ethernet and sign up for monitoring access.

SHOW

Log in to monitoring website and see real-time results.

TELL

Get alerts via text or email on critical water and system changes important to your business.

See page 53 for more information.

Partners Get More with the Pentair Partners Incentive Program

A rewards program created just for our dealers, service companies and other valued partners

Pentair Partner Benefits

- ▶ High quality, industry-leading products
- ▶ Outstanding customer service and technical support
- ▶ End-user consultation
- ▶ Troubleshooting assistance
- ▶ Service & installation training



Enrollment is free and easy at PentairFSPartners.com!

WATER TESTING KITS

There's more to specifying water treatment equipment than just calculating capacity and flow rate. Knowing which contaminants are in the source water at a particular location is extremely important.

Poor water quality impacts customer satisfaction through taste and odor problems as well as visual aesthetics. Water contaminants can also lead to higher energy costs, expensive repairs and maintenance, as well as lost revenue due to equipment downtime.

With thousands of water tests done each year, Pentair has several water testing options available to you. Water quality can actually vary from one building to the next, so it is recommended that water testing be done for each location.

It is smart to know what is in your water. Protect your customer, your water-using equipment investment, and more with our water testing solutions.



Digital Pocket TDS
Meter EV6500-20

PRODUCT	PART NO	DESCRIPTION	PACK SIZE	SHIP WT		LIST PRICE
				LBS	KGS	
Digital Pocket TDS Meter	EV6500-20	0-9990 ppm TDS; temperature reading 32-176°F [0-80°C]; reading "hold" function. With soft case.	1	1.0	0.5	\$73.20
Claris™ Test Kit	EV4339-40	Titration test for carbonate hardness, necessary for properly setting the bypass dial on Claris systems.	1	0.3	0.1	\$61.90
Standard Foodservice Analysis	DEV7013-73	Includes water bottle and lab analysis of 30 contaminants and characteristics.	1	—	—	\$275.00
Standard Foodservice and Organics Analysis	DEV9800-15	Includes water bottle and lab analysis of 30 contaminants plus TTHMs, VOCs and bacteria.	1	—	—	\$336.00

Claris™ is a trademark of Aquis, GmbH.



EVERPURESIZING.COM

Select the right Everpure product anytime, anywhere.



• 800.942.1153 • cseverpure@pentair.com • www.pentair.com

FOODSERVICE WATER SPECIFICATIONS

Quality water is important for taste, brewing, carbonation, steaming, equipment protection and more. Water used to make coffee, espresso beverages, fountain beverages, drinking water and ice must be potable under local requirements and USEPA drinking

water standards. It is also recommended that water quality meets the attributes specified in the following table by food service application:

APPLICATION	ATTRIBUTE	SPECIFICATION
Coffee and Espresso	Turbidity	Must not exceed 0.5 Nephelometric Turbidity Units
	Taste & Odor	Free from off-tastes and odors
	Total Chlorine	<0.05 ppm
	Iron	Not more than 0.25 ppm
	Total Alkalinity	Not more than 100 ppm
	Total Hardness	17 - 85 ppm
	Total Dissolved Solids	70 - 200 ppm
	pH	6.80 - 7.40
	Sodium	At or near 10 mg/l
Fountain and Drinking Water	Turbidity	Must not exceed 0.5 Nephelometric Turbidity Units
	Taste & Odor	Free from off-tastes and odors
	Total Chlorine	<0.05 ppm
	Iron	Not more than 0.30 mg/l
	Total Alkalinity	Not more than 150 mg/l
	Total Hardness	Not more than 100 mg/l
	Total Dissolved Solids	Not more than 500 mg/l
	Sulfates	Not more than 250 mg/l
	Chlorides	Not more than 250 mg/l
Ice	pH	6.50 - 8.50
	Turbidity	Must not exceed 0.5 Nephelometric Turbidity Units
	Taste & Odor	Free from off-tastes and odors
	Total Chlorine	<0.05 ppm
	Iron	Not more than 0.25 ppm
	Total Alkalinity	<150 ppm
	Total Hardness	<85 ppm
	Total Dissolved Solids	70 - 200 ppm
	pH	6.80 - 7.40
	Chlorides	80 ppm

Water used on inlets to steamers or warewashers should meet quality requirements as specified by the equipment's manufacturer or as listed in the following table:

APPLICATION	ATTRIBUTE	SPECIFICATION
Steam	Turbidity	Must not exceed 0.50 Nephelometric Turbidity Units
	Taste & Odor	Free from off-tastes and odors
	Total Chlorine	<0.05 ppm
	Iron	Not more than 0.25 ppm
	Total Alkalinity	Not more than 100 ppm
	Total Hardness	17 - 85 ppm
	Total Dissolved Solids	25 - 75 ppm
	pH	6.80 - 7.40
	Chlorides	30 ppm

EVERPURE® CARTRIDGE REFERENCE GUIDE

EVERPURE® CARTRIDGE REFERENCE GUIDE				APPLICATIONS								BENEFITS								
				COFFEE	ESPRESSO	DRINKING WATER	ICED TEA	FOUNTAIN	ICE	BOILERLESS STEAM	BOILER STEAM	CHLORINE, TASTE & ODOR	SCALE INHIBITION	PARTICULATE	TURBIDITY REDUCTION	LEAD REDUCTION	CYST REDUCTION**	CHLORAMINES	BACTERIOSTATIC** CONTROL	
PRODUCT	CARTRIDGE PART NO	RATED CAPACITY GALS / LITRES	MICRON RATING																NSF	
2CB5	EV9617-05	3,000 / 11,355	5.0	•		•	•					•		•	•				42	
2CB5-K	EV9617-06	3,000 / 11,355	5.0	•		•						•	•	•				•	42	
2CB5-S	EV9617-22	3,000 / 11,355	5.0	•		•	•					•	•	•					42	
2CB-GW	EV9618-36	3,000 / 11,355	10	•								•	•	•					N/A	
2FC	EV9691-56	6,000 / 22,710	0.5			•						•		•		•	•		42, 53	
2FC-S	EV9691-76	6,000 / 22,710	0.5	•		•	•					•	•	•		•	•		42, 53	
2FC5	EV9691-66	6,000 / 22,710	5.0			•		•				•					•		42	
2FC5-S	EV9691-86	6,000 / 22,710	5.0	•					•			•	•				•		42	
2H-L	EV9634-26	750 / 2,839	0.5			•						•	•	•		•			42, 53	
2K-Plus	EV9612-66	1,500 / 5,678	0.5			•						•	•	•		•	•		42	
4C²	EV9605-50	3,900 / 14,763	0.5			•		•				•		•		•	•		42	
4CB5	EV9617-16	6,000 / 22,710	5.0			•		•		•	•	•		•					42	
4CB5-K	EV9617-36	6,000 / 22,710	5.0	•		•						•	•	•			•		42	
4CB5-S	EV9617-26	6,000 / 22,710	5.0	•		•			•			•	•	•					42	
4FC	EV9692-21	15,000 / 56,781	0.5			•		•				•		•		•	•		42, 53	
4FC-S	EV9692-31	15,000 / 56,781	0.5	•					•			•	•	•		•	•		42, 53	
4FC5	EV9693-21	15,000 / 56,781	5.0			•		•				•		•			•		42	
4FC5-S	EV9693-31	15,000 / 56,781	5.0	•					•			•	•	•			•		42	
4FC-L	EV9693-10	4,900 / 18,548	0.5			•		•				•		•	•	•	•	•	42, 53	
4FC-LS	EV9693-16	4,900 / 18,548	0.5	•		•			•			•	•	•	•	•	•	•	42, 53	
4H²	EV9605-70	3,900 / 14,763	0.5	•		•						•	•	•		•	•		42	
4H-L	EV9635-26	1,000 / 3,785	0.5			•						•	•	•		•	•		42, 53	
4K-Plus	EV9612-76	3,000 / 11,356	0.5			•						•	•	•		•	•		42	
4SI	EV9606-51	15,000*** / 56,781***	0.5						•				•	•		•			42, 53	
7CB5	EV9618-11	10,000 / 37,850	5.0					•		•	•	•		•					42	
7BC5-K	EV9617-76	10,000 / 37,850	5.0	•															42	
7CB5-S	EV9618-21	10,000 / 37,850	5.0	•					•			•	•	•					42	
7CLM+	EV9771-00	7,500 / 28,391	5.0			•		•				•		•		•	•		42, 53	

*Based on 10 grains of hardness (with Claris, a bypass setting of 4).

**Harmful cyst and microbial reduction by mechanical means. For further information concerning FIFRA registration, see product specification sheets.

***Grains reduction.

Note: See individual system specification sheets for performance claims and FIFRA registration information.

EVERPURE® CARTRIDGE REFERENCE GUIDE

EVERPURE® CARTRIDGE REFERENCE GUIDE				APPLICATIONS								BENEFITS								NSF
				COFFEE	ESPRESSO	DRINKING WATER	ICED TEA	FOUNTAIN	ICE	BOILERLESS STEAM	BOILER STEAM	CHLORINE, TASTE & ODOR	SCALE INHIBITION	PARTICULATE	TURBIDITY REDUCTION	LEAD REDUCTION	CYST REDUCTION**	CHLORAMINES	BACTERIOSTATIC** CONTROL	
PRODUCT	CARTRIDGE PART NO	RATED CAPACITY GALS / LITRES	MICRON RATING																	
7FC	EV9692-61	25,000 / 94,635	0.5			•	•					•		•			•		42, 53	
7FC-L	EV9693-40	7,400 / 28,012	0.5			•	•												42, 53	
7FC-S	EV9692-71	25,000 / 94,635	0.5	•					•			•	•	•			•	•	42, 53	
7FC-LS	EV9693-46	7,400 / 28,012	0.5	•		•			•										42, 53	
7FC5	EV9693-61	25,000 / 94,635	5.0			•		•				•		•				•	42	
7FC5-S	EV9693-71	25,000 / 94,635	5.0	•					•			•	•	•				•	42	
7SI	EV9606-01	25,000*** / 94,635***	0.5						•				•	•			•		42, 53	
AC²	EV9605-80	1,500 / 5,678	0.5			•						•		•			•	•	42	
BH²	EV9612-50	3,000 / 11,355	0.5	•			•					•	•	•			•	•	42, 53	
Claris™ Ultra S	EV4339-80	660* / 2,500	5.0	•	•		•					•	•						42	
Claris Ultra M	EV4339-81	1,109* / 4,200	5.0	•	•		•					•	•						42	
Claris Ultra L	EV4339-82	2,245* / 8,500	5.0	•	•		•					•	•						42	
Claris Ultra XL	EV4339-83	3,196* / 12,100	5.0	•	•		•					•	•						42	
Claris Ultra XXL	EV4339-84	5,283* / 20,000	5.0	•	•		•					•	•	•					42	
Claris Prime	EV4339-86	557 / 2,110 1,255 / 4,750	5.0	•	•		•			•	•	•	•						42	
ES0⁶	EV9607-10	4,100*** / 15,520***	N/A	•	•		•												N/A	
ES0⁷	EV9607-25	5,300*** / 20,063***	N/A	•	•		•												N/A	
i2000²	EV9612-22	9,000 / 34,065	0.5						•			•	•	•			•	•	42, 53	
i4000²	EV9612-32	12,000 / 45,420	0.5						•			•	•	•			•	•	42, 53	
MC²	EV9612-56	9,000 / 34,069	0.5			•		•				•		•			•	•	42, 53	
MH²	EV9613-21	9,000 / 34,069	0.5	•			•					•	•	•			•	•	42, 53	
MicroGuard™ Pro 2	EV9637-01	2,200 / 8,328	0.15			•						•		•			•		N/A	
MicroGuard Pro 4	EV9637-02	3,600 / 13,627	0.15			•						•		•				•	N/A	
OCS²	EV9618-02	1,500 / 5,678	0.5	•			•					•	•	•			•	•	42, 53	
OW200L	EV9619-06	480 / 1,817	0.5			•						•	•	•		•	•		42	
OW2-Plus	EV9634-06	1,000 / 3,785	0.5			•						•	•	•		•	•	•	42	
OW4-Plus	EV9635-06	2,000 / 7,571	0.5			•						•	•	•		•	•	•	42	
SEN	EV9692-65	50,000 / 189,270	0.5			•		•				•		•			•	•	42, 53	
XC²	EV9613-10	12,000 / 45,425	0.5			•		•				•		•			•	•	42, 53	
XCLM+	EV9761-00	9,300 / 35,204	5.0			•		•				•		•			•	•	42, 53	

*Based on 10 grains of hardness (with Claris, a bypass setting of 4).

**Harmful cyst and microbial reduction by mechanical means. For further information concerning FIFRA registration, see product specification sheets.

***Estimated. Actual capacity may vary depending on volume of particulate in incoming water.

Note: See individual system specification sheets for performance claims and FIFRA registration information.

EVERPURE® SYSTEM REFERENCE GUIDE

EVERPURE® SYSTEM
REFERENCE GUIDE

PRODUCT	SYSTEM PART NO	FLOW RATE GPM / LPM	RATED CAPACITY GALS / LITRES	MICRON RATING	APPLICATIONS										BENEFITS								NSF		
					COFFEE	ESPRESSO	FOUNTAIN	DRINKING WATER	ICED TEA	FROZEN CARBONATED BEVERAGE (FCB)	ICE	BOILERLESS STEAM	BOILER STEAM	WAREWASHING	CHLORINE, TASTE & ODOR	CHLORAMINES	SCALE INHIBITION	SCALE REDUCTION	PARTICULATE	TOTAL DISSOLVED SOLIDS (TDS)	MINERAL BOOST	MINERAL BLENDING		CYST REDUCTION***	BACTERIOSTATIC***
QL2-OCS ²	EV9275-60	0.50 / 1.89	1,500 / 5,678	0.5	•										•		•	•					•	•	42, 53
QL3-BH ²	EV9272-00	0.50 / 1.89	3,000 / 11,636	0.5	•										•		•	•					•	•	42, 53
QC7I Single-MH ^{2*}	*	1.67 / 6.32	9,000 / 34,907	0.5	•										•		•	•					•	•	42, 53
QC7I Twin-MH ²	*	3.34 / 12.64	18,000 / 69,813	0.5	•										•		•	•					•	•	42, 53
QC7I Single-ESO ⁶	*	0.50 / 1.89	409** / 1,586	5.0		•									•			•	•						—
QC7I Single-ESO ⁷	*	0.50 / 1.89	531** / 2,059	5.0		•									•			•	•						—
QC7I Twin-ESO ⁷	*	1.00 / 3.79	1,062** / 4,119	5.0		•									•			•	•						—
QC7I Triple-ESO ⁷	*	1.50 / 5.68	1,593** / 6,178	5.0		•									•			•	•						—
QC7I Single-MC ²	EV9275-01	1.67 / 6.32	9,000 / 34,907	0.5			•	•		•					•				•				•	•	42, 53
QC7I Twin-MC ²	EV9275-02	3.34 / 12.64	18,000 / 69,813	0.5			•	•		•					•				•				•	•	42, 53
QC7I Triple-MC ²	EV9275-03	5.00 / 18.93	27,000 / 104,720	0.5			•	•		•					•				•				•	•	42, 53
QC7I Quad-MC ²	*	6.70 / 25.36	36,000 / 139,626	0.5			•	•		•					•				•				•	•	42, 53
QC7I Single-7CLM ⁺	EV9771-11	1.67 / 6.32	7,500 / 28,391	5.0			•	•		•					•	•			•						42
QC7I Twin-7CLM ⁺	EV9771-12	3.34 / 12.64	15,000 / 56,781	5.0			•	•		•					•	•			•						42
QC7I Triple-7CLM ⁺	EV9771-13	5.01 / 18.96	22,500 / 85,172	5.0			•	•		•					•	•			•						42
QC7I Quad-7CLM ⁺	EV9771-14	6.68 / 25.29	30,000 / 113,562	5.0			•	•		•					•	•			•						42
QC7I Single-XCLM ⁺	EV9761-11	2.00 / 7.57	9,300 / 35,204	5.0			•	•		•					•	•			•						42
QC7I Twin-XCLM ⁺	EV9761-12	4.00 / 15.14	18,600 / 70,409	5.0			•	•		•					•	•			•						42
QC7I Triple-XCLM ⁺	EV9761-13	6.00 / 22.71	27,900 / 105,613	5.0			•	•		•					•	•			•						42
QC7I Quad-XCLM ⁺	EV9761-14	8.00 / 30.28	37,200 / 140,817	5.0			•	•		•					•	•			•						42
Coldrink® 1-MC ²	EV9328-01	1.67 / 6.32	9,000 / 34,907	0.5			•	•		•					•				•				•	•	42, 53
Coldrink 2-MC ²	EV9328-02	3.34 / 12.64	18,000 / 69,813	0.5			•	•		•					•				•				•	•	42, 53
Coldrink 3 -MC ²	EV9328-03	5.00 / 18.93	27,000 / 104,720	0.5			•	•		•					•				•				•	•	42, 53
Coldrink 4-4FC	EV9328-44	10.00 / 37.85	60,000 / 232,710	0.5			•	•		•					•				•				•	•	42, 53
Coldrink 3-7FC	EV9328-73	7.50 / 28.39	75,000 / 290,888	0.5			•	•		•					•				•				•	•	42, 53
Coldrink 4-7FC	EV9328-74	10.00 / 37.85	100,000 / 387,850	0.5			•	•		•					•				•				•	•	42, 53
Coldrink 1-7CLM ⁺	EV9771-21	1.67 / 6.32	7,500 / 28,391	5.0			•	•		•					•	•			•						42
Coldrink 2-7CLM ⁺	EV9771-22	3.34 / 12.64	15,000 / 56,781	5.0			•	•		•					•	•			•						42
Coldrink 3-7CLM ⁺	EV9771-23	5.01 / 18.96	22,500 / 85,172	5.0			•	•		•					•	•			•						42
Coldrink 4-7CLM ⁺	EV9771-24	6.68 / 25.29	30,000 / 113,562	5.0			•	•		•					•	•			•						42
Coldrink 1-XCLM ⁺	EV9761-21	2.00 / 7.57	9,300 / 35,204	5.0			•	•		•					•	•			•						42
Coldrink 2-XCLM ⁺	EV9761-22	4.00 / 15.14	18,600 / 70,409	5.0			•	•		•					•	•			•						42
Coldrink 3-XCLM ⁺	EV9761-23	6.00 / 22.71	27,900 / 105,613	5.0			•	•		•					•	•			•						42
Coldrink 4-XCLM ⁺	EV9761-24	8.00 / 30.28	37,200 / 140,817	5.0			•	•		•					•	•			•						42
Insuric® Single PF-i2000 ²	EV9324-21	1.67 / 6.32	9,000 / 34,907	0.5							•				•		•	•					•	•	42, 53
Insurice Single-i2000 ²	EV9324-01	1.67 / 6.32	9,000 / 34,907	0.5							•				•		•	•					•	•	42, 53
Insurice Twin PF-i2000 ²	EV9324-22	3.34 / 12.64	18,000 / 69,813	0.5							•				•		•	•					•	•	42, 53
Insurice Twin-i2000 ²	EV9324-02	3.34 / 12.64	18,000 / 69,813	0.5							•				•		•	•					•	•	42, 53

*Head and filter cartridge sold separately.

**Based on 10 grains of hardness (with Claris, a bypass setting of 4).

***Harmful cyst and microbial reduction by mechanical means. For further information concerning FIFRA registration, see product specification sheets.

EVERPURE® SYSTEM REFERENCE GUIDE

EVERPURE® SYSTEM
REFERENCE GUIDE

					APPLICATIONS									BENEFITS											
PRODUCT	SYSTEM PART NO	FLOW RATE GPM / LPM	RATED CAPACITY GALS / LITRES	MICRON RATING	COFFEE	ESPRESSO	FOUNTAIN	DRINKING WATER	ICED TEA	FROZEN CARBONATED BEVERAGE (FCB)	ICE	BOILERLESS STEAM	BOILER STEAM	WAREWASHING	CHLORINE, TASTE & ODOR	CHLORAMINES	SCALE INHIBITION	SCALE REDUCTION	PARTICULATE	TOTAL DISSOLVED SOLIDS (TDS)	MINERAL BOOST	MINERAL BLENDING	CYST REDUCTION***	BACTERIOSTATIC***	NSF
Insurice Triple PF-i4000 ²	EV9325-23	5.00 / 18.93	36,000 / 139,626	0.5							•				•	•	•	•					•	•	42, 53
Insurice Triple-i4000 ²	EV9325-03	5.00 / 18.93	36,000 / 139,626	0.5							•				•	•	•	•					•	•	42, 53
Insurice Quad-i4000 ²	EV9325-04	6.70 / 25.36	48,000 / 186,168	0.5							•				•	•	•	•					•	•	42, 53
Insurice Quad-4FC-S	EV9327-44	10.00 / 37.85	60,000 / 232,710	0.5							•				•	•	•	•					•	•	42, 53
Insurice Triple-7FC-S	EV9327-73	7.50 / 28.39	75,000 / 290,888	0.5							•				•	•	•	•					•	•	42, 53
Insurice Quad-7FC-S	EV9327-74	10.00 / 37.85	100,000 / 387,850	0.5							•				•	•	•	•					•	•	42, 53
Insurice Single-4SI	EV9324-60	2.00 / 7.57	15,000 / 56,700	0.5							•						•	•	•					•	42, 53
Insurice Single PF-4SI	EV9324-61	2.00 / 7.57	15,000 / 56,700	0.5							•						•	•	•					•	42, 53
Insurice Single-7SI	EV9324-70	3.50 / 13.25	25,000 / 94,635	0.5							•						•	•	•					•	42, 53
Insurice Single PF-7SI	EV9324-71	3.50 / 13.25	25,000 / 94,635	0.5							•						•	•	•					•	42, 53
Insurice Twin-7SI	EV9324-72	7.00 / 26.50	50,000 / 189,271	0.5							•						•	•	•					•	42, 53
Insurice Twin PF-7SI	EV9324-73	7.00 / 26.50	50,000 / 189,271	0.5							•						•	•	•					•	42, 53
Insurice Triple-7SI	EV9324-74	10.50 / 39.75	70,000 / 283,906	0.5							•						•	•	•					•	42, 53
Insurice Triple PF-7SI	EV9324-75	10.50 / 39.75	70,000 / 283,906	0.5							•						•	•	•					•	42, 53
Insurice Quad-7SI	EV9324-76	14.00 / 53.00	100,000 / 378,541	0.5							•						•	•	•					•	42, 53
Insurice Quad PF-7SI	EV9324-77	14.00 / 53.00	100,000 / 378,541	0.5							•						•	•	•					•	42, 53
High Flow CSR Twin-MC ²	EV9330-42	3.34 / 12.64	18,000 / 69,813	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Triple-MC ²	EV9328-05	5.00 / 18.93	27,000 / 104,720	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Triple-MC ²	EV9328-06	5.00 / 18.93	27,000 / 104,720	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Quad-MC ²	EV9437-10	6.70 / 25.36	36,000 / 139,626	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Quad-MC ²	EV9437-11	6.70 / 25.36	36,000 / 139,626	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Plus-XC ²	EV9347-20	6.70 / 25.36	48,000 / 186,168	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Plus-XC ²	EV9347-21	6.70 / 25.36	48,000 / 186,168	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Quad-4FC	EV9329-44	10.00 / 37.85	60,000 / 232,710	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Triple-7FC	EV9329-73	7.50 / 28.39	75,000 / 290,888	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Quad-7FC	EV9329-74	10.00 / 37.85	100,000 / 387,850	0.5			•	•			•				•				•				•	•	42, 53
High Flow CSR Twin-7CLM ⁺	EV9771-32	3.34 / 12.64	15,000 / 56,781	5.0			•	•			•				•	•			•						42
High Flow CSR Triple-7CLM ⁺	EV9771-33	5.01 / 18.96	22,500 / 85,172	5.0			•	•			•				•	•			•						42
High Flow CSR Quad-7CLM ⁺	EV9771-34	6.68 / 25.29	30,000 / 113,562	5.0			•	•			•				•	•			•						42
High Flow CSR Twin-XCLM ⁺	EV9761-32	4.00 / 15.14	18,600 / 70,409	5.0			•	•			•				•	•			•						42
High Flow CSR Triple-XCLM ⁺	EV9761-33	6.00 / 22.71	27,900 / 105,613	5.0			•	•			•				•	•			•						42
High Flow CSR Quad-XCLM ⁺	EV9761-34	8.00 / 30.28	37,200 / 140,817	5.0			•	•			•				•	•			•						42
QC7I DIO 7CLM ⁺ /7SI	EV9278-41	7CLM ⁺ : 5.01 / 18.90 7SI: 7.00 / 26.50	7CLM ⁺ : 22,500 / 87,171 7SI: 50,000 / 189,271	7CLM ⁺ : 5.0 7SI: 0.5			•				•				•	•	•		•				•		7CLM ⁺ : 42 7SI: 42, 53
QC7I DIO XCLM ⁺ /7SI	EV9278-42	XCLM ⁺ : 6.00 / 22.70 7SI: 7.00 / 26.50	XCLM ⁺ : 57,900 / 219,175 7SI: 50,000 / 189,271	XCLM ⁺ : 5.0 7SI: 0.5			•				•				•	•	•		•				•		XCLM ⁺ : 42 7SI: 42, 53

*Head and filter cartridge sold separately.

**Based on 10 grains of hardness (with Claris, a bypass setting of 4).

***Harmful cyst and microbial reduction by mechanical means. For further information concerning FIFRA registration, see product specification sheets.

EVERPURE® SYSTEM REFERENCE GUIDE

EVERPURE® SYSTEM
REFERENCE GUIDE

					APPLICATIONS										BENEFITS								NSF	
					COFFEE	ESPRESSO	FOUNTAIN	DRINKING WATER	ICED TEA	FROZEN CARBONATED BEVERAGE (FCB)	ICE	BOILERLESS STEAM	BOILER STEAM	WAREWASHING	CHLORINE, TASTE & ODOR	CHLORAMINES	SCALE INHIBITION	SCALE REDUCTION	PARTICULATE	TOTAL DISSOLVED SOLIDS (TDS)	MINERAL BOOST	MINERAL BLENDING		CYST REDUCTION***
PRODUCT	SYSTEM PART NO	FLOW RATE GPM / LPM	RATED CAPACITY GALS / LITRES	MICRON RATING																				
Endurance® High Flow Twin	EV9437-30	7.50 / 28.39	100,000 / 387,850	0.5	•	•	•							•	•	•				•	•		42, 53	
Endurance High Flow Triple	EV9437-31	11.25 / 42.59	150,000 / 581,775	0.5	•	•	•							•	•	•				•	•		42, 53	
Endurance High Flow Quad	EV9437-32	15.00 / 56.78	200,000 / 775,700	0.5	•	•	•							•	•	•				•	•		42, 53	
Endurance TKO MicroFilter	EV9437-50	15.00 / 56.78	NA	0.65												•							—	
2SR-BW Endurance Feeder Kit	EV9798-70	NA	NA	NA	•					•		•			•								—	
2SR-BW QL2 Feeder Kit	EV9798-75	NA	NA	NA	•					•		•			•								—	
Endurance SC Twin	EV9437-40	7.50 / 28.39	100,000 / 378,541	0.5	•		•	•						•	•	•				•	•		42, 53	
Endurance SC Triple	EV9437-41	11.25 / 42.59	150,000 / 567,812	0.5	•		•	•						•	•	•				•	•		42, 53	
Endurance SC Quad	EV9437-42	15.00 / 56.78	200,000 / 757,082	0.5	•		•	•						•	•	•				•	•		42, 53	
CB20-124E	EV9100-51	5.00 / 18.93	15,000 / 58,178	5.0			•	•	•					•	•		•						—	
CB20-302E	EV9100-32	5.00 / 18.93	20,000 / 77,570	5.0			•	•	•					•	•		•						—	
CB20-312E	EV9100-37	5.00 / 18.93	85,000 / 329,673	0.5			•	•	•					•	•		•			•			42, 53	
LVR0-75HE	EV9975-00	NA	14.66 / 55.49	NA				•						•		•	•	•		•			58	
LVR0-75HE+F	EV9975-10	NA	14.66 / 55.49	NA				•						•		•	•	•		•			58	
Conserv® LT-S	EV9975-20	NA	50.51/191.20	NA																			—	
Conserv 75S	EV9976-00	NA	50.51 / 191.20	NA							•			•		•	•	•	•	•	•	•	58	
Conserv 75E	EV9977-00	NA	50.51 / 191.20	NA	•	•								•		•	•	•	•	•	•	•	58	
MRS-20	EV9797-91	NA	Up to 20 gpd	NA							•	•		•		•	•	•					—	
MRS-100	EV9970-07	NA	Up to 100 gpd (more with blend)	NA	•	•					•	•		•		•	•	•					—	
MRS-100BL	EV9970-73	NA	Up to 100 gpd (more with blend)	NA	•	•					•	•		•		•	•	•		•			—	
MRS-100CC-BL	EV9973-63	NA	Up to 100 gpd	NA	•	•		•			•	•		•		•	•	•	•	•	•	•	—	
MRS-225	EV9970-08	NA	Up to 225 gpd	NA	•	•					•	•		•		•	•	•					—	
MRS-225BL	EV9970-76	NA	Up to 225 gpd (more with blend)	NA	•	•					•	•		•		•	•	•		•			—	
MRS-225CC-BL	EV9970-19	NA	Up to 225 gpd (more with blend)	NA	•	•		•			•	•		•		•	•	•	•	•	•	•	—	
MRS-350	EV9970-17	NA	Up to 350 gpd	NA	•	•		•			•	•		•		•	•	•					—	
MRS-350BL	EV9970-20	NA	Up to 350 gpd (more with blend)	NA	•	•		•			•	•		•		•	•	•		•			—	
MRS-350CC-BL	EV9973-65	NA	Up to 350 gpd (more with blend)	NA	•	•		•			•	•		•		•	•	•	•	•	•	•	—	
MRS-600HE	EV9970-38	NA	Up to 760 gpd (more with blend)	NA	•	•		•			•	•		•		•	•	•		•		•	58	
MRS-600HE-II	EV9970-54	NA	Up to 507 gpd (more with blend)	NA	•	•		•			•	•		•		•	•	•		•		•	58	
<div>NEW</div> Conserv HE-3	EV9977-50	NA	Up to 1200 gpd (more with blend)	0.5	•	•		•			•	•		•		•	•	•		•		•	42, 53, 58	
Kleensteam® CT	EV9797-50	1.67 / 6.32	6,000 / 23,271	5.0								•		•		•	•						—	
Kleensteam II Single	EV9797-21	2.50 / 9.46	10,000 / 38,785	5.0								•		•		•	•						—	
Kleensteam II Twin	EV9797-22	5.00 / 18.93	20,000 / 77,570	5.0								•		•		•	•						—	
SR-X Scale Inhibitor System	EV9797-20	6.00 / 22.71	NA	0.5	•						•	•			•								—	
Kleenware® HTS-11	EV9799-11	15.00 / 56.78	NA	NA									•		•	•							—	

*Head and filter cartridge sold separately.

**Based on 10 grains of hardness (with Claris, a bypass setting of 4).

***Harmful cyst and microbial reduction by mechanical means. For further information concerning FIFRA registration, see product specification sheets.

COFFEE AND TEA ARE 98% WATER

Everpure® filters by Pentair® reduce:

- Abrasion and clogging
- Scale buildup and corrosion
- Off-tastes and odors
- Harmful cysts by mechanical means*

The benefits of Everpure filtration:

- Consistent quality, better tasting coffee
- Less equipment downtime and lower energy costs
- Lower maintenance and equipment costs, and lower total cost of ownership
- Satisfied customers and increased profits

EVERPURE COFFEE FILTRATION SYSTEMS

- NSF certifications
- 1/2 micron precoat filtration by mechanical means* with scale control
- Chlorine, taste & odor and sediment reduction
- Harmful cyst reduction by mechanical means*
- Proprietary Micro-Pure® II filtration media effectively inhibits the growth of bacteria on the filter media that can decrease product life*

System sizing guidelines: Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately six (6) months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions may produce different results.

SYSTEM	EQUIPMENT TYPE	EQUIPMENT FLOW RATE DEMAND		RATED CAPACITY**		OVER 6 MONTH PERIOD	
		GPM	LPM	GALLONS	LITRES	GALLONS	LITRES
QL2-OCS ²	Brewers 0.50 gpm and under	0.50	1.89	1,500	5,677	3,000 1/2 Gal Pots	11,000 2 L Pots
QL3-BH ²	Brewers 0.50 gpm - 1.0 gpm	0.50	1.89	3,000	11,355	6,000 1/2 Gal Pots	23,000 2 L Pots
QC7I-MH ²	Brewers 1 gpm - 1.67 gpm	1.00	3.79	9,000	34,065	18,000 1/2 Gal Pots	68,000 2 L Pots
QC7I Twin-MH ²	Brewers 1.67 gpm and above	1.00	3.79	18,000	68,100	—	—

UP TO 0.50 GPM

QL2-OCS², QL3-BH² and 2FC-S

QL2-OCS²QL3-BH²

2FC-S

UP TO 1.67 GPM

QC7I Single-MH²



Note: Filter head and cartridge sold separately.

QC7I Single-MH²

SYSTEM	PART NO	MICRON RATING	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE	NSF
			GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS		
QL2-OCS ²	EV9275-60	0.5	0.50	1.89	1,500	5,678	12 x 3.75 x 4	30.50 x 9.70 x 10.20	3.0	1.4	\$142.00	42, 53
QL3-BH ²	EV9272-00	0.5	0.50	1.89	3,000	11,356	16.50 x 3.75 x 4	42 x 9.70 x 10.20	4.0	1.8	\$207.00	42, 53
2FC-S	EV9691-76	0.5	1.50	5.68	6,000	22,712	10.25 x 3.25	26.04 x 8.26	6.6	3.0	\$92.60	42, 53
QC7I Single-MH ²	Head: EV9272-41	0.5	1.67	6.32	9,000	34,069	27.50 x 5.60 x 4	70 x 14.20 x 10.20	6.0	2.7	\$309.00	42, 53
	Cartridge: EV9613-21										\$165.00	

*See individual system specification sheets for performance claims and FIFRA registration information.

**System capacity may be reduced in areas where higher levels of particulates exist in the water, decreasing the flow rate through the filter system over time. Replace cartridge if flow rate is reduced below the rate demanded by the equipment.

UP TO 3.34 GPM

QC7I Twin-MH²



Note: Filter head and cartridges sold separately.

- For deliming brewers, use ScaleKleen® Scale Remover, see page 42
- For Everpure Model JT Flushing/Sanitizing Cartridge see page 42
- For Shurflo® LVPO and Everpure In-line Filters see page 73

SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
QC7I Twin-MH ²	Head: EV9272-22	3.34	12.64	18,000	68,137	25.26 x 16.60 x 5.50	64.10 x 42.10 x 14	12.0	5.4	\$546.00
	Cartridge: EV9613-21									\$165.00

EVERPURE® REPLACEMENT FILTERS

- Use only genuine Everpure replacement cartridges from Pentair® to protect your system's superior performance, NSF certification and warranty



CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	SCALE INHIBITION	KDF® SCALE INHIBITION	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION*†	BACTERIOSTATIC (NSF-CERTIFIED)*†	NSF STD 53	CYST REDUCTION*†	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES												LBS	KGS	
OCS ²	EV9618-02	0.50	1.89	1,500	5,678	0.5	•		•	•	•	•	•	•	•	1	2.0	0.9	\$67.20
BH ²	EV9612-50	0.50	1.89	3,000	11,355	0.5	•		•	•	•	•	•	•	•	1	2.0	0.9	\$119.00
MH ²	EV9613-21	1.67	6.32	9,000	34,069	0.5	•		•	•	•	•	•	•	•	1	3.0	1.4	\$165.00
2CB5-S	EV9617-22	1.00	3.79	3,000	11,355	5.0	•		•	•	•	•				6	9.0	4.1	\$62.70
2CB-GW	EV9618-36	0.50	1.89	3,000	11,355	10.0	•			•	•					6	10.0	4.5	\$66.30
2CB5-K	EV9617-06	1.00	3.79	3,000	11,355	5.0		•	•	•	•					6	11.0	5.0	\$65.20
4CB5-S	EV9617-26	1.67	6.32	6,000	22,710	5.0	•		•	•	•	•				6	13.0	5.9	\$108.00
4CB5-K	EV9617-36	1.67	6.32	6,000	22,710	5.0		•	•	•	•					6	13.0	5.9	\$117.00
2FC-S	EV9691-76	1.50	5.68	6,000	22,710	0.5	•		•	•	•	•	•	•	•	6	6.6	3.0	\$92.60
2FC5-S	EV9691-86	1.50	5.68	6,000	22,710	5.0	•		•	•	•	•	•			6	6.6	3.0	\$89.90

*See individual system specification sheets for performance claims and FIFRA registration information.

†By mechanical means.

EVERPURE® SOFTENING, FILTERING & BUFFERING ESPRESSO SYSTEMS

Everpure ESO and Claris™ Ultra System comparison:

- Both feature saltless ion exchange (softening) and integrated carbon filtration
- Both provide excellent scale prevention, improved taste & odor for beverages, and blending of filtered water with the softened water
- The ESO has a fixed blend of about 40% of filtered water while the Claris Ultra has an adjustable blend that allows customization of how much mineral content you want in the product water
- Blending optimizes mineral content

System Sizing Guidelines

GRAINS OF HARDNESS	ESPRESSO		
	LOW VOLUME (150 SHOTS PER DAY)	MEDIUM VOLUME (150-300 SHOTS PER DAY)	HIGH VOLUME (301-500 SHOTS PER DAY)
8	ESO ⁷ Single or Claris Ultra M	ESO ⁷ Twin or Claris Ultra L	ESO ⁷ Triple or Claris Ultra XL
12	ESO ⁷ Twin or Claris Ultra L	ESO ⁷ Triple or Claris Ultra XL	Claris Ultra XXL or RO

UP TO 0.5 GPM

QC7I Single-ESO⁷ System



UP TO 1.0 GPM

QC7I Twin-ESO⁷ System



UP TO 1.5 GPM

QC7I Triple-ESO⁷ System



EVERPURE ESO FILTRATION HEADS & CARTRIDGES

Note: For all systems, filter head and cartridge sold separately.

SYSTEM	PART NO (HEAD + CARTRIDGE)	FLOW RATE		RATED CAPACITY GRAINS	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM		IN	CM	LBS	KGS	
QC7I Single-ESO ⁶	EV9272-41 + EV9607-10	0.50	1.89	4,100	23.75 x 5.60 x 4	60.30 x 14.20 x 10.10	6.0	2.7	\$309.00 + 184.00
QC7I Single-ESO ⁷	EV9272-41 + EV9607-25	0.50	1.89	5,300	27.50 x 5.60 x 4	69.90 x 14 x 10.10	7.0	3.2	\$309.00 + 203.00
QC7I Twin-ESO ⁷	EV9272-22 + EV9607-25	1.00	3.79	10,600	25.26 x 16.60 x 5.50	64.30 x 41.90 x 14	19.0	8.6	\$546.00 + 203.00
QC7I Triple-ESO ⁷	EV9272-23 + EV9607-25	1.50	5.68	15,900	25.26 x 20.70 x 5.50	64.30 x 52.60 x 14	25.0	11.3	\$775.00 + 203.00

EVERPURE ESO CARTRIDGE CAPACITY

INCOMING WATER HARDNESS (GRAINS/GALLON)	ESO ⁶ (EV9607-10)			ESO ⁷ (EV9607-25)		
	VOLUME TO CHANGEOUT (GALLON)	NUMBER 8 OZ CUPS	NUMBER 2 OZ SHOTS	VOLUME TO CHANGEOUT (GALLON)	NUMBER 8 OZ CUPS	NUMBER 2 OZ SHOTS
3	1,363	21,809	87,236	1,769	28,300	109,200
4	1,022	16,357	65,428	1,327	21,225	84,900
6	682	10,905	43,620	884	14,150	56,600
8	511	8,178	32,712	663	10,613	42,452
10	409	6,543	26,172	531	8,490	33,960
12	341	5,452	21,808	442	7,075	28,300
14	292	4,673	18,692	379	6,064	24,256
16	256	4,089	16,356	332	5,306	21,224
18	227	3,635	14,540	295	4,717	18,868
20	204	3,271	13,084	265	4,245	16,980
22	186	2,974	11,896	241	3,859	15,436
24	170	2,726	10,904	221	3,538	14,152

Claris™ is a trademark of Aquis, GmbH.

EVERPURE® claris™ FILTRATION SYSTEMS

The Everpure Claris System has been specifically developed to remove a range of contaminants from the water, such as particles or unwanted taste & odor in hot drinks to minimize operation costs. Using unique water purification and softening technology, these systems are also able to effectively combine hardness reduction, mineral stabilization and corrosion inhibition

by maintaining a controlled low carbonic acid level in the water.

Everpure Claris used for iced tea

The perfect solution for cloudy iced tea! After a foodservice chain installed the Claris Ultra L System, the look and taste of their iced tea improved dramatically.



Before installation of Claris Ultra L System.



After installation of Claris Ultra L System.

Adjustable DuoBlend bypass valve allows for precise adjustment of carbonate hardness

Built-in flush valve and backflow preventer

Automatic inlet and outlet shutoff valves mean no risk of opening head and having water run everywhere

System operates in either a vertical or horizontal orientation



"Valve-in-head" design allows the system to depressurize by itself during cartridge changeout

Universal filter head fits all Claris cartridge models and sizes

Quick to install, easy to handle, fast to service

- Flat cartridge connector allows filter replacement in limited space
- Prefiltration removes coarse particles
- Carbonate hardness is adjusted through an ion exchange process

CLARIS ULTRA AND CLARIS PRIME DIFFERENCES

FEATURES	FILTER CARTRIDGE	
	EVERPURE CLARIS PRIME	EVERPURE CLARIS ULTRA
Number of cartridge sizes fit one head	1 Size – XXL	6 Sizes – 170, 250, 500, 1000, 1500, 2000
Combined mineral adaptation and stabilization	Yes	Yes
Bypass level stages	7 Positions	7 positions
Corrosion Inhibition	Yes	Yes
Inhibition of metal migration from machine parts	Yes	Yes
Chloride and sulphate reduction	Yes	No
Adjustable chloride and sulphate level	Yes	No
Adjustable level of entire TDS minerals	Yes	No
Adjustable bypass valve	Yes	Yes
Bypass accuracy over velocity and pressure	Very stable – DuoBlend®	Very stable – DuoBlend
pH value / pH fluctuation	Low pH fluctuation due to DuoBlend technology	Maintains pH range according to EU drinking water regulation with high accuracy due to DuoBlend technology
Capacity range of filter family in litres	XXL chosen to achieve highest capacity	Widest capacity range in market – one head fits all
Capacity on space ratio per cartridge	Excellent capacity for total demineralization technology	Widest ratio of all cartridges in market
Installation cartridge in head	Quick – bayonet	Quick – bayonet
Horizontal use	Yes	Yes

Claris™ is a trademark of Aquis, GmbH.

CLARIS™ FILTER HEAD COMPARISON

FEATURES	FILTER HEAD	
	CLARIS GEN 2	CLARIS GEN 1
Number of cartridge sizes fit one head	Fits all Everpure® Claris Cartridges	Fits all Everpure Claris Cartridges
Bypass settings tamper proof	Yes	Adjustment cap locks down
Bypass level stages	7 positions	7 positions
Bypass accuracy over velocity and pressure	Very stable – DuoBlend®	Very stable – DuoBlend
Simplicity of bypass setting	Quick and easy with key provided	Quick and easy
Reading bypass level setting	Very good – clear marks on setting key	Very good – easy from the front
Bypass setting function	Easy and secure with use of bypass setting key	Easy and secure – no tool needed and locking mechanism of cap
Shut-off valves inlet / outlet	Yes – inlet + outlet valves both as standard	Yes – inlet + outlet valves both as standard
None-return (check) valve in head	Yes – standard in 3/8" G inlet connector	Yes – standard in 3/8" G inlet connector
Automatic shutoff	Yes – rotation type inlet + outlet	Yes – rotation type inlet + outlet
Flexibility of head	Modular – different connection types thread or 3/8" BSP, 3/8" NPT and 3/8" and 8mm JG, two-sided connection	Modular – different connection types 3/8" BSP thread or 1/4" or 3/8" JG, two- or one-sided connection
Simplicity of cartridge replacement	Secure, easy and quick – just a 45° turn	Secure, easy and quick – just a 120° turn

SOFTENING / FILTRATION



SYSTEM	PART NO	AUTO SHUTOFF	MOUNTING BRACKET	CONNECTION	FLOW RATE		RATED CAPACITY*		PACK SIZE	SHIP WT		LIST PRICE
					GPM	LPM	GALLONS	LITRES		LBS	KGS	
Claris Gen 2 Head	EV4339-90	Yes	Yes	3/8" BSP	–	–	–	–	1	0.7	0.3	\$135.00
Claris Gen 2 Head	EV4339-91	Yes	Yes	3/8" NPT	–	–	–	–	1	0.7	0.3	\$135.00
Claris Gen 2 Head	EV4339-92	Yes	Yes	3/8" QCF	–	–	–	–	1	0.7	0.3	\$135.00
Claris Ultra S**	EV4339-80	–	–	–	0.50	1.89	660	2,500	1	2.9	1.3	\$260.00
Claris Ultra M**	EV4339-81	–	–	–	0.50	1.89	1,109	4,200	1	4.0	1.8	\$362.00
Claris Ultra L**	EV4339-82	–	–	–	0.50	1.89	2,245	8,500	1	7.1	3.2	\$499.00
Claris Ultra XL**	EV4339-83	–	–	–	1.00	3.79	3,196	12,100	1	9.5	4.3	\$594.00
Claris Ultra XXL**	EV4339-84	–	–	–	1.00	3.79	5,283	20,000	1	14.3	6.5	\$880.00
Claris Prime	EV4339-86	–	–	–	1.00	3.79	557†† 1,255†††	2,110†† 4,750†††	1	15.2	6.9	\$794.00
Claris Test Kit†	EV4339-40	–	–	–	–	–	–	–	1	0.3	0.1	\$61.90
Claris Hose 10CM, 3/8" x 1/2"†	EV4339-52	–	–	–	–	–	–	–	1	0.7	0.3	\$81.50
Claris Flow Meter US†	EV4339-31	–	–	3/8" BSP	–	–	–	–	1	0.5	0.2	\$371.00
Claris Flow Meter 700 Lpm†	EV4339-32	–	–	3/8" BSP	–	–	–	–	1	0.5	0.2	\$372.00

*Based on 10 grains of hardness and a bypass setting of 4". **Cartridge and head sold separately (although product pictures above show both).

†Not shown. ††For direct injection combi ovens; capacity based on influent water TDS of ppm, hardness of 180 ppm and chloride 60 ppm with standard bypass settings.

†††For espresso; capacity based on influent water TDS of ppm, hardness of 180 ppm and chloride 60 ppm with standard bypass settings.

FOUNTAIN BEVERAGES ARE 83% WATER

Everpure® filters by Pentair® reduce:

- Abrasion and clogging from dirt
- Chlorine, taste & odor and other contaminants
- Harmful cysts by mechanical means*
- Chloramines – CLM+ Systems

The benefits of Everpure filtration:

- Consistent beverage quality
- Less equipment downtime, lower maintenance costs and lower total cost of ownership
- Bottled water quality, taste and appeal
- Satisfied customers and increased profits

EVERPURE® FOUNTAIN BEVERAGE FILTRATION SYSTEMS

System features include:

- NSF certifications
- Manifold has inlet water shutoff valve with optional integrated sediment prefilter, flushing valve and water pressure gauge(s)
- Harmful cyst reduction by mechanical means*
- Chloramines, chlorine, taste & odor and sediment reduction

- 1/2 micron filtration by mechanical means*, featuring Micro-Pure® II filtration media effectively inhibits the growth of bacteria on the filter media that can decrease product life*

Ambient carbonation versus cold carbonation:

- If a carbonator is placed before the water is chilled using a cold plate, the associated term is ambient carbonation. When it is placed post-chilling, it is cold carbonation. Water that is cold absorbs CO₂ better so drinks will have more fizz.

System sizing guidelines:

Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately six(6) months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

CARBONATION TYPE	CARBONATION ONLY			CARBONATED AND NON-CARB**		
	SYSTEM: PART NO	NUMBER OF CARBONATORS	FLOW RATE GPM/LPM	SYSTEM: PART NO	NUMBER OF CARBONATORS	FLOW RATE GPM/LPM
Ambient Carbonation	Coldrink® 1: EV9328-01	1	1.67 / 6.32	Coldrink 2: EV9328-02	1	3.34 / 12.64
	Coldrink 2: EV9328-02	2	3.34 / 12.64	Coldrink 3: EV9328-03	2	5.01 / 18.96
	Coldrink 3: EV9328-03	3	5.01 / 18.96	QC7I Quad: EV9336-11 / EV9612-56†	3	6.68 / 25.30
	Coldrink 4-4FC: EV9328-44	4	6.68 / 25.29	Coldrink 4-7FC: EV9328-74	4	10 / 37.90
Cold Carbonation	Coldrink 2: EV9328-02	1	2.10 / 7.95	Coldrink 2: EV9328-02	1	3.10 / 11.73
	Coldrink 3: EV9328-03	2	4.20 / 15.90	Coldrink 3: EV9328-03	2	5.20 / 19.68
	QC7I Quad: EV9336-11 / EV9612-56†	3	6.30 / 23.85	Coldrink 3-7FC: EV9328-73	3	7.30 / 27.63
	Coldrink 4-4FC: EV9328-44	4	8.40 / 31.80	Coldrink 4-7FC: EV9328-74	4	9.40 / 35.58

To maximize filter life and optimize beverage system performance, see Water Boost Systems on page 31.



*See individual system specification sheets for performance claims and FIFRA registration information.

**Add 1.0 gpm [3.78 Lpm] for Non-Carb Beverage Systems.

†Head and cartridge sold separately.

EVERPURE® COLDRINK®-MC² / QC7I SYSTEMS

UP TO 1.67 GPM

Coldrink 1-MC²



UP TO 3.34 GPM

Coldrink 2-MC²



UP TO 5.01 GPM

Coldrink 3-MC²



UP TO 6.70 GPM

QC7I Quad-MC²*



SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
QC7I Single-MC ² **	EV9275-01	1.67	6.32	9,000	34,065	27.5 x 5.6 x 4.0	69.8 x 14.2 x 10.2	6.0	2.7	\$410.00
QC7I Twin-MC ² **	EV9275-02	3.34	12.64	18,000	68,100	25.3 x 16.6 x 5.5	64.1 x 42.2 x 14.0	10.0	4.5	\$737.00
QC7I Triple-MC ² **	EV9275-03	5.01	18.96	27,000	102,195	25.3 x 20.7 x 5.5	64.2 x 52.6 x 14.0	15.0	6.8	\$1,070.00
QC7I Quad-MC ² *	Head: EV9336-11 - (1) Cartridge: EV9612-56 - (4)	6.68	25.29	36,000	136,260	25.7 x 24.6 x 5.5	65.3 x 62.5 x 14.0	20.0	9.0	\$1,103.00 \$129.00
Coldrink 1-MC ²	EV9328-01	1.67	6.32	9,000	34,065	25.3 x 14.1 x 6.7	64.4 x 35.9 x 17.1	18.0	8.1	\$670.00
Coldrink 2-MC ²	EV9328-02	3.34	12.64	18,000	68,100	25.6 x 21.5 x 6.0	65.0 x 54.6 x 15.2	20.0	9.0	\$990.00
Coldrink 3-MC ²	EV9328-03	5.01	18.96	27,000	102,195	25.6 x 25.8 x 6.0	65.0 x 65.4 x 15.2	23.0	10.4	\$1,356.00

Note: Everpure Coldrink systems feature integrated 20.0" [50.8 cm] opaque bowl housings and coarse prefilter. QC7I systems do not include integrated prefilter.

EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty
- The 7CLM⁺ and XCLM⁺ Replacement Filter Cartridges are also compatible with Everpure QC7I, Coldrink, High Flow CSR, QL2, QL3B and QL3 Heads

For more information
on CLM⁺ see page 22.



Carbon Block Micro-Pure® II 7CLM⁺ XCLM⁺ EC210

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION***†	BACTERIOSTATIC (NSF-CERTIFIED)***†	NSF STD 53	CYST REDUCTION***†	CHLORAMINES REDUCTION	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES											LBS	KGS	
MC ²	EV9612-56	1.67	6.32	9,000	34,065	0.5	•	•	•	•	•	•	•		1	2.0	0.9	\$129.00
XC ²	EV9613-10	1.67	6.32	12,000	45,420	0.5	•	•	•	•	•	•	•		1	3.0	1.4	\$161.00
4CB5	EV9617-16	1.67	6.32	6,000	22,710	5.0	•	•	•	•					6	13.0	5.9	\$98.10
7CB5	EV9618-11	2.50	9.46	10,000	37,850	5.0	•	•	•	•					1	5.0	2.3	\$139.00
7CLM ⁺	EV9771-00	1.67	6.32	7,500	28,391	5.0	•	•	•	•			•		1	2.5	1.1	\$224.00
XCLM ⁺	EV9761-00	2.00	7.57	9,300	35,204	5.0	•	•	•	•			•		1	3.0	1.4	\$279.00
EC210	EV9534-26	—	—	—	—	10.0				•					6	5.0	23.0	\$16.10

*Head and cartridge sold separately. **Not shown. ***See individual system specification sheets for performance claims and FIFRA registration information.

†By mechanical means.

EVERPURE® COLDRINK®-FC SYSTEMS

- Designed for foodservice operations with high water usage for beverage and ice

UP TO 7.5 GPM

Coldrink 3-7FC



UP TO 10.0 GPM

Coldrink 4-4FC



UP TO 10.0 GPM

Coldrink 4-7FC



SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
Coldrink 3-7FC	EV9328-73	7.50	28.39	75,000	283,906	25.60 x 25.75 x 6	65.0 x 65.40 x 15.20	36.0	16.3	\$1,767.00
Coldrink 4-4FC*	EV9328-44	10.00	37.85	60,000	227,124	19.50 x 29.40 x 6.75	49.50 x 74.60 x 17.10	35.0	15.9	\$1,768.00
Coldrink 4-7FC	EV9328-74	10.00	37.85	100,000	378,541	25.60 x 29.40 x 6.75	65 x 74.60 x 17.10	43.0	19.5	\$2,217.00

Note: Coldrink-FC systems contain integrated 10.0" [25.4 cm] or 20.0" [50.8 cm] coarse prefilter, depending on model.



EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION***†	BACTERIOSTATIC (NSF-CERTIFIED)***†	NSF STD 53	CYST REDUCTION***†	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES										LBS	KGS	
4FC	EV9692-21	2.50	9.46	15,000	56,781	0.5††	•	•	•	•	•	•	•	1	2.0	0.9	\$163.00
7FC	EV9692-61	2.50	9.46	25,000	94,635	0.5††	•	•	•	•	•	•	•	1	3.0	1.4	\$262.00
4FC5	EV9693-21	2.50	9.46	15,000	56,781	5.0	•	•	•	•	•			1	2.0	0.9	\$155.00
7FC5	EV9693-61	2.50	9.46	25,000	94,635	5.0	•	•	•	•	•			1	3.0	1.4	\$248.00
EC110*	EV9534-12	—	—	—	—	10.0				•				12	5.0	2.3	\$8.70
EC210**	EV9534-26	—	—	—	—	10.0				•				6	5.0	2.3	\$16.10

*EC110 Prefilter used in systems with 10.0" [25.4 cm] prefilter bowl.

**EC210 Prefilter used in systems with 20.0" [50.8 cm] prefilter bowl.

***By mechanical means.

†See individual system specification sheets for performance claims and FIFRA registration information.

††Nominal filter rating 0.2 micron as tested by Pentair.


WHAT YOU SHOULD KNOW ABOUT CHLORAMINES

What are chloramines?

- Chloramines are a combination of chlorine and ammonia, and are used as a disinfectant to treat drinking water as an alternative to chlorine

Why chloramines versus chlorine treatment?

- Chloramines provide longer-lasting water treatment as water moves through distribution systems to end-users
- Due to stricter government regulation, specifically the USEPA's Stage 2 Disinfectant Byproduct Rules, many US municipalities are switching from chlorine disinfection to chloramines disinfection



Chlorine Ammonia Chloramines

Chloramines is chlorine bonded with ammonia. This provides more stability for better disinfection over long distances in pipe lines. It lasts two or three days instead of just a few hours for free chlorine. Also, because it's less likely to create byproducts such as THMs, it helps municipalities meet new EPA guidelines for drinking water quality.

EVERPURE® CB20 SYSTEMS

System features include:

- Cartridge(s), gauge(s) and flush valve

UP TO 5.5 GPM

CB20-124E



CB20-302E



CB20-312E[†]



SYSTEM/HOUSING	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
CB20-124E System	EV9100-51	5.00	18.93	15,000	56,781	25.90 x 7.35 x 8.50	65.80 x 18.70 x 21.60	22.0	10.0	\$663.00
CB20-302E System	EV9100-32	5.00	18.93	20,000	75,708	27.80 x 20.80 x 9	70.60 x 47.50 x 23	46.0	21.0	\$1,382.00
CB20-312E [†] System	EV9100-37	5.00	18.93	85,000	321,760	29.50 x 25 x 15.10	74.90 x 63.50 x 38.50	82.0	37.0	\$2,079.00
CB20-124E Housing	EV9100-31	5.00	18.93	-	-	25.90 x 7.35 x 8.50	65.80 x 18.70 x 21.60	18.0	8.2	\$340.00
CB20-302E Housing	EV9100-34	5.00	18.93	-	-	27.80 x 20.80 x 9	70.60 x 47.50 x 23	35.0	15.9	\$743.00
CB20-312E Housing	EV9100-70	5.00	18.93	-	-	29.50 x 25 x 15.10	74.90 x 63.50 x 38.50	65.0	29.5	\$1,282.00

EVERPURE CB20 CARTRIDGE KITS

CC1E Cartridge:

- Extended service cartridge contains radial flow granular activated carbon (GAC)
- Improves the taste and consistency of beverages and ice by reducing chloramines, chlorine, and other off-tastes and odors

CC3E Cartridge:

- Carbon block cartridge reduces chlorine taste & odor and certain VOCs
- Reduces *Cryptosporidium* and *Giardia* cysts by mechanical means**



CC1E

CC3E

CARTRIDGE	PART NO	DESCRIPTION	TECHNOLOGY	RATED CAPACITY		SHIP WT		LIST PRICE
				GALLONS	LITRES	LBS	KGS	
124E Kit	EV9105-02	CC1E cartridge (1)	Granular Activated Carbon	15,000	56,775	4.0	1.8	\$373.00
302E Kit	EV9105-21	CC1E (1) and CC3E cartridges (1)	Granular Activated Carbon (CC1E) Submicron* Carbon Block (CC3E)	20,000	75,700	11.0	5.0	\$741.00
312E Kit	EV9105-34	CC1E (1) and CC3E cartridges (2)	Granular Activated Carbon (CC1E) Submicron* Carbon Block (CC3E)	85,000	321,769	17.0	7.7	\$1,054.00

*By mechanical means. **See individual system specification sheets for performance claims and FIFRA registration information.

[†]Meets the requirements of the Coca-Cola® specification for chloramines reduction.

EVERPURE® 7CLM⁺ 5 MICRONS CHLORAMINES REDUCTION SYSTEMS

System features include:

- NSF 42 certifications
- Two cartridge size options, 7- and X-size, to meet your specific needs
- High capacity chloramines reduction solution
- Fountain beverage, frozen carbonated beverage and drinking water applications

UP TO 1.7 GPM

Coldrink® 1-7CLM⁺



UP TO 3.4 GPM

Coldrink 2-7CLM⁺



UP TO 5.0 GPM

Coldrink 3-7CLM⁺



UP TO 6.7 GPM

Coldrink 4-7CLM⁺



SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
QC7I Single-7CLM ⁺	EV9771-11	1.67	6.32	7,500	28,391	24.1 x 8.1 x 5.3	61.2 x 20.6 x 13.5	6.0	2.8	\$468.00
		1.33	5.03	9,500**	35,961**					
		1.00	3.79	12,600**	47,696**					
QC7I Twin-7CLM ⁺	EV9771-12	3.34	12.64	15,000	56,781	25.6 x 16.0 x 5.3	65.0 x 40.6 x 13.5	17.7	8.3	\$857.00
		2.66	10.07	19,000**	71,923**					
		2.00	7.57	25,200**	95,392**					
QC7I Triple-7CLM ⁺	EV9771-13	5.01	18.96	22,500	85,172	25.6 x 21.0 x 5.8	65.0 x 53.3 x 14.7	23.8	11.1	\$1,255.00
		4.00	15.14	28,500**	107,884**					
		3.00	11.36	37,800**	143,089**					
QC7I Quad-7CLM ⁺	EV9771-14	6.68	25.29	30,000	113,562	25.6 x 24.6 x 5.8	65.0 x 62.5 x 14.7	27.2	12.3	\$1,519.00
		5.33	20.18	38,000**	143,846**					
		4.00	15.14	50,400**	190,785**					
Coldrink 1-7CLM ⁺	EV9771-21	1.67	6.32	7,500	28,391	25.3 x 14.1 x 6.7	64.3 x 35.8 x 17.0	14.1	6.4	\$687.00
		1.33	5.03	9,500**	35,961**					
		1.00	3.79	12,600**	47,696**					
Coldrink 2-7CLM ⁺	EV9771-22	3.34	12.64	15,000	56,781	25.6 x 21.5 x 6.0	65.0 x 54.6 x 15.2	25.5	11.6	\$1,131.00
		2.66	10.07	19,000**	71,923**					
		2.00	7.57	25,200**	95,392**					
Coldrink 3-7CLM ⁺	EV9771-23	5.01	18.96	22,500	85,172	25.6 x 25.8 x 6.0	65.0 x 65.5 x 15.2	30.4	13.8	\$1,504.00
		4.00	15.14	28,500**	107,884**					
		3.00	11.36	37,800**	143,089**					
Coldrink 4-7CLM ⁺	EV9771-24	6.68	25.29	30,000	113,562	25.6 x 29.4 x 6.0	65.0 x 74.7 x 15.2	33.8	15.3	\$1,774.00
		5.33	20.18	38,000**	143,846**					
		4.00	15.14	50,400**	190,785**					

Note: QC7I-CLM⁺ Systems prefilter sold separately. Coldrink-CLM⁺ Systems come equipped with EC210 Prefilter.

*Not shown.

**Not performance tested by NSF.

EVERPURE® XCLM+ 5 MICRONS CHLORAMINES REDUCTION SYSTEMS

UP TO 2.0 GPM

Coldrink® 1-XCLM+



UP TO 4.0 GPM

Coldrink 2-XCLM+



UP TO 6.0 GPM

Coldrink 3-XCLM+



UP TO 8.0 GPM

Coldrink 4-XCLM+



SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
QC7I Single-XCLM**	EV9761-11	2.00	7.57	9,300	35,204	28.5 x 8.1 x 5.3	72.4 x 20.6 x 13.5	6.5	2.9	\$524.00
		1.67	6.32	11,600**	43,911**					
		1.00	3.79	19,300**	73,058**					
QC7I Twin-XCLM**	EV9761-12	4.00	15.14	18,600	70,409	30.0 x 16.0 x 5.3	76.2 x 40.6 x 13.5	18.7	8.5	\$970.00
		3.34	12.64	23,200**	87,822**					
		2.00	7.57	38,600**	146,117**					
QC7I Triple-XCLM**	EV9761-13	6.00	22.71	27,900	105,613	30.0 x 21.0 x 5.8	76.2 x 53.3 x 13.5	25.4	11.4	\$1,421.00
		5.01	18.96	34,800**	131,732**					
		3.00	11.36	57,900**	219,175**					
QC7I Quad-XCLM**	EV9761-14	8.00	30.28	37,200	140,817	30.0 x 24.6 x 5.8	76.2 x 62.5 x 13.5	29.2	13.2	\$1,741.00
		6.68	25.29	46,400**	175,643**					
		4.00	15.14	77,200**	292,233**					
Coldrink 1-XCLM+	EV9761-21	2.00	7.57	9,300	35,204	25.3 x 14.1 x 6.7	64.3 x 35.8 x 17.0	14.1	6.4	\$742.00
		1.67	6.32	11,600**	43,911**					
		1.00	3.79	19,300**	73,058**					
Coldrink 2-XCLM+	EV9761-22	4.00	15.14	18,600	70,409	25.6 x 21.5 x 6.0	65.0 x 54.6 x 15.2	25.5	11.6	\$1,242.00
		3.34	12.64	23,200**	87,822**					
		2.00	7.57	38,600**	146,117**					
Coldrink 3-XCLM+	EV9761-23	6.00	22.71	27,900	105,613	25.6 x 25.8 x 6.0	65.0 x 65.5 x 15.2	30.4	13.8	\$1,671.00
		5.01	18.96	34,800**	131,732**					
		3.00	11.36	57,900**	219,175**					
Coldrink 4-XCLM+	EV9761-24	8.00	30.28	37,200	140,817	25.6 x 29.4 x 6.0	65.0 x 74.7 x 15.2	33.8	15.3	\$1,995.00
		6.68	25.29	46,400†**	175,643**					
		4.00	15.14	77,200**	292,233**					



EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty
- The 7CLM+ and XCLM+ Replacement Filter Cartridges are also compatible with Everpure QC7I, Coldrink, High Flow CSR, QL2, QL3B and QL3 Heads

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION	CHLORAMINES REDUCTION	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES								LBS	KGS	
7CLM+	EV9771-00	1.67	6.32	7,500	28,391	5.0	•	•	•	•	•	1	2.5	1.1	\$224.00
XCLM+	EV9761-00	2.00	7.57	9,300	35,204	5.0	•	•	•	•	•	1	3.0	1.4	\$279.00
EC210	EV9534-26	—	—	—	—	10.0				•		6	5.0	23.0	\$16.10

Note: QC7I-CLM+ Systems prefilter sold separately. Coldrink-CLM+ Systems come equipped with EC210 Prefilter.

*Not shown.

**Not performance tested by NSF.

EVERPURE® QC7I DIO PLATFORM WITH CLM⁺/7SI

- Integrated header design incorporates two independent systems, CLM⁺ Triple and 7SI Twin Systems, into a single configuration
- Solution provides two distinct water qualities for multiple applications: primary filtration for fountain and secondary filtration with scale inhibitor for ice
- Small system footprint is easy to install and service with built-in water shut-off and flushing valves on both water outlets

System features include:

- Harmful cyst reduction by mechanical means*†
- NSF 42 and 53 certifications
- CLM⁺ Primary System:
 - Reduces chloramines, chlorine taste & odor and other offensive contaminants that can adversely affect the taste of beverages
 - Improves the taste of fountain beverages and helps retain carbonation
- 7SI Secondary System:
 - Reduces water-related ice machine problems caused by scale buildup from dirt and dissolved minerals*
 - Self-contained scale inhibitor feed keeps ice machines functioning at full capacity*


Other system configurations are available by combining the QC7I DIO Manifold with desired Pentair® Everpure cartridges. Consult your dealer or Pentair Everpure Technical Support for more information.



EV9278-41
QC7I 7CLM⁺/7SI DIO System



EV9278-91
QC7I DIO System Manifold



SYSTEM/ CARTRIDGES	PART NO	CLM ⁺ TRIPLE SYSTEM – PRIMARY				7SI TWIN SYSTEM – SECONDARY				DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
QC7I 7CLM ⁺ / 7SI DIO	EV9278-41	3.00	11.36	37,800 ^{††}	143,089 ^{††}									
		4.00	15.14	28,500 ^{††}	107,884 ^{††}	7.00	26.50	50,000	189,271	25.43 x 21.33 x 7.70	64.60 x 54.18 x 19.56	31.0	14.1	\$2,031.00
		5.01	18.96	22,500	85,172									
QC7I XCLM ⁺ / 7SI DIO**	EV9278-42	3.00	11.36	57,900 ^{††}	219,175 ^{††}									
		5.01	18.96	34,800 ^{††}	131,732 ^{††}	7.00	26.50	50,000	189,271	29.73 x 21.33 x 7.70	75.51 x 54.18 x 19.56	32.0	14.6	\$2,187.00
		6.00	22.71	27,900	105,613									
QC7I 7CLM ⁺ / 7SI DIO Manifold	EV9278-91	–	–	–	–	–	–	–	–	8.79 x 21.33 x 7.70	22.33 x 54.2 x 19.6	12.0	5.4	\$1,099.00

Note: For replacement cartridges, see page 81.

*As tested by Everpure.

**Not shown.

†See individual system specification sheets for performance claims and FIFRA registration information.

††Not Performance Tested or Certified by NSF.

ACCEPT NO SUBSTITUTES.

You trust Pentair Everpure water treatment solutions to protect your water, your food and your business.

That's why you chose Pentair Everpure in the first place.

So stick with the original.

Choose only genuine Pentair Everpure Replacement Filter Cartridges.



EVERPURE®

VISIT US AT WWW.PENTAIR.COM



SHURFLO® GENERAL BEVERAGE BIB PUMPS

Shurflo heavy duty, gas-driven (CO₂ /Air) diaphragm pumps are designed for the dispensing of Bag-in-Box (BIB) syrups, teas, juices, and wines. It utilizes a technically superior, straight-through flow path design to maximize performance by minimizing pressure drop. The pumps feature an automatic demand and automatic sold out vacuum shutoff for ease of operation.

- Straight, short syrup path for consistent, efficient delivery
- High volume per stroke for maximized pump life
- Operating pressure to 85 PSI [5.86 bar] can handle the most difficult installations, suitable for all pumping needs




PART NO	YELLOW CLIP	LIQUID IN	LIQUID OUT		GAS IN		GAS OUT	MOUNTING BRACKET		CORE PUMP	SERVICE PUMP	CASE QTY	SHIP WT		LIST PRICE
		3/8" [10 MM] BARB PLASTIC ELBOW	3/8" [10 MM] BARB STAINLESS STEEL ELBOW	1/4" [6 MM] BARB STAINLESS STEEL ELBOW	1/4" [6 MM] BARB PLASTIC ELBOW W/CHECK VALVE	1/4" [6 MM] BARB PLASTIC TEE W/CHECK VALVE	1/4" [6 MM] BARB PLASTIC ELBOW W/O CHECK VALVE	P-MOUNT	STANDARD MOUNT				LBS	KGS	
94-360-00	•	•		•	•				•			12	2.2	1	\$95.20
94-360-40	•	•		•		•			•			12	2.2	1	\$95.20
94-360-38	•	•	•		•				•			12	2.2	1	\$96.10
94-360-41	•	•	•			•			•			12	2.2	1	\$96.10
94-366-50	•	•		•	•				•	•		12	1.86	0.843	\$95.20
94-366-49	•	•		•		•			•	•		12	0.65	0.295	\$95.20
94-366-48	•	•	•			•			•	•		12	0.65	0.295	\$96.10
94-384-31	•	•	•		•			•				12	2.0	0.91	\$121.00
94-384-32	•	•	•			•		•				12	2.2	1	\$121.00
94-444-04	•	•	•			•		•				360	2.2	1	\$121.00
94-444-03	•								•		•	360	1.2	0.54	\$91.60
94-444-02	•	•					•					360	0.054	0.024	\$70.30
94-444-01	•	•					•			•		360	2.2	1	\$70.30
94-441-48	•								•		•	12	2	0.91	\$89.50

NEW

COCA-COLA® BIB PUMPS AND SYSTEMS, RED CLIP

Shurflo Bag-in-Box (BIB) Pump Systems feature a number of pumps mounted on a universal modular board (with quick-change pump mounting brackets), which can be quickly mounted on a wall. One to three pump options are shown in table below but additional options are available. Other configurations are available upon request (minimum quantities required) featuring various combinations of fittings, inlet BIB tubing, air manifold and BIB connectors

PART NO	RED CLIP	NUMBER OF PUMPS	LIQUID IN			LIQUID OUT		GAS IN				MOUNTING BRACKET		HIGH ALTITUDE	SERVICE PUMP	CASE QTY	SHIP WT		LIST PRICE
			3/8" [10 MM] BARB PLASTIC ELBOW	1/4" [6 MM] BARB PLASTIC ELBOW	66" [168 CM] BIB TUBING AND BIB CONNECTOR	3/8" [10 MM] BARB STAINLESS STEEL ELBOW	1/4" [6 MM] BARB STAINLESS STEEL ELBOW	1/4" [6 MM] BARB PLASTIC ELBOW W/CHECK VALVE	1/4" [6 MM] BARB BRASS ELBOW W/CHECK VALVE	1/4" [6 MM] BARB BRASS TEE W/CHECK VALVE	1/4" [6 MM] BARB BRASS TEE MANIFOLD W/CHECK VALVE	STANDARD MOUNT	UNIVERSAL MODULAR BOARD				LBS	KGS	
94-360-06	•		•			•		•				•				12	2.2	1	\$96.10
94-360-19	•		•			•			•			•				12	0.65	0.295	\$97.70
94-440-38	•			•			•	•				•				12	2	0.91	\$95.20
94-360-02	•		•			•				•		•				12	0.65	0.295	\$97.70
94-376-51	•	1			•	•				•			•			1	0.65	0.295	\$126.00
94-376-52	•	2			•	•					•		•			1	2.2	1	\$284.00
94-376-53	•	3			•	•					•		•			1	2.2	1	\$403.00
94-440-39	•		•				•	•				•		•		12	2.2	1	\$96.10
94-441-17	•											•			•	12	2	0.91	\$91.30
94-440-30	•	1			•	•		•				•				1	2	0.91	\$122.00
94-440-31	•	1			•		•	•				•				1	2	0.91	\$121.00
94-440-60	•	1			•	•		•				•				1	2	0.91	\$122.00



SHURFLO JUICE AND BIB PUMPS

This model's straight-through flow path offers less restriction, allowing more viscous fluids to be pumped. Pump valves have been modified using custom-designed materials compatible with all aggressive concentrates, including cranberry juice.

PART NO	LIQUID IN	LIQUID OUT		GAS IN	STANDARD BRACKET	JUICE PUMP	CASE QTY	SHIP WT		LIST PRICE
		3/8" [10 MM] BARB PLASTIC ELBOW	3/8" [10 MM] BARB PLASTIC ELBOW					LBS	KGS	
94-360-05	I	I		I	I	I	12	2.2	1.0	\$102.00
94-360-65	I		I	I	I	I	12	3.3	1.5	\$161.00




SHURFLO® BEER ACE™ II PUMPS

The Shurflo Beer Ace II Pump has positive inlet pressure and is gas operated. The pump is used to drive beer from the keg to the tap without over-carbonating the beer.

- Dispense speed can be altered without over-carbonating the beer
- Handles long and difficult runs
- Enlarged pumping chambers and long piston stroke gives desired flow rate with fewer cycles and reduced wear
- Smooth flow and longer pump life



PART NO	LIQUID IN			LIQUID OUT						GAS IN				GAS OUT	STANDARD MOUNTING BRACKET	CASE QTY	SHIP WT		LIST PRICE
	3/8" [10 MM] BARB PLASTIC	1/2" [13 MM] BARB PLASTIC ELBOW	3/8" [10 MM] BARB STAINLESS STEEL ELBOW	3/8" [10 MM] BARB PLASTIC	3/8" [10 MM] BARB STRAIGHT PLASTIC	3/8" [10 MM] BARB STAINLESS STEEL ELBOW	3/8" [10 MM] BARB STRAIGHT STAINLESS STEEL	1/4" [10 MM] BARB STAINLESS STEEL ELBOW	3/8" [10 MM] JOHN GUEST® ADAPTOR	3/8" [6 MM] BARB PLASTIC ELBOW W/CHECK VALVE	1/4" [6 MM] BARB PLASTIC ELBOW W/CHECK VALVE	3/8" [6 MM] BARB STRAIGHT PLASTIC NO CHECK VALVE	5/16" [8 MM] BARB STRAIGHT JOHN GUEST® ADAPTOR W/CHECK VALVE	1/4" [6 MM] BARB PLASTIC ELBOW W/O CHECK VALVE					
166-257-00														I	I	12	1.12	0.51	\$112.00
166-257-16	•			•							•			I	I	12	1.12	0.51	\$112.00
166-257-32	•								•				•	I	I	12	1.12	0.51	\$121.00
166-257-37		•			•							•		I	I	12	1.12	0.51	\$129.00
166-257-39			•					•		•				I	I	12	1.12	0.51	\$129.00
166-257-40			•				•			•				I	I	12	1.12	0.51	\$129.00
166-257-41			•			•					•			I	I	12	1.12	0.51	\$129.00






SHURFLO VACUUM REGULATING VALVES (VRV)



The Shurflo Vacuum Regulating Valves allow beverage pumps and brix pumps to receive liquid from a pressurized source. These pumps are not designed to have positive liquid inlet pressure (except Beer Ace II Pumps). By positioning a vacuum regulator at the inlet of the pump, incoming liquid pressure is reduced to zero. This allows for the pumps to be plumbed in series for long distance pumping applications.

PART NO	DESCRIPTION	CASE QTY	LIST PRICE
94-054-00	With fittings, 3/8" [10 mm] barb elbow.	30	\$56.60
94-054-02	With fittings, 3/8" [10 mm] barb elbow, EU Materials.	30	\$67.10



SHURFLO® AUTOMATIC SELECTOR VALVES (ASV)

The Shurflo ASV permits two or more syrups (BIBs) to be connected at the inlet port of the BIB pump. The BIB pump draws product through one side of the ASV until the BIB is evacuated and higher-than-normal vacuum is detected. Once the “switching” level of vacuum is reached, the ASV automatically switches and begins drawing product from the BIB connected to the other side. The ASV permits uninterrupted beverage dispensing and allows store personnel the ability to replace the BIBs at a convenient time.



PART NO	DESCRIPTION	CASE QTY	LIST PRICE
94-350-08	General beverage, 18.0 in. [45.7 cm] Hg. switch point, 3/8" [10 mm] barb fittings.	30	\$59.00
94-350-03	General beverage, 18.0 in. [45.7 cm] Hg. switch point, 3/8" [10 mm] barb fittings – elbow on outlet.	30	\$65.20
165-110 High Altitude	General beverage, 12.0 in. [30.5 cm] Hg. switch point, 3/8" [10 mm] barb fittings – replaces 165-010.	30	\$57.50

SHURFLO AIR VENT

The Shurflo Air Vent incorporates membrane technology to capture and eliminate entrained air/gas normally found in BIB systems. Capable of eliminating up to 2.5 BIBs [9.5 L] of air per day at 60 PSI [4.1 bar], this device has ample capacity for even high volume accounts. The Shurflo Air Vent product design life-tested to an equivalent of 15 years of performance. Product changes occur quickly, eliminating waste due to flavor and color carryover.

- Air vent sealed from syrup
- Utilizes gas permeable membrane to vent gas/air
- Service flow rate up to 4.70 oz [0.14 L] per second
- No moving parts = no disassembly

PART NO	DESCRIPTION	CASE QTY	LIST PRICE
SVA00R1	With standard slide track bracket, w/o fittings.	6	\$96.70

Utilizes standard BIB pump liquid inlet/outlet fittings. (See page 88 for fitting options.)



SHURFLO® BRIX PUMPS

The Shurflo Brix Pump is a unique syrup- and water-driven proportioning pump. It eliminates the brix adjustments with a set portion delivery, ensuring a consistent, repeatable ratio on every beverage. The particular ratio is determined by the pump design and is precisely maintained, independent of system flow or pressure changes. The brix pump is driven by pressurized water. The pump operates whenever there is a difference in pressure between the inlet and outlet (water) sides of the pump. The Shurflo Brix Pump is equipped with a vacuum shutoff. This feature is designed to automatically stop the pump when the Bag-in-Box (BIB) container is completely evacuated by closing off the inlet water to the pump. When a new BIB is installed, the pump will automatically start without priming the system.

- Sold out feature
- Metal mounting bracket
- 3-way sanitizing valve
- Fittings:
 - syrup in/syrup out - 3/8" [10 mm] barb elbow, white celcon;
 - water in/water out - 3/8" [10 mm] barb elbow, stainless steel




PART NO	DESCRIPTION	CASE QTY	LIST PRICE
94-260-01	White, 3:1 ratio	8	\$444.00
94-260-03	White, 4:1 ratio	8	\$444.00
94-260-05	White, 5:1 ratio	8	\$444.00
NEW 94-260-06	White, 6:1 ratio	8	\$444.00
94-260-07	White, 7.7:1 ratio	8	\$444.00
94-260-12	White, 9:1 ratio	8	\$444.00

NOTE: Maximum water inlet pressure 50 PSI [3.45 bar].
 Pentair recommends using a 30 or 50 PSI [2.07 or 3.45 bar] Shurflo Water Pressure Reducer Valve on the water inlet of the brix pump. See page 33 for Shurflo Water Pressure Reducer Valves.
 See page 89 for BRIX pump accessories.

SHURFLO® WATER BOOST SYSTEMS

- As foodservice establishments continue to expand their beverage offerings, the increased water usage can adversely impact operational performance
- This, coupled with fluctuating city water flow and pressure, can lead to inconsistent drink quality, poor beverage dispenser performance and premature exhaustion of filters



SHURFLO MINI WATER BOOST SYSTEMS



PART NO	VOLTS	PSI/BAR	TANK		INLET/ OUTLET	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
			OZ	ML		IN	CM	LBS	KGS	
804-001	115 VAC	60 / 4.14	21	621	1/4" & 3/8" barb	10.0 x 10.3 x 4.6	25.4 x 26.2 x 11.7	8.0	3.6	\$487.00
804-002	115 VAC	90 / 6.21	21	621	3/8" barb	10.0 x 10.3 x 4.6	25.4 x 26.2 x 11.7	8.0	3.6	\$461.00
804-042	100-240 VAC	90 / 6.21	21	621	3/8" barb	10.0 x 10.3 x 4.6	25.4 x 26.2 x 11.7	9.0	4.1	\$567.00

Note: Contact factory for additional 230 VAC options.

SHURFLO MEDIUM BOOST SYSTEMS



PART NO	VOLTS	PSI/BAR	TANK		INLET/ OUTLET	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
			GAL	LITRE		IN	CM	LBS	KGS	
804-023	115 VAC	90 / 6.21	2.0	7.6	3/8" barb	13.0 x 10.0 x 10.0	33.0 x 25.4 x 25.4	14.0	6.4	\$778.00
804-066	115 VAC	60 / 4.14	2.0	7.6	3/8" barb	13.0 x 10.0 x 10.0	33.0 x 25.4 x 25.4	14.0	6.4	\$778.00
804-034	100-240 VAC	90 / 6.21	2.0	7.6	3/8" barb	13.0 x 10.0 x 10.0	33.0 x 25.4 x 25.4	15.0	6.9	\$878.00

SHURFLO MAXI BOOST SYSTEMS



PART NO	VOLTS	PSI/BAR	TANK		INLET/ OUTLET	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
			GAL	LITRE		IN	CM	LBS	KGS	
804-037	115 VAC	90 / 6.21	6.0	22.7	3/8" barb	16.0 x 11.0 x 19.0	40.6 x 28.0 x 48.3	19.0	8.6	\$1,056.00
804-026	115 VAC	90 / 6.21	6.0	22.7	1/2" barb	16.0 x 11.0 x 19.0	40.6 x 28.0 x 48.3	19.0	8.6	\$1,063.00
804-067	100-240 VAC	90 / 6.21	6.0	22.7	3/4" NPT	16.0 x 11.0 x 19.0	40.6 x 28.0 x 48.3	20.0	9.1	\$1,265.00
804-068	100-240 VAC	90 / 6.21	6.0	22.7	1/2" barb	16.0 x 11.0 x 19.0	40.6 x 28.0 x 48.3	20.0	9.1	\$1,220.00

Note: Contact factory for additional 230 VAC options.

SHURFLO INTEGRATED MEDIUM WATER BOOST & FILTRATION SYSTEMS



PART NO	VOLTS	PSI/BAR	TANK		INLET/ OUTLET	DIMENSIONS		SHIP WT		LIST PRICE
			GAL	LITRE		IN	CM	LBS	KGS	
WB2-LVPO-01	115	90 / 6.21	2.0	7.6	3/8" barb	16.0 x 20.0 x 18.0	40.6 x 71.1 x 45.7	21.0	9.5	\$1,079.00
WB2-LVPO-02	100-240 VAC	90 / 6.21	2.0	7.6	3/8" barb	16.0 x 20.0 x 18.0	40.6 x 71.1 x 45.7	22.0	10.0	\$1,141.00

REPLACEMENT FILTER FOR WB2-LVPO-01 AND WB2-LVPO-02 SYSTEMS

PART NO	DESCRIPTION	CHLORINE	T&O	MICRON RATING	FLOW RATE		RATED CAPACITY		PACK SIZE	SHIP WT		LIST PRICE
					GPM	LPM	GAL	LITRE		LBS	KGS	
94-399-00*	LVPO F1 Cartridge	Yes	Yes	5.0	3.00	11.36	6,000	22,712	12	28.0	12.7	\$136.00


*Not shown.

SHURFLO® WATER BOOST SYSTEM REPLACEMENT PUMPS

PART NO	DESCRIPTION	PSI/BAR	VOLTS	LIST PRICE
8025-933-237	Replacement pump for Water Boost System 804-001.	60 / 4.14	115	\$322.00
8025-933-399	Replacement pump for Water Boosters 804-002, 804-023-SV, 804-023, 804-026, 804-037, 804-126, 804-323, WB2-LVPO-01, 804-423, 804-425, WB2-HYD, 804-426.	90 / 6.21	115	\$298.00
8025-833-336	Replacement pump for 804-066 Water Boost	60 / 4.14	115	\$402.00
8025-998-338	Replacement pump for 804-034, 804-042, 804-067, 804-068 and WB2-LVPO-02 Water Boost	90 / 6.21	24 VDC	\$325.00
8095-942-349	Replacement pump for Water Boosters 804-029, 804-036, 804-038	90 / 6.21	230 VAC	\$471.00
8095-951-269	Replacement pump for Water Boost System 804-021	90 / 6.21	230 VAC	\$193.00
8025-897-338	Replacement pump for Electric Beverage Delivery System.	60 / 6.21	24 VDC	\$316.00
94-60-047	Replacement Power Supply: 100-240 VAC, for 24 VDC Pump	-	100-240 VDC	\$228.00

SHURFLO WATER BOOST SYSTEM REPLACEMENT PARTS

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
A 94-897-00-SS	Shurloc quick-connect swivel ball valves and stainless steel fittings kit includes: (1 grey and 1 blue), 1/2" [13 mm] NPTF quick-connect swivel ball valves, (2) 3/8" [10 mm] stainless steel barb x 1/2" [13 mm] NPTM.	10	\$120.00
A 94-897-01-SS	Shurloc quick-connect swivel ball valves and stainless steel fittings kit includes: (1 grey and 1 blue), 1/2" [13 mm] NPTF quick-connect swivel ball valves, (2) 1/2" [13 mm] stainless steel barb x 1/2" [13 mm] NPTM.	10	\$118.00
B 84-306-02	Shurloc quick-connect, stainless steel elbow fittings w/ 1/2" [13 mm] barb.	10	\$32.70
C 84-1194-00	Shurloc quick-connect, stainless steel elbow fittings w/ 3/8" [10 mm] barb.	10	\$32.70
D 41-230-20	2 gallon replacement bladder and gasket	1/ case	\$118.00
D 41-230-60	6 gallon replacement bladder and gasket	1/ case	\$122.00
E 94-760-00	Inline Pressure Gauge: 3/8" barb.	10	\$72.10
F 12-130-00	Air pressure gauge used to check air pressure of systems.	1	\$39.20
- 723S1810	Replacement SS Flange for 2 & 6 Gallon Water Boost	25	\$82.00



SHURFLO® WATER PRESSURE REDUCER VALVES (WPRV)

Shurflo Water Pressure Reducer Valves (WPRV) are fixed pressure, water-reducing devices (non-adjustable). The WPRV minimizes incoming water pressure fluctuations while guarding against pressure spikes. Actual pressure reduction is dependent upon input pressure and outlet flow rate.

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
A 183-130-SS	30 PSI [2.1 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings	30	\$50.20
A 183-150-SS	50 PSI [3.4 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings	30	\$50.20
A 183-165-SS	65 PSI [4.5 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings	30	\$50.20
A 183-180-SS	80 PSI [5.5 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings	30	\$50.20
B 183-150-PG	50 PSI [3.4 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings, stainless steel body and pressure gauge with follower	6	\$113.00
B 183-165-02	65 PSI [4.5 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings, stainless steel body and pressure gauge with follower	6	\$113.00
B 183-180-02	80 PSI [5.5 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings, stainless steel body and pressure gauge with follower	6	\$113.00
C 183-150-01	50 PSI [3.4 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings, stainless steel body	30	\$73.60
C 183-165-01	65 PSI [4.5 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings, stainless steel body	30	\$73.60
C 183-180-01	80 PSI [5.5 bar], inlet/outlet: 3/8" [10 mm] barb, stainless steel fittings, stainless steel body	30	\$73.60
D 183-130-NF	1/2" NST, 30 PSI [2.1 bar], w/o fittings	12	\$46.20
D 183-150-NF	1/2" NST, 50 PSI [3.4 bar], w/o fittings	12	\$46.20
D 183-165-NF	1/2" NST, 65 PSI [4.5 bar], w/o fittings	12	\$46.20
E 183-165-QC14	65 PSI [4.5 bar], 1/4" [6.4 mm], John Guest® (JG) Fittings	12	\$47.40
E 183-165-QC38	65 PSI [4.5 bar], 3/8" [10 mm], JG Fittings	12	\$47.40
F EV3135-26	Pair of 1/2" [12.7 mm] and 1/4" [6.4 mm], JG Fittings	12	\$29.50
F EV3135-27	Pair of 1/2" [12.7 mm] and 3/8" [10 mm], JG Fittings	12	\$29.50



SHURFLO SOLD OUT SWITCHES (SOS)

Shurflo Sold Out Switches (SOS) prevent the dispensing of carbonated water without syrup by stopping water flow at the dispenser valve – a particularly useful feature for clear sodas. The SOS senses the pressure drop in the syrup line caused by an empty Bag-in-Box (BIB) and shuts off power to the valve's electric solenoid. The SOS automatically resets with the installation of a full BIB.



A



B

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
A 94-068-NF	8-30 PSI [0.55-2.10 bar] adjustment range, no fitting, 48" [122 cm] wiring cables and LED "sold-out" light – 24 VAC.	50	\$90.40
A 94-068-01	8-30 PSI [0.55-2.10 bar] adjustment range, 1/4" [6 mm] stainless steel tee barb, 48" [122 cm] wiring cables and LED "sold-out" light – 24 VAC.	50	\$122.00
A 94-068-20	8-30 PSI [0.55-2.10 bar] adjustment range, 3/8" [10 mm] stainless steel tee barb, extra long 78" [198 cm] wiring cables and LED "sold-out" light – 24 VAC.	50	\$210.00
B 94-068-31	Mini-Micro, 15-20 PSI [1.0-1.4 bar] adjustment range, 1/4" [6 mm] stainless steel tee barb, 48" [122 cm] wiring cables and LED light – 24 VAC.	N/A	\$210.00
B 94-068-33	Mini-Micro, 25-60 PSI [1.7-4.1 bar] adjustment range, 1/4" [6 mm] stainless steel tee barb, 48" [122 cm] wiring cables.	10	\$120.00

70% OF SERVICE CALLS ARE WATER-RELATED

Everpure® filters by Pentair® reduce:

- Abrasion and clogging
- Scale buildup and corrosion
- Off-tastes and odors
- Harmful cysts by mechanical means*
- Particulates that result in cloudy ice

The benefits of Everpure filtration:

- Best quality ice possible
- Less equipment downtime, lower maintenance costs and lower total cost of ownership
- Satisfied customers and increased profits

EVERPURE ICE FILTRATION SYSTEMS

System features include:

- NSF certifications
- Manifold has inlet water shutoff valve with optional integrated sediment prefilter, flushing valve and water pressure gauge(s)
- Chlorine, taste & odor and sediment reduction
- Harmful cyst reduction by mechanical means*
- 1/2 micron filtration by mechanical means*
- Scale control
- Proprietary Micro-Pure® II filtration media effectively inhibits the growth of bacteria on the filter media that can decrease product life*
- Featuring proprietary Fibredyne™ media technology

System sizing guidelines: Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately six (6) months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

NUMBER OF ICE MACHINES	ICE MACHINES (LBS/DAY)			EVERPURE ICE FILTRATION SYSTEMS					
	CUBERS		FLAKERS/NUGGETS						
	OTHER	HOSHIZAKI®	OTHER	SYSTEM	PART NO	FLOW RATE		RATED CAPACITY	
						GPM	LPM	GALLONS	LITRES
Single Ice Machine	< 650	N/A	Up to 3,500	Insurice® Single	EV9324-21	1.67	6.32	9,000	34,069
	651 - 1,200	0 - 650	Up to 3,500	Insurice Single PF-4SI†	EV9324-61	2.00	7.57	15,000	56,700
	651 - 1,200	0 - 650	Up to 3,500	Insurice Single PF-7SI†	EV9324-71	3.50	13.25	25,000	94,635
	651 - 1,200	0 - 650	1,501 - 2,500	Insurice Twin	EV9324-22	3.34	12.64	18,000	68,137
	1,201 - 1,600	651 - 1,150	3,501+	Insurice Twin PF-7SI†	EV9324-73	7.00	26.50	50,000	189,271
	1,201 - 1,600	651 - 1,150	2,501 - 3,500	Insurice Triple	EV9325-23	5.01	18.96	36,000	136,275
	Up to 2,400	1,151 - 1,500	3,501+	Insurice Triple PF-7SI†	EV9324-75	10.50	39.75	75,000	283,906
	1,601+	1,151 - 1,500	3,501+	Insurice Quad	EV9325-04	6.67	25.25	48,000	181,700
	2,401+	1,501+	5,001+	Insurice Quad PF-7SI†	EV9324-77	14.0	53.00	100,000	378,541
	N/A	1,501+	Up to 5,000	Insurice Triple 7FC-S	EV9327-73	7.50	28.39	75,000	283,906
Multiple Ice Machines**	Up to 2,400	Up to 1,600	Up to 5,000	Insurice Quad 4FC-S	EV9327-44	10.00	37.85	60,000	227,125
	2,401+	1,601+	5,001+	Insurice Quad 7FC-S	EV9327-74	10.00	37.85	100,000	378,541

*See individual system specification sheets for performance claims and FIFRA registration information.

**Total ice machine(s) production.

†Pentair offers ASHRAE Standard 188-compliant water filtration solutions, Everpure 4SI/7SI Carbonless Ice Filters, which help maintain that 0.5 mg/l disinfectant residual level while still delivering other important water filtration benefits.

EVERPURE® INSURICE® 4SI & 7SI SYSTEMS

UP TO 2.0 GPM

UP TO 3.5 GPM

UP TO 7.0 GPM

Insurice Single PF-4SI



Insurice Single PF-7SI



Insurice Twin PF-7SI



Note: PF = Prefilter;
Systems also available without prefilter.

SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
Insurice Single-4SI*	EV9324-60	2.00	7.57	15,000	56,700	18.1 x 7.91 x 5.25	45.97 x 20.07 x 13.3	4.0	1.8	\$384.00
Insurice Single PF-4SI	EV9324-61	2.00	7.57	15,000	56,700	18 x 14 x 6.47	45.72 x 35.56 x 16.4	10.0	4.5	\$583.00
Insurice Single-7SI*	EV9324-70	3.50	13.25	25,000	94,635	26.69 x 7.9 x 5.25	67.79 x 20.7 x 13.3	6.0	2.7	\$500.00
Insurice Single PF-7SI	EV9324-71	3.50	13.25	25,000	94,635	25 x 14 x 6.47	63.5 x 35.56 x 16.4	10.0	4.5	\$699.00
Insurice Twin-7SI*	EV9324-72	7.00	26.50	50,000	189,271	25.26 x 16.6 x 5.5	61.16 x 42.16 x 13.9	12.0	5.4	\$829.00
Insurice Twin PF-7SI	EV9324-73	7.00	26.50	50,000	189,271	25.59 x 21.5 x 6	64.9 x 54.6 x 35.3	20.0	9.0	\$1,027.00
Insurice Triple-7SI*	EV9324-74	10.50	39.75	75,000	283,906	29.26 x 21 x 5.5	74.32 x 53.3 x 13.9	18.0	8.1	\$1,038.00
Insurice Triple PF-7SI*	EV9324-75	10.50	39.75	75,000	283,906	25.59 x 65.41 x 15.2	65 x 65.41 x 15.2	23.0	10.4	\$1,243.00
Insurice Quad-7SI*	EV9324-76	14.00	53.00	100,000	378,541	29.69 x 24.6 x 5.5	75.41 x 62.48 x 13.9	22.0	9.9	\$1,232.00
Insurice Quad PF-7SI*	EV9324-77	14.00	53.00	100,000	378,541	25.59 x 29.36 x 6.75	65 x 74.57 x 17.4	43.0	19.5	\$1,432.00



EVERPURE 4SI AND 7SI CARTRIDGES

- Carbonless design allows chlorine to pass through which can help to reduce slime and bacteria growth inside the ice machine and ice bin
- Specially designed for ice machines
- Reduces sediment and particulate down to 1/2 micron by mechanical means**
- Reduce harmful cysts such as *Cryptosporidium* and *Giardia* by mechanical means**
- Ideal for foodservice operations where baking of breads and pastries is done on-site

Everpure SI Cartridges, which are designed to help prevent bacteria from entering or reproducing within a hospital water system's POU ice making applications, can help healthcare facilities comply with ASHRAE 188-2015.

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY***		MICRON RATING	SCALE INHIBITION	NSF STD 42	PARTICULATE REDUCTION**†	NSF STD 53	CYST REDUCTION***†	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES								LBS	KGS	
4SI	EV9606-51	2.00	7.57	15,000	56,781	0.5	•	•	•	•	•	1	1.6	0.7	\$116.00
7SI	EV9606-01	3.50	13.25	25,000	94,635	0.5	•	•	•	•	•	1	2.0	0.9	\$248.00
EC110††	EV9534-12	—	—	—	—	10.0			•			12	5.0	2.3	\$8.70
EC210†††	EV9534-26	—	—	—	—	10.0			•			6	5.0	2.3	\$16.10

*Not shown. **See individual system specification sheets for performance claims and FIFRA registration information.

***Estimated. Actual capacity may vary depending on volume of particulate in incoming water. †By mechanical means.

††EC110 Prefilter used in systems with 10.0" [25.4 cm] prefilter bowl. †††EC210 Prefilter used in systems with 20.0" [50.8 cm] prefilter bowl

EVERPURE® INSURICE® i2000² & i4000² SYSTEMS

UP TO 1.67 GPM

Insurice
Single
PF-i2000²



UP TO 3.34 GPM

Insurice
Twin
PF-i2000²



Note: PF = Prefilter;
Systems also available
without prefilter.

UP TO 5.0 GPM

Insurice
Triple
PF-i4000²



SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
Insurice Single PF-i2000 ²	EV9324-21	1.67	6.32	9,000	34,065	25.30 x 14.10 x 6.70	64.30 x 36 x 17.10	20.0	9.0	\$681.00
Insurice Twin PF-i2000 ²	EV9324-22	3.34	12.64	18,000	61,800	25.60 x 21.50 x 6	65 x 55 x 15.20	22.0	9.9	\$1,009.00
Insurice Triple PF-i4000 ²	EV9325-23	5.01	18.96	36,000	136,260	30.30 x 25.75 x 6	77 x 65.40 x 15.20	23.0	10.4	\$1,428.00
Insurice Single-i2000 ^{2*}	EV9324-01	1.67	6.32	9,000	34,065	27.50 x 6 x 4	69.80 x 15.20 x 10.20	6.0	2.7	\$432.00
Insurice Twin-i2000 ^{2*}	EV9324-02	3.34	12.64	18,000	61,800	25.30 x 16.60 x 5.50	64.30 x 42.20 x 14	12.0	5.4	\$746.00
Insurice Triple-i4000 ^{2*}	EV9325-03	5.01	18.96	36,000	136,260	29.30 x 21 x 5.50	74.4 x 53.30 x 14	18.0	8.1	\$1,198.00
Insurice Quad-i4000 ^{2*}	EV9325-04	6.68	25.29	48,000	181,700	29.70 x 24.60 x 5.50	7.54 x 62.50 x 14	22.0	10.0	\$1,629.00



EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	SCALE INHIBITION	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION**†	BACTERIOSTATIC (NSF-CERTIFIED)**†	NSF STD 53	CYST REDUCTION**†	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES											LBS	KGS	
i2000 ²	EV9612-22	1.67	6.32	9,000	34,065	0.5	•	•	•	•	•	•	•	•	1	2.0	0.9	\$146.00
i4000 ²	EV9612-32	1.67	6.32	12,000	45,420	0.5	•	•	•	•	•	•	•	•	1	3.0	1.4	\$165.00
4CB5-S	EV9617-26	1.67	6.32	6,000	22,710	5.0	•	•	•	•	•	•	•	•	6	13.0	5.9	\$108.00
7CB5-S	EV9618-21	2.50	9.46	10,000	37,850	5.0	•	•	•	•	•	•	•	•	6	5.0	2.3	\$149.00
4SI	EV9606-51	2.00	7.57	15,000††	56,781	0.5	•	•			•		•	•	1	1.6	0.7	\$116.00
7SI	EV9606-01	3.50	13.25	25,000††	94,635	0.5	•	•			•		•	•	1	2.0	0.9	\$248.00
EC210	EV9534-26	—	—	—	—	10.0					•				6	5.0	2.3	\$16.10

*Not shown.

**See individual system specification sheets for performance claims and FIFRA registration information.

†By mechanical means.

††Estimated. Actual capacity may vary depending on volume of particulate in incoming water.

EVERPURE® INSURICE® 4FC-S & 7FC-S SYSTEMS

• "Right-sized" to fit ice filtration applications with increased flow rates

UP TO 7.5 GPM

Insurice Triple PF-7FC-S



UP TO 10.0 GPM

Insurice Quad PF-4FC-S




UP TO 10.0 GPM

Insurice Quad PF-7FC-S



SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
Insurice Triple PF-7FC-S	EV9327-73	7.50	28.39	75,000	283,906	25.60 x 25.75 x 6.80	65 x 65.40 x 17.10	36.0	16.3	\$1,762.00
Insurice Quad PF-7FC-S	EV9327-74	10.00	37.85	100,000	378,541	25.60 x 29.40 x 6.80	65 x 74.60 x 17.10	43.0	19.5	\$2,360.00
Insurice Quad PF-4FC-S	EV9327-44	10.00	37.85	60,000	227,124	19.50 x 29.40 x 6.80	49.50 x 74.60 x 17.10	35.0	15.9	\$1,865.00



EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	NSF CERTIFICATIONS								PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES		SCALE INHIBITION	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION***†	BACTERIOSTATIC (NSF-CERTIFIED)***†	NSF STD 53	CYST REDUCTION***†		LBS	KGS	
4FC-S	EV9692-31	2.50	9.46	15,000	56,781	0.5	•	•	•	•	•	•	•	•	1	2.0	0.9	\$182.00
4FC5-S	EV9693-31	2.50	9.46	15,000	56,781	5.0	•	•	•	•	•	•	•	•	1	2.0	0.9	\$171.00
7FC-S	EV9692-71	2.50	9.46	25,000	94,635	0.5	•	•	•	•	•	•	•	•	1	3.0	1.4	\$285.00
7FC5-S	EV9693-71	2.50	9.46	25,000	94,635	5.0	•	•	•	•	•	•	•	•	1	3.0	1.4	\$272.00
EC110*	EV9534-12	—	—	—	—	10.0					•				12	5.0	2.3	\$8.70
EC210**	EV9534-26	—	—	—	—	10.0					•				6	5.0	2.3	\$16.10

*EC110 Prefilter used in systems with 10.0" [25.4 cm] prefilter bowl.

**EC210 Prefilter used in systems with 20.0" [50.8 cm] prefilter bowl.

***By mechanical means.

†See individual system specification sheets for performance claims and FIFRA registration information.

STEAM IS 100% WATER

Everpure® filters by Pentair® reduce:

- Abrasion and clogging
- Scale buildup and corrosion

See individual system specifications for performance claims.

The benefits of Everpure filtration:

- Fewer delimings
- Equipment lasts longer
- Less equipment downtime, and lower maintenance and energy costs
- Satisfied operators and increased profits

SHOULD I USE EVERPURE KLEENSTEAM® OR EVERPURE claris™ prime?

SYSTEM	STEAMER TYPE	TDS	ALKALINITY	CORROSIVE SALTS	SILICA	EQUIPMENT SIZE
Kleensteam System w/o Feeder	Combi	50-125 ppm	60 ppm	Less than 30 ppm of corrosive salts (Chloride, Sulfates and Nitrates)	Less than 13 ppm	Up to 5 gpm
Claris Prime	Combi	125-300 ppm	>80 ppm	Between 30-100 ppm of corrosive salts (Chloride, Sulfates and Nitrates)	Less than 13 ppm	1 gph or less
Kleensteam System w/Feeder	Boiler-based	50-250 ppm	205 ppm	Less than 60 ppm of corrosive salts (Chloride, Sulfates and Nitrates)	Less than 13 ppm	Less than 12 gph
Claris Prime	Boiler-based	250-500 ppm	>80 ppm	Between 60-100 ppm of corrosive salts (Chloride, Sulfates and Nitrates)	Less than 13 ppm	1 gph or less

Note: For TDS / Alkalinity levels outside of these ranges please refer to Everpure Reverse Osmosis products or contact Everpure Technical Services for assistance.

EVERPURE claris™ prime SYSTEM SIZING

System sizing guidelines: Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately six (6) months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

	STEAMER TYPE	SIZE	FLOW RATE GPM/LPM	DIAL SETTING*	STEAM IN USE (HRS/DAY)	REPLACE CLARIS PRIME (MONTHS)	STEAM IN USE (HRS/DAY)	REPLACE CLARIS PRIME (MONTHS)
BOILERLESS	Rapid Flash Steamers	2 kW - 3 kW	0.50 / 1.89	0	4	4	8	2
	Proofers, Small Flash Steamers	4 kW - 10 kW	0.50 / 1.89	0	4	4	8	2
	Medium Flash Steam & Combi	11 kW - 24 kW	0.50-1.50 / 1.89-5.68	0	4	2	8	2
	Large Flash Steam & Combi	25 kW - 36 kW	0.50-1.50 / 1.89-5.68	0	4	2	8	2
BOILER	Small Steamers	<125,000 BTU	0.50-1.50 / 1.89-5.68	2	4	5	8	3
	Medium Steamers	125,000 - 200,000 BTU	0.50-1.50 / 1.89-5.68	2	4	3	8	2
	Large Steamers	200,000 - 300,000 BTU	0.50-1.50 / 1.89-5.68	2	4	2	8	2

*Dial setting 1 for Claris Prime with boiler steamer type.
Claris™ is a trademark of Aquis, GmbH.

UP TO 1.67 GPM

Kleensteam® CT



- Includes Everpure® 4CB5 Carbon Filter, SS-10 Scale Inhibitor Cartridge, dip tube and two 7 oz [198 gram] packets of ScaleKleen®

UP TO 5 GPM

Kleensteam II Twin



- Includes two (2) Everpure 7CB5 Carbon Filters, SS-10 Scale Inhibitor Cartridge, dip tube and two 2.2 lbs. [1.0 kgs.] canisters of ScaleKleen

UP TO 5 GPM

Kleensteam II Twin w/o Feeder



- Includes two (2) Everpure 7CB5 Carbon Filters

SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
Kleensteam CT	EV9797-50	1.67	6.32	6,000	22,710	18.75 x 15 x 7	47.60 x 38.10 x 17.80	15.0	6.8	\$815.00
Kleensteam II Single*	EV9797-21	2.50	9.46	10,000	37,850	20.50 x 25.50 x 7	52.10 x 64.80 x 17.80	26.0	11.7	\$1,158.00
Kleensteam II Twin	EV9797-22	5.00	18.93	20,000	75,700	20.50 x 25.50 x 7	52.10 x 64.80 x 17.80	28.0	12.6	\$1,254.00
Kleensteam II Twin w/o Feeder	EV9797-40	5.00	18.93	20,000	75,700	25.3 x 17.5 x 5.25	64.3 x 44.5 x 13.3	20.0	9.1	\$727.00

EVERPURE REPLACEMENT CARTRIDGES

Carbon Filters



Scale Inhibition



Everpure ScaleStick®

- Hydroblend™ compound
- Translucent housing
- SS-XL designed for locations with increased scale control needs
- SS-XL and SS-10 fit current Everpure SR-X and older AR-X Housings

CARTRIDGE	PART NO	MICRON RATING	FLOW RATE		RATED CAPACITY		PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES		LBS	KGS	
4CB5	EV9617-16	5.0	1.67	6.32	6,000	22,710	6	13.0	5.9	\$98.10
7CB5	EV9618-11	5.0	2.50	9.46	10,000	37,850	1	5.0	2.3	\$139.00
4FC5	EV9693-21	5.0	2.50	9.46	15,000	56,781	1	2.0	0.9	\$155.00
7FC5	EV9693-61	5.0	2.50	9.46	25,000	94,635	1	3.0	1.4	\$248.00
SS-10 ScaleStick	EV9799-02	—	—	—	—	—	12	5.0	2.3	\$114.00
SS-XL ScaleStick	EV9799-42	—	—	—	—	—	6	6.0	2.7	\$369.00

*Not shown.

Note: For increased capacity needs, use the Everpure 4FC5 or 7FC5 Cartridge and an Everpure SS-XL ScaleStick®.

EVERPURE® claris™ | prime

Everpure Claris Prime by Pentair® is an innovative, quick-change, saltless softening (ion exchange) and filtration system that prevents scale and removes contaminants. Even more unique is its ability to allow you to tailor the hardness to match your specific needs.

Claris Technology offers:

- Softens without salt
- Removes particles AND chemicals
- Requires no electricity or drain
- No additives to water
- Effective hardness removal
- Prevents clogged drains
- Reduces metal corrosion
- No wasted water
- NSF 42-certified cartridge
- Claris 5-stage filtration process offers:
 - Prefiltration
 - Carbonate hardness adjustment
 - Fine filtration
 - Highly efficient carbon block removes harmful contaminants and unpleasant tastes and odors
 - Solid membrane filter removes particles down to 5 microns for high levels of equipment protection

Claris Prime Technology offers all the benefits of the standard Claris Technology plus the following:

- Claris Prime can be applied for water that contains 30-100 ppm of corrosive salts. For levels above that use a RO system see page 49
- Both TDS reduction and corrosion inhibition
- Mineral hardness and anion reduction
- Tailored adjustment of TDS reduction, Cl and SO₄ levels



PRODUCT	PART NO	AUTO SHUTOFF	MOUNTING BRACKET	CONNECTION	FLOW RATE		RATED CAPACITY*		PACK SIZE	SHIP WT		LIST PRICE
					GPM	LPM	GALLONS	LITRES		LBS	KGS	
Claris Prime	EV4339-86	—	—	3/8" OCF	1.00	3.79	557** 1,255***	2,110** 4,750***	1	15.2	6.9	\$794.00
Claris Gen 2 Head	EV4339-90	Yes	Yes	3/8" BSP	—	—	—	—	1	0.7	0.3	\$135.00
Claris Gen 2 Head	EV4339-91	Yes	Yes	3/8" NPT	—	—	—	—	1	0.7	0.3	\$135.00
Claris Gen 2 Head	EV4339-92	Yes	Yes	3/8" OCF	—	—	—	—	1	0.7	0.3	\$135.00
Claris Test Kit	EV4339-40	—	—	—	—	—	—	—	1	0.3	0.1	\$61.90
Claris Hose 10CM, 3/8" x 1/2"	EV4339-52	—	—	—	—	—	—	—	1	0.7	0.3	\$81.50
Claris Flow Meter 700 Lpm	EV4339-32	—	—	—	—	—	—	—	1	0.5	0.2	\$372.00

Note: Please see page 17 for images of Claris Heads, Flow Meter and Test Kit.

*Based on 10 grains of hardness and a bypass setting of 0.

**For direct injection combi ovens; capacity based on influent water TDS of ppm, hardness of 180 ppm and chloride 60 ppm with standard bypass settings.

***For espresso; capacity based on influent water TDS of ppm, hardness of 180 ppm and chloride 60 ppm with standard bypass settings.

Claris™ is a trademark of Aquis, GmbH.

EVERPURE® 2SR-BW FEEDER KITS

- Helps prevent mineral scale from accumulating inside ice machines and coffee brewers, reducing potential performance issues and downtime, and extending the life of the equipment
- Controls scale formation to extend membrane life in reverse osmosis systems
- Adds an additional scale inhibitor to the Everpure Endurance® High Flow System, for when there are multiple ice machines on location
- 2SR-BW Endurance Feeder Kit to be used with the Everpure Endurance High Flow System
- 2SR-BW QL2 General Purpose Feeder Kit to be used with any Everpure High Flow System
- Sanitary cartridge replacement is simple, quick and clean; internal filter parts are never exposed to handling or contamination
- Estimated one (1) year of scale protection



2SR-BW
Endurance Feeder Kit



2SR-BW QL2
General Purpose Feeder Kit

SYSTEM	PART NO	PACK SIZE	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
			IN	CM	LBS	KGS	
2SR-BW Endurance Feeder Kit	EV9798-70	1	12 x 4.25 x 7.50	30.48 x 10.80 x 19.05	4.8	2.2	\$351.00
2SR-BW QL2 General Purpose Feeder Kit	EV9798-75	1	11.04 x 4.25 x 3.74	28.04 x 10.80 x 9.50	4.5	2.0	\$227.00

EVERPURE SR-X SCALE INHIBITOR SYSTEM



SR-X Scale Inhibitor Feeder



SS-10



SS-XL



Right Wing Bracket Assembly (allows for easy retrofitting of SR-X system to right side of multiple head systems manufactured 9/1/2003 to present)

- Inhibits limescale buildup by dispensing a controlled amount of Hydroblend™ compound, ideal for high temperature locations
- Provides more consistent feed of polyphosphate and longer life
- Housing converts to ScaleKleen® Feeder for periodic delimings
- SR-X Scale Inhibitor Feeder System includes SR-X 10.0" [25.4 cm] Housing (black) with one (1) SS-IMF Cartridge and spacer
- Everpure SS-XL ScaleStick® Cartridge (sold separately) offers up to four (4) times the scale reduction capacity of the SS-IMF Cartridge for locations with increased scale control needs; fits most standard 10.0" [25.4] cm housings and all current SR-X Housings

PRODUCT	PART NO	PACK SIZE	SHIP WT		LIST PRICE
			LBS	KGS	
SR-X Scale Inhibitor System with Deliming Kit	EV9797-20	1	6.0	2.7	\$344.00
SR-X Scale Inhibitor Feeder with ScaleStick	EV9798-45	1	4.0	1.8	\$303.00
SS-IMF Cartridge for use with SR-X Housing in ice applications; also compatible to legacy IMF 8" housings	EV9799-32	12	4.0	1.8	\$93.90
SS-10 Cartridge for use with SR-X Housing in coffee, combination & steamer applications	EV9799-02	12	5.0	2.3	\$114.00
SS-XL Cartridge for use with SR-X Housing for high capacity scale reduction applications	EV9799-42	6	6.0	2.7	\$369.00
Wing Bracket Assembly	EV3114-35	1	5.0	2.3	\$106.00

REDUCE SCALE TO MINIMIZE MAINTENANCE COSTS

- Scale buildup can increase energy usage and equipment maintenance costs while shortening equipment life
- Economical Pentair® Everpure® brand solutions are available to control this buildup and periodically remove any accumulation

EVERPURE DELIMING/SCALE REMOVAL SYSTEM



HFC-10

HFC-10 plumbs into hot water line providing easy deliming of equipment. Uses ScaleKleen® Scale Remover. Includes high temperature 10.0" [25.4 cm] housing, 2.2 lbs. [1.0 kgs.] ScaleKleen Scale Remover, hardness test strip and dip tube.



ScaleKleen

The smart, environmentally safe way to delime water-using appliances.

PRODUCT	PART NO	SIZE	PACK SIZE	SHIP WT		LIST PRICE
				LBS	KGS	
HFC-10 Deliming	EV9100-91	12.50" H x 5.50" W x 5.50" D	1	9.0	4.1	\$249.00
ScaleKleen Scale Remover (Eng/French/Spanish)	EV9798-31	1.75 ozs [50 grams] packets	96 packs/case	12.0	5.4	\$5.90
ScaleKleen Scale Remover (Eng/French/Spanish)	EV9798-33	7 ozs [200 grams] packets	24 packs/case	12.0	5.4	\$12.00
ScaleKleen Scale Remover (Eng/French/Spanish)	EV9798-35	2.20 lbs. [1 kgs.] canister	4 canisters/case	10.0	4.5	\$46.80

GENERAL SANITIZING



The Everpure JT Cartridge is the preferred way to introduce ScaleKleen Scale Remover or other sanitizing agents, such as bleach, into water-using appliances through an existing Everpure filter head.



CARTRIDGE	PART NO	PACK SIZE	SHIP WT		LIST PRICE
			LBS	KGS	
2JT Flushing/Sanitizing Cartridge	EV9608-10	1	2.0	0.9	\$99.40
4JT Flushing/Sanitizing Cartridge	EV9608-00	1	3.0	1.4	\$99.40

DELIMING USING EVERPURE SCALEKLEEN AND EVERPURE JT CARTRIDGE

- Turn off inlet water supply, remove and discard existing filter cartridge.
- Remove TOP PLUG from JT can and pour in ScaleKleen.
 - Small steam ovens** use 2.2 lbs. [1.0 kgs.]
 - Large steam ovens** (>10 kW or >100,000 BTU) use two (2) JT cans
 - Coffee makers** brewing one pot (1/2 gallon) per cycle, use one (1) 2.2 lbs. [1.0 kgs.] package
- REPLACE TOP PLUG, insert the JT cartridge(s) into the head assembly, and turn the inlet water on.
- When the steps below are complete, replace the JT can with a new Everpure filter.

STEAM Application:

- Flush JT until 1 gallon of water has passed through.
(Note: a flow rate of 2 gpm [7.57 Lpm] equals two (2) minutes).

- Turn on steam oven. After it reaches operating temperature, allow **30 minutes** for ScaleKleen to remove scale. Turn off steam oven.
- Blowdown the boiler until pH of the effluent is within one (1) pH unit of the incoming (influent) water.

COFFEE Application:

- Remove filter basket and spray head and dump the coffee grounds. Place spray head in the target coffee pot.
- Cycle coffeemaker once, vending one (1) pot. Let it sit for **30 minutes**.
- After 30 minutes, cycle coffeemaker with ten (10) pots of fresh water to flush the ScaleKleen from brewer. Check the pH of the hot water – if it's within one (1) pH unit of the incoming cold water, the ScaleKleen is flushed out.

EVERPURE® SYSTEMS FOR MULTIPLE APPLICATIONS

- 20.0" [50.8 cm] coarse prefilter
- 1/2 micron precoat filtration by mechanical means with proprietary Micro-Pure® II media†
- SR-X Scale Reduction Feeder featuring ScaleStick®
- Manifold has inlet water shutoff valve, flushing valve, inlet/outlet water pressure gauge(s) and dual outlets

System sizing guidelines: Our system sizing guidelines are approximations based on properly installed equipment, average usage at normal operating flow rate and average water conditions. These guidelines are designed to give you approximately six (6) months of use between filter cartridge changes. Variations in equipment usage and/or incoming water conditions can produce different results.

EVERPURE COMBINATION FILTRATION SYSTEM						APPLICATION				
SYSTEM	PART NO	GPM	LPM	RATED CAPACITY		# OF CARBONATORS	DAILY PRODUCTION		COFFEE AND TEA	
				GALLONS	LITRES		LBS	KGS	POT BREWERS	URNS
High Flow CSR Triple MC ²	EV9328-06	5.10	19.31	27,000	102,206	1	< 650.0	< 294.8	Up to 2	N/A
High Flow CSR Quad MC ²	EV9437-10	6.68	25.29	36,000	136,275	2	< 650.0	< 294.8	Up to 2	1
High Flow CSR Plus XC ²	EV9347-20	6.68	25.29	48,000	181,700	2	651.0 - 1200.0	295.3 - 544.3	Up to 4	1
High Flow CSR Quad 4FC	EV9329-44	10.00	37.85	60,000	227,125	3	1201.0 - 1500.0	544.8 - 680.4	Up to 4	2
High Flow CSR Triple 7FC	EV9329-73	7.50	28.39	75,000	283,906	2	1201.0 - 1500.0	544.8 - 680.4	Up to 4	2
High Flow CSR Quad 7FC	EV9329-74	10.00	37.85	100,000	378,541	4+	1501.0+	680.8+	Multi	Multi

Complete system accommodates multiple applications including coffee, fountain, ice and steam.



†See individual system specification sheets for performance claims and FIFRA registration information.

*Microbial reduction by mechanical means.

EVERPURE® HIGH FLOW CSR MC² SYSTEMS

UP TO 3.34 GPM
**High Flow CSR
Twin-MC²**

UP TO 5 GPM
**High Flow CSR
Triple-MC²**


SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
High Flow CSR Twin-MC ²	EV9330-42	3.34	12.64	18,000	68,100	25.60 x 26 x 6.70	65 x 65.50 x 17.10	30.0	13.5	\$1,315.00
High Flow CSR Triple-MC ²	EV9328-06	5.01	18.96	27,000	102,195	25.60 x 30 x 6.70	65 x 76.20 x 17.10	39.0	17.5	\$1,552.00
High Flow CSR Triple-MC ² w/low pressure alarm*	EV9328-05	5.01	18.96	27,000	102,195	25.60 x 30 x 6.70	65 x 76.20 x 17.10	39.0	17.5	\$1,805.00
High Flow CSR Quad-MC ² *	EV9437-10	6.68	25.29	36,000	136,260	25.70 x 34 x 6.75	65.30 x 86.30 x 17.20	43.0	19.4	\$2,149.00
High Flow CSR Quad-MC ² w/low pressure alarm*	EV9437-11	6.68	25.29	36,000	136,260	25.70 x 34 x 6.75	65.30 x 86.30 x 17.20	43.0	19.4	\$2,392.00



EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION**†	BACTERIOSTATIC (NSF-CERTIFIED)**†	NSF STD 53	CYST REDUCTION**†	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES										LBS	KGS	
MC ²	EV9612-56	1.67	6.32	9,000	34,065	0.5	•	•	•	•	•	•	•	1	2.0	0.9	\$129.00
XC ²	EV9613-10	1.67	6.32	12,000	45,420	0.5	•	•	•	•	•	•	•	1	3.0	1.4	\$161.00
4CB5	EV9617-16	1.67	6.32	6,000	22,710	5.0	•	•	•	•				6	13.0	5.9	\$98.10
7CB5	EV9618-11	2.50	9.46	10,000	37,850	5.0	•	•	•	•				1	5.0	2.3	\$139.00
SS-IMF ScaleStick®*	EV9799-32	—	—	—	—	—	•							12	4.0	1.8	\$93.90
SS-XL ScaleStick®*	EV9799-42	—	—	—	—	—	•							6	6.0	2.7	\$369.00
EC210	EV9534-26	—	—	—	—	10.0				•				6	5.0	2.3	\$16.10

*Not shown.

**See individual system specification sheets for performance claims and FIFRA registration information.

†By mechanical means.

EVERPURE® HIGH FLOW CSR FC SYSTEMS

- “Right-sized” for combination applications requiring higher flow rates

UP TO 7.5 GPM

High Flow CSR Triple 7FC



UP TO 10.0 GPM

High Flow CSR Quad 7FC



Note: Systems also available with low pressure alarm, indicating when filter has become plugged.

SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
High Flow CSR Triple 7FC [™]	EV9329-73	7.50	28.39	75,000	283,905	25.60 x 30 x 6.75	65 x 76.20 x 17.10	43.0	19.4	\$2,094.00
High Flow CSR Quad 4FC*	EV9329-44	10.00	37.85	60,000	227,125	19.50 x 34 x 6.75	49.53 x 86.40 x 17.10	37.0	16.8	\$2,052.00
High Flow CSR Quad 7FC [™]	EV9329-74	10.00	37.85	100,000	378,541	25.60 x 34 x 6.75	65 x 86.40 x 17.10	48.0	21.8	\$2,552.00

EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty



CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION***††	BACTERIOSTATIC (NSF-CERTIFIED)***††	NSF STD 53	CYST REDUCTION***††	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES										LBS	KGS	
4FC	EV9692-21	2.50	9.46	15,000	56,781	0.5†††	•	•	•	•	•	•	•	1	2.0	0.9	\$163.00
7FC	EV9692-61	2.50	9.46	25,000	94,635	0.5†††	•	•	•	•	•	•	•	1	3.0	1.4	\$262.00
4FC5	EV9693-21	2.50	9.46	15,000	56,781	5.0	•	•	•	•	•			1	2.0	0.9	\$155.00
7FC5	EV9693-61	2.50	9.46	25,000	94,635	5.0	•	•	•	•	•			1	3.0	1.4	\$248.00
EC110**	EV9534-12	—	—	—	—	10.0				•				12	5.0	2.3	\$8.70
EC210 [†]	EV9534-26	—	—	—	—	10.0				•				6	5.0	2.3	\$16.10
SS-IMF ScaleStick®	EV9799-32	—	—	—	—	—	•							12	4.0	1.8	\$93.90
SS-XL ScaleStick	EV9799-42	—	—	—	—	—	•							6	12.0	2.7	\$369.00

*Not shown.

**EC110 Prefilter used in systems with 10.0" [25.4 cm] prefilter bowl.

***See individual system specification sheets for performance claims and FIFRA registration information.

†EC210 Prefilter used in systems with 20.0" [50.8 cm] prefilter bowl.

††By mechanical means.

†††Nominal filter rating 0.2 micron as tested by Pentair.

EVERPURE® HIGH FLOW CSR CLM⁺ SYSTEMS

System features include:

- NSF 42 certified
- Two cartridge size options, 7- and X-size, to meet your specific needs
- High capacity chloramines reduction solution
- Fountain beverage, frozen carbonated beverage and drinking water applications

UP TO 3.4 GPM

High Flow CSR Twin-7CLM⁺



UP TO 5.1 GPM

High Flow CSR Triple-7CLM⁺



UP TO 6.8 GPM

High Flow CSR Quad-7CLM⁺



SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
High Flow CSR Twin-7CLM ⁺ *	EV9771-32	3.34	12.64	15,000	56,781	25.6 x 25.8 x 6.9	65.0 x 65.5 x 17.5	28.9	13.1	\$1,425.00
		2.66	10.07	19,000**	71,923**					
		2.00	7.57	25,200**	95,392**					
High Flow CSR Triple-7CLM ⁺ *	EV9771-33	5.01	18.96	22,500	85,172	25.6 x 30.0 x 6.9	65.0 x 76.2 x 17.5	35.0	15.9	\$1,729.00
		4.00	15.14	23,500**	88,957**					
		3.00	11.36	37,800**	143,089**					
High Flow CSR Quad-7CLM ⁺ *	EV9771-34	6.68	25.29	30,000	113,562	25.6 x 34.0 x 6.9	65.3 x 86.4 x 17.5	38.3	17.4	\$1,944.00
		5.33	20.18	38,000**	143,846**					
		4.00	15.14	50,400**	190,785**					
High Flow CSR Twin-XCLM ⁺ (not shown)	EV9761-32	4.00	15.14	18,600	70,409	30.0 x 25.6 x 6.9	76.2 x 65. x 17.5	29.9	13.5	\$1,538.00
		3.34	12.64	23,200**	87,822**					
		2.00	7.57	38,600**	146,117**					
High Flow CSR Triple-XCLM ⁺ (not shown)	EV9761-33	6.00	22.71	27,900	105,613	30.0 x 29.8 x 6.9	76.2 x 75.7 x 17.5	36.3	16.5	\$1,896.00
		5.01	18.96	34,800**	131,732**					
		3.00	11.36	57,900**	219,175**					
High Flow CSR Quad-XCLM ⁺ (not shown)	EV9761-34	8.00	30.28	37,200	140,817	30.0 x 33.6 x 6.9	76.2 x 85.3 x 17.5	40.1	18.2	\$2,167.00
		6.68	25.29	46,400**	175,643**					
		4.00	15.14	77,200**	292,233**					



EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty
- The 7CLM⁺ and XCLM⁺ Replacement Filter Cartridges are also compatible with Everpure QC71, Coldrink, High Flow CSR, QL2, QL3B and QL3 Heads

CARTRIDGE	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION	CHLORAMINES REDUCTION	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES								LBS	KGS	
7CLM ⁺	EV9771-00	1.67	6.32	7,500	28,391	5.0	•	•	•	•	•	1	2.5	1.1	\$224.00
XCLM ⁺	EV9761-00	2.00	7.57	9,300	35,204	5.0	•	•	•	•	•	1	3.0	1.4	\$279.00
EC210	EV9534-26	—	—	—	—	10.0				•		6	5.0	23.0	\$16.10
SS-IMF ScaleStick®	EV9799-32	—	—	—	—	—	•					12	4.0	1.8	\$93.90
SS-XL ScaleStick	EV9799-42	—	—	—	—	—	•					6	6.0	2.7	\$369.00

*High Flow CSR CLM⁺ Systems come equipped with EC210 Prefilter.

**Not performance tested by NSF.

EVERPURE® ENDURANCE® HIGH FLOW SYSTEMS

The Endurance High Flow Systems can meet your peak water demands today and tomorrow. Up to 200,000 gallon [757,082 L] capacity and no electricity or drain required!

- Unique pleated microfilter particulate reduction system by mechanical means
- Features SEN Cartridges with proprietary Fibredyne™ media for superior contaminant reduction
- Utilizes 2SR-BW Phosphate Cartridge (EV9627-14) for scale prevention
- High capacity allows for once-per-year filter changeouts
- Outstanding dirt-capturing capabilities



EV9437-32
Endurance Quad High Flow

SYSTEM	PART NO	FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
Endurance Twin High Flow*	EV9437-30	7.50	28.39	100,000	378,540	33.20 x 26 x 18.70	84.30 x 66 x 47.40	43.0	19.5	\$2,482.00
Endurance Triple High Flow*	EV9437-31	11.25	42.59	150,000	567,810	33.20 x 26 x 18.70	84.30 x 66 x 47.40	46.0	20.9	\$2,707.00
Endurance Quad High Flow	EV9437-32	15.00	56.78	200,000	757,080	33.20 x 26 x 18.70	84.30 x 66 x 47.40	49.0	22.2	\$2,933.00

UPGRADE OPTIONS FOR EXISTING EVERPURE HIGH FLOW CSR MANIFOLDS

DESCRIPTION	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
SEN Triple Upgrade Kit	EV9437-60	-	-	25.0	11.3	\$1,817.00
SEN Quad Upgrade Kit	EV9437-65	-	-	27.0	12.2	\$2,077.00

EVERPURE REPLACEMENT PARTS FOR ENDURANCE SYSTEMS

DESCRIPTION	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
SEN Cartridge†††	EV9692-65	20.75 x 3.25	52.7 x 8.3	3.0	1.4	\$262.00
E-Series Bowl	EV9437-70	-	-	5.0	2.2	\$99.10
K-Series Bowl	EV9437-71	-	-	5.0	2.2	\$286.00
Endurance TKO MicroFilter System	EV9437-50	27 x 12.75 x 8.50	68.50 x 32.30 x 21.50	12.8	5.8	\$769.00
TKO MicroFilter	FE4620YYAB	21.28 x 4.64	54.05 x 11.79	1.0	0.5	\$593.00
2SR-BW Endurance Feeder Kit	EV9798-70	12 x 4.25 x 7.50	30.48 x 10.80 x 19.05	4.8	2.2	\$351.00
2SR-BW Cartridge	EV9627-14	12 x 7.50	30.40 x 19	4.5	2.0	\$151.00

EVERPURE REPLACEMENT CARTRIDGE KITS

- Use only genuine Everpure replacement cartridge kits by Pentair® to protect your system's superior performance, NSF certification and warranty

KIT NO	DESCRIPTION	FLOW RATE**		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION***†	BACTERIOSTATIC (NSF-CERTIFIED)***†	NSF STD 53	CYST REDUCTION***†	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES										LBS	KGS	
EV9628-70	Twin Endurance Cartridge Kit††	7.50	28.39	100,000	378,541	0.5	•	•	•	•	•	•	•	1	13.0	5.9	\$971.00
EV9628-71	Triple Endurance Cartridge Kit††	11.25	42.59	150,000	567,812	0.5	•	•	•	•	•	•	•	1	16.0	7.3	\$1,202.00
EV9628-72	Quad Endurance Cartridge Kit††	15.00	56.78	200,000	757,082	0.5	•	•	•	•	•	•	•	1	19.0	8.6	\$1,435.00

*Not shown.

**One (1) minute continuous peak flow rate.

***By mechanical means.

†See individual system specification sheets for performance claims and FIFRA registration information.

††Includes the SEN Cartridges, the 2SR-BW Cartridge and the pretreatment filter.

†††Nominal filter rating 0.2 micron as tested by Pentair.

EVERPURE® ENDURANCE® SC HIGH FLOW SYSTEMS

The Endurance SC is Pentair's high flow filtration platform for high volume foodservice operators. This self-cleaning model features smart, flushable, hollow fiber technology that adjusts flush cycle based on water usage.

- Right-sized for high volume operators requiring ingredient quality water
- Ideal for locations that suffer from extreme particulates in water supply
- Municipal-grade hollow-fiber membranes reduce particulates down to 0.025 micron by mechanical means†
- Intelligent controller automates self-cleaning flushes based on actual gallons/litres of water consumed
- Features Everpure SEN Fibredyne™ Fine Filters with proprietary Fibredyne II media for superior contaminant reduction
- NSF listed chlorine reduction capacity allows for once-per-year changeouts of carbon cartridges
- Utilizes the Everpure 2SR-BW Phosphate Cartridge (EV9627-14) for scale reduction
- Compact, wall-mountable design



EV9437-42
Endurance SC Quad

Self-cleaning membrane makes this system ideal for tap water that has extreme particulate, including ultra-small colloidal particles that can clog fine carbon filters.

SYSTEM	PART NO	MAX FLOW RATE		RATED CAPACITY		DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	IN	CM	LBS	KGS	
Endurance SC Twin 1.0*	EV9437-40	7.50	28.39	100,000	378,541	34.7 x 29.0 x 18.8 plus tank (19.1 x 11.8 x 11.8)	88.1 x 73.7 x 47.8 plus tank (48.4 x 30.0 x 30.0)	64.0	29.1	\$4,354.00
Endurance SC Triple 1.1*	EV9437-41	11.25	42.59	150,000	567,812	34.7 x 29.0 x 18.8 plus tank (19.1 x 11.8 x 11.8)	88.1 x 73.7 x 47.8 plus tank (48.4 x 30.0 x 30.0)	67.0	30.4	\$4,586.00
Endurance SC Quad 1.1	EV9437-42	15.00	56.78	200,000	757,082	34.7 x 29.0 x 18.8 plus tank (19.1 x 11.8 x 11.8)	88.1 x 73.7 x 47.8 plus tank (48.4 x 30.0 x 30.0)	70.0	31.8	\$4,817.00

EVERPURE REPLACEMENT CARTRIDGES

- Use only genuine Everpure replacement cartridges by Pentair® to protect your system's superior performance, NSF certification and warranty

KIT NO	DESCRIPTION	MAX FLOW RATE		RATED CAPACITY		MICRON RATING	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION***†	BACTERIOSTATIC (NSF-CERTIFIED)***†	NSF STD 53	CYST REDUCTION***†	PACK SIZE	SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES										LBS	KGS	
EV9628-80	Twin Endurance SC Cartridge Kit**	7.50	28.39	100,000	378,541	0.5	•	•	•	•	•	•	•	1	11.0	5.0	\$579.00
EV9628-81	Triple Endurance SC Cartridge Kit**	11.25	42.59	150,000	567,812	0.5	•	•	•	•	•	•	•	1	14.0	6.4	\$810.00
EV9628-82	Quad Endurance SC Cartridge Kit**	15.00	56.78	200,000	757,082	0.5	•	•	•	•	•	•	•	1	17.0	7.7	\$1,042.00
EV9628-91	Endurance SC UF Membrane	-	-	-	-	-								1	6.6	3.0	\$1,381.00

*Not shown.

**Includes the Everpure SEN Fibredyne Fine Filter and the Everpure 2SR-BW Phosphate Cartridge.

***By mechanical means.

†See individual system specification sheets for performance claims and FIFRA registration information.

EVERPURE® RO SYSTEMS – 15 TO 350 GALLONS [57 TO 1,325 L] PER DAY OF PERMEATE WATER

- Improves equipment life and performance by removing 90%+ of all dissolved solids that cause scale buildup
- Reduces limescale buildup that can cause excessive machine downtime and increased maintenance costs
- Reduces energy costs caused by scale buildup on equipment heating elements and boilers
- LVRO is a low volume RO that provides a more environmentally friendly solution
- BL Series systems feature an adjustable blend valve which allows for custom tailoring of the dissolved mineral content in the treated water
- Controlled remineralization using the CC Cartridge, or blending, is desirable for coffee that requires some hardness for proper extraction, and for tea brewing for the proper release of flavonoids
- CC-BL Series systems feature a combination of the BL Series adjustable blend along with the controlled remineralization from the CC Cartridge to create a blend water ideal to reduce corrosion and lime scale

It is highly recommended that a Pentair RO Storage Tank and Pressure Relief Valve Kit are used with all Pentair Reverse Osmosis Systems. See page 55 for more information.

UP TO 15 GPD

LVRO-75HE



WATER
EFFICIENT
RO SYSTEM

Note: Refer to page 56 for replacement cartridges.

All powered models available in 100-240VAC/50-60Hz switchable power supply. Contact Pentair Everpure for details.

UP TO 100 & 225 GPD

MRS-100 & MRS-225 (plus CC/BL & BL)

Order tank separately.

Note:
CC/BL model includes calcite feeder cartridge which adds minerals back into water.



UP TO 350 GPD

MRS-350 (plus CC/BL & BL)

Shown with optional prefilter; order tank separately.

Note:
CC/BL model includes calcite feeder cartridge which adds minerals back into water; BL model includes blend valve and submicron filter**† cartridge which allows setting a blend of filtered and RO water.



PRODUCT	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
LVRO-75HE+F*	EV9975-10	15.50 x 9.5 x 4.92	39.4 x 24.1 x 12.5	20.0	9.1	\$946.00
LVRO-75HE	EV9975-00	15.50 x 9.5 x 4.92	39.4 x 24.1 x 12.5	19.5	8.8	\$890.00
MRS-100*	EV9970-07	30.0 x 15.0 x 8.0	76.2 x 38.1 x 20.3	30.0	13.6	\$2,187.00
MRS-100BL*	EV9970-73	38.0 x 15.0 x 8.0	96.5 x 38.1 x 20.3	35.0	15.9	\$2,438.00
MRS-225*	EV9970-08	30.0 x 15.0 x 8.0	76.2 x 38.1 x 20.3	30.0	13.6	\$2,262.00
MRS-225BL*	EV9970-76	38.0 x 15.0 x 8.0	96.5 x 38.1 x 20.3	35.0	15.9	\$2,513.00
MRS-350	EV9970-17	38.0 x 15.0 x 8.0	96.5 x 38.1 x 20.3	32.0	14.5	\$2,541.00
MRS-350BL*	EV9970-20	38.0 x 15.0 x 8.0	96.5 x 38.1 x 20.3	37.0	16.8	\$2,793.00
MRS-100CC-BL	EV9973-63	38.0 x 15.0 x 8.0	96.5 x 38.1 x 20.3	35.0	15.9	\$2,507.00
MRS-225CC-BL	EV9970-19	38.0 x 15.0 x 8.0	96.5 x 38.1 x 20.3	35.0	15.9	\$2,551.00
MRS-350CC-BL	EV9973-65	38.0 x 15.0 x 8.0	96.5 x 38.1 x 20.3	37.0	16.8	\$3,555.00
Optional 10" Prefilter Kit*	EV9795-81	Adds 5.5" to width	Adds 14.0 cm to width	5.0	2.3	\$199.00
Power Supply Upgrade Kit	EV3149-52	(NA)	(NA)	3.0	1.4	\$368.00

NEW

*Not shown. **By mechanical means. †See individual system specification sheets for performance claims and FIFRA registration information.

WHEN TO CONSIDER EVERPURE REVERSE OSMOSIS

For any foodservice operation in need of water treatment due to high levels of Total Dissolved Solids (TDS) in its water. A reverse osmosis system is an effective – yet often costly – necessity. In fact, reverse osmosis is by far the most practical and effective solution for removing TDS from water and consistently achieving high quality ingredient water.

How does one know if the TDS content in the water is high enough to require a reverse osmosis (RO) solution?

- It imparts objectionable taste
- It prevents conventional forms of scale control from providing acceptable results
- It negatively impacts the desired recipe
- Or simply test the water – RO should be considered when TDS levels in excess of 300 ppm are present

Note: Water production is dependent upon incoming water temperature and line pressure. Additional equipment such as tempering valves or booster pumps may be required for proper operation. Consult your Pentair Everpure representative for assistance in correct system selection and design.

EVERPURE® CONSERV® HIGH EFFICIENCY REVERSE OSMOSIS SYSTEMS

The Pentair Everpure Conserv High Efficiency Reverse Osmosis (RO) Systems provide compact, low-cost solutions for many applications. In addition to the benefits listed for each individual system, the Conserv RO systems all feature the benefits below:

- Up to 50% water savings over conventional RO systems
- Easy, sanitary quick-change filter replacement
- Compact design with storage tank included
- Provides corrosion protection, as well as a 95%+ reduction in scale-causing dissolved solids that can lead to increased costs and energy usage
- Proprietary Fibredyne™ II filtration media effectively inhibits the growth of bacteria on the filter media that can decrease product life †
- Protects against taste and odor causing contaminants while removing dirt, particulates and dissolved solids
- Features a blending valve to create the right balance of mineral content of the water
- Replacement cartridge kits for easy maintenance and ordering

EVERPURE CONSERV LT-S HIGH EFFICIENCY RO SYSTEM

- NSF Standard 58 certified to reduce TDS
- Features a blending valve to provide the right balance of blended water for steam applications
- Wall mount installation
- Helps equipment heating surfaces maintain peak transfer efficiency, reducing cycle times and energy consumption
- Water / mineral blending occurs in the storage tank resulting in greater consistency
- 4 gallon (15.14 L) storage tank included
- 70 gpd (264.98 Lpd) capacity

IDEAL FOR
COMBI OVENS,
STEAMERS AND
PROOFERS



PRODUCT	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
Conserv LT-S	EV9975-20	21.25 x 12.25 x 7.25	53.98 x 31.12 x 18.42	30.0	13.61	\$1,508.00
Conserv RO Steam Replacement Cartridge Kit (GRO-75EN Membrane, 4CC Filter Cartridge and 4FC5 Filter Cartridge]	EV9976-25	—	—	6.6	3.0	\$428.00

EVERPURE® CONSERV® RO-75S HIGH EFFICIENCY RO SYSTEM

- NSF Standard 58 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means†
- High quality water for combi ovens, steamers and proofers that deliver the right balance of minerals for optimal scale and corrosion inhibition
- Blending valve to provide the right balance of blended water for steam applications
- Helps equipment heating surfaces maintain peak transfer efficiency, reducing cycle times and energy consumption
- 50 gpd (189.27 Lpd) capacity

IDEAL FOR
COMBI OVENS,
STEAMERS AND
PROOFERS



PRODUCT	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
Conserv RO-75S System	EV9976-00	8.69 x 16.97 x 10.37	47.5 x 43.1 x 26.0	49.0	22.2	\$1,928.00
Conserv RO Steam Replacement Cartridge Kit (GRO-75EN Membrane, 4CC Filter Cartridge and 4FC5 Filter Cartridge)	EV9976-25	—	—	6.6	3.0	\$428.00

†See individual system specification sheets for performance claims and FIFRA registration information.

EVERPURE CONSERV RO-75E HIGH EFFICIENCY RO SYSTEM

- NSF Standard 58 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means†
- With a blending valve, you can adjust to the right balance of minerals for optimal ingredient water for espresso machines and more
- Provides protection against off-taste & odor while removing particulates and dissolved solids
- Permits tailored blending of incoming water to produce the ideal mineral content for better-tasting espresso and coffee
- Adaptable for ice applications via prefilter inlet
- Includes accessory on-board tank for added capacity during periods of peak demand
- Compact design permits wall mount, counter-top or under counter installation
- 50 gpd (189.27 Lpd) capacity

IDEAL FOR
COFFEE,
ESPRESSO AND
ICE MACHINES



PRODUCT	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
Conserv RO-75E System	EV9977-00	18.69 x 16.97 x 10.37	47.5 x 43.1 x 26.0	51.5	23.35	\$2,142.00
Conserv RO-75E Replacement Cartridge Kit (GRO-75EN Membrane, 4CC Filter Cartridge, 4FC5-S Filter Cartridge and 4CB5 Filter Cartridge)	EV9977-25	—	—	8.9	4.0	\$542.00

†See individual system specification sheets for performance claims and FIFRA registration information.

NEW

EVERPURE CONSERV® HE-3 HIGH EFFICIENCY RO SYSTEM

Building on Pentair Everpure's 85-year foodservice legacy, this innovative addition to the Conserv family of reverse osmosis systems puts users in front of system maintenance and control. Real-time remote monitoring, easy expandability and custom water blending capability make the Conserv HE-3 a true workhorse with a small footprint.

- System Tested and Certified by NSF International against NSF/ANSI Standard 58 for the reduction of Total Dissolved Solids (TDS); and NSF/ANSI Standards 42 and 53 for the reduction of Chlorine Taste & Odor, and Cyst†*
- Expandable to meet higher water demands of up to 880 gallons per day, providing sufficient capacity to serve multiple applications
- The tailored blending process removes just the right amount of dissolved solids from the incoming tap water to achieve the desired final water quality
- High recovery reverse osmosis technology yields significant savings in water and sewer charges with a minimal environmental footprint
- Reduces limescale buildup that can cause excessive machine downtime and increased maintenance costs
- System operation can be tailored to the incoming water quality at each location to maximize recovery
- Smaller footprint than the Pentair Everpure MRS-600HE-II Reverse Osmosis System
- Everpure SEN+ Cartridge features proprietary Fibredyne™ II media effectively inhibits the growth of bacteria on the filter media that can decrease product life*
- Able to connect to the Pentair Everpure CES-9100TS E-30C Water Softener System** (new product coming in 2019) for additional performance alerts via Pentair remote monitoring technology

REMOTE MONITORING TECHNOLOGY

- Exclusive Pentair remote monitoring technology enables real-time online performance monitoring of installed systems. This can help improve response to water changes and reduce equipment downtime through preventative maintenance
- Historical and real-time data visualization of, and ability to set email and text alerts for:
 - Inlet/Outlet/RO Pressure
 - Inlet/RO/Blend TDS
 - Inlet/Outlet Flow
 - Recovery
 - Rejection
 - Cartridge Life
 - Bypass
 - Pressure Drop
 - Flow Total
 - Lockout
 - Tank Fill
 - RO Life
 - Tank/RO Pump Error
 - Low Salt/Softener Connect (only available with **)

†NSF/ANSI Standard 53 certified to reduce cysts such as *Cryptosporidium* and *Giardia* by mechanical means.

*See individual system specification sheets for performance claims and FIFRA registration information.



PRODUCT	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
Conserv HE-3 System	EV9977-50	RO - 39.6" x 18.4" x 14.4"	RO - 100.5 x 46.7 x 36.5	100	45.4	\$10,200.00
		Tank - 27.9" x 18.62 x 13.4	Tank - 70.8 x 47.3 x 34.0			
MR-600F Replacement Membrane Cartridge	EV9627-22	—	—	4.0	1.8	\$1,054.00
SEN+ Replacement Filter Cartridge	EV9692-66	—	—	3.0	1.4	\$285.00
SEN Replacement Filter Cartridge	EV9692-65	—	—	3.0	1.4	\$262.00

EVERPURE® MRS-600HE AND MRS-600HE-II REVERSE OSMOSIS SYSTEMS

High output/high efficiency configurable reverse osmosis systems rated at 600 gallons [2,271 L] per day nominal. Depending on model selected, delivers reverse osmosis and/or blended filtered water for multiple foodservice applications. For use with coffee brewers, espresso machines, steamers, combi ovens and ice machines. Also ideal for specialty coffee.

MRS-600HE HIGH EFFICIENCY REVERSE OSMOSIS (RO) SYSTEM

Featuring dual headed pump and integrated 6.0 gallon [22.7 L] tank


MRS-600HE requires the addition of a remote submicron sediment and carbon filtration system. The Everpure Coldrink® Series, CB20-302E or CB20-312E are suitable pretreatment systems.

Dual-output design provides both low TDS water (pure RO water) and blended water (filtered tap water and RO water mix)

6-gallon total capacity RO water storage tank provides ample reserve volume for instantaneous demands

Unique, dual-headed pump boosts output and overall system efficiency

2SR-BW Cartridge inhibits scale formation, extending the life of the MR-600 RO Cartridge



MRS-600HE Without Cover

MR-600 RO Cartridge delivers two (2) times the daily production volume of conventional RO membranes of similar size

Microprocessor-based control with digital display provides system status and operator interface

MRS-600HE-II HIGH EFFICIENCY REVERSE OSMOSIS (RO) SYSTEM

Featuring on-board filtration and inlet and permeate boost pumps

MRS-600HE-II includes submicron sediment and carbon filtration, but does not include a storage tank. Contact Pentair® Everpure® for assistance when configuring a complete system package.

Permeate boost pump reduces back pressure on RO membrane and maximizes system output and efficiency

Microprocessor-based control with digital display provides system status and operator interface

Inlet boost pump increases supply pressure for consistent water production

Triple bank of prefiltration cartridges reduces sediment, oxidizers and scale, offering maximum RO module protection



MRS-600HE-II Without Cover


MR-600 RO Cartridge delivers two (2) times the daily production volume of conventional RO membranes of similar size

Dual post-filtration cartridges remove sediments, taste, odors and other undesirable water attributes prior to exiting the system


RO SOLUTIONS CAN BE GREENER WITH EVERPURE MRS-600 SYSTEMS BY PENTAIR

Water Savings per Gallon of RO Water Used

Conventional RO
For every 1 gallon of RO water used,
4 gallons of water goes to drain as waste.



Everpure MRS-600 Systems
For every 1 gallon of RO water used,
1/4 gallon of water goes to drain as waste.



80% savings with this system over traditional ROs ^a

UP TO 600 GPD

MRS-600HE*



UP TO 600 GPD

MRS-600HE-II



Note: Refer to page 56 for replacement cartridges.

SYSTEM	PART NO	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
MRS-600HE System	EV9970-38	30.0 x 23.0 x 13.6	76.2 x 58.4 x 34.5	85.0	38.6	\$5,245.00
MRS-600HE-II System	EV9970-54	32.0 x 23.0 x 13.6	81.3 x 58.4 x 34.5	85.0	38.6	5,707.00

EVERPURE REPLACEMENT PARTS FOR MRS-600HE AND MRS-600HE-II SYSTEMS

SYSTEM		PART NO	DESCRIPTION	QTY PER SYSTEM	LIST PRICE
MRS-600HE	MRS-600HE-II				
•	•	EV3128-08	Solenoid Valve: 1/4" NPT metal body type	2	\$322.00
•	—	EV3128-18	Pump: Double Head	1	\$844.00
•	—	41-230-00	Replacement Bladder Only: 1 Pack	1 or 2	\$80.00
•	•	EV3149-07	Controller with Transducer Input: Systems manufactured 5/2014 to present	1	\$814.00
•	•	EV3128-27	Restrictor: Blue, 735 ml/min	A/R-1 Max.	\$12.60
•	•	EV3128-28	Restrictor: White, 1052 ml/min	A/R-1 Max.	\$12.60
•	•	EV3128-29	Restrictor: Grey, 1577 ml/min	A/R-3 Max.	\$12.60
•	•	EV3128-30	Restrictor: Red, 125 ml/min	A/R-1 Max.	\$12.60
•	•	EV3128-31	Restrictor: Brown, 189 ml/min	A/R-1 Max.	\$12.60
•	•	EV3128-32	Restrictor: Green, 525 ml/min	A/R-1 Max.	\$12.60
•	•	EV3128-33	Plug: 1/4" OD	A/R-2 Max.	\$3.80
•	—	EV9627-15	GS-215RO-H In-Line Filter Kit	1	\$65.40
—	•	EV3131-52	Pump: Inlet	1	\$555.00
—	•	EV3131-51	Pump: Permeate	1	\$555.00
—	•	EV9970-95***	HE-II Upgrade Kit Full 115V	1	\$1,975.00
—	•	EV9970-96***	HE-II Upgrade Kit Partial 115V	1	\$1,390.00

NEW

NEW

Note: Contact factory for 230/240 VAC options. *Prefiltration not included. Additional equipment may be needed unless prefiltration is already installed.

**As required - on-site system calibration determines type(s) required.

*** For more info on Pump Upgrade kits please see HE-II pump upgrade kit spec sheet.

EVERPURE® REPLACEMENT CARTRIDGES



Product proportions not to scale.

APPLICATION	CARTRIDGE	SYSTEM	PART NO	PACK SIZE	SHIP WT		LIST PRICE
					LBS	KGS	
Carbon Prefilter	2FC5-S	LVRO-75HE	EV9691-86	6	6.6	3.0	\$89.90
	4CB5	MRS-20	EV9617-16	6	13.0	5.9	\$98.10
	4FC5	Conserv® 75S / Conserv LT-S	EV9693-21	1	2.0	0.9	\$155.00
	6TO-BW	MRS-100 / 100CC / 100BL / 100CC-BL MRS-225 / 225CC / 225BL / 225CC-BL	EV9607-41	1	3.0	1.4	\$154.00
	7TO-BW	MRS-350 / 350CC / 350BL / 350CC-BL	EV9627-04	1	4.0	1.8	\$164.00
	7FS-BW	MRS-600HE-II	EV9627-16	1	5.0	2.3	\$208.00
	SEN+	HE-3	EV9692-66	1	3.0	1.4	\$285.00
RO Module	GRO-75EN	LVRO-75HE / Conserv 75S / Conserv 75E / Conserv LT-S	4002575	16	27.7	12.6	\$141.00
	MR-20	MRS-20	EV9273-69	1	3.0	1.4	\$276.00
	MR-100	MRS-100 / 100CC / 100BL / 100CC-BL	EV9627-11	1	3.0	1.4	\$563.00
	MR-225	MRS-225 / 225CC / 225BL / 225CC-BL	EV9627-03	1	3.0	1.4	\$648.00
	MR-350	MRS-350 / 350CC / 350BL / 350CC-BL	EV9627-07	1	4.0	1.8	\$867.00
	MR-600-1	MRS-600HE, MRS-600HE-II	EV9627-23	1	4.0	1.8	\$990.00
	MR-600F	HE-3	EV9627-22	1	4.0	1.8	\$1,054.00
Sediment Prefilter	P5	MRS-100 / 100CC / 100BL / 100CC-BL MRS-225 / 225CC / 225BL / 225CC-BL MRS-350 / 350CC / 350BL / 350CC-BL MRS-600HE	155014-43	24	8.0	3.6	\$7.80
Feeder	4CC	Conserv 75S / Conserv 75E / Conserv LT-S	EV9627-45	1	3.3	1.5	\$134.00
	7CC-BW	MRS-100CC / 225CC / 350CC / MRS-100CC-BL / 225CC-BL / 350CC-BL	EV9627-05	1	4.0	1.8	\$188.00
	2SR-BW	MRS-600HE	EV9627-14	1	3.0	1.4	\$151.00
Carbon Filter	4FC5-S	Conserv 75E	EV9693-31	1	2.0	0.9	\$171.00
Postfilter	2CB5	LVRO-75HE	EV9617-05	6	8.0	3.6	\$57.50
	4CB5	Conserv 75E	EV9617-16	6	13.0	5.9	\$98.10
	GS-215-RO-H	MRS-600HE	EV9627-15	1	2.0	0.9	\$65.40
	MC ²	MRS-600HE-II	EV9612-56	1	2.0	0.9	\$129.00
	BW 4400	MRS-100BL / 225BL / 350BL	EV9668-24	1	2.0	0.9	\$169.00
	SEN	HE-3	EV9692-65	1	3.0	1.4	\$262.00

REVERSE OSMOSIS (RO) ACCESSORIES

Our high performance, high value Pentair® RO Storage Tanks are specifically designed for foodservice and light commercial reverse osmosis applications. These small vessels offer distinct advantages over competing tanks via their 100% seamless, composite construction, and the ability to discharge in any position.

Both Pentair RO Storage Tanks and Pressure Relief Valve (PRV) Kits are an important part of a reverse osmosis system installation. Storage tanks ensure there is an ample supply of treated water to meet the demands of a specific application. PRV kits ensure that the water pressure after the tank remains within the ideal operating range. These kits are often necessary because the storage tank's water pressure is generally higher than that of an acceptable operating pressure for foodservice equipment.



Tanks do not include fittings and tubing.

PENTAIR® RO STORAGE TANKS

STORAGE CAPACITY* (NOMINAL TANK SIZE)		PART NO	INLET/ OUTLET	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
GALLONS	LITRES			IN	CM	LBS	KGS	
1.2 (3.0)	4.5 (11.4)	EV3102-75	1/4" MNPT	15 x 11 x 11	38 x 28 x 28	9.0	4.1	\$238.00
4.3 (15.0)	16.3 (56.6)	34679	1" MNPT	26 x 16 x 16	66 x 41 x 41	20.0	9.1	\$530.00
5.8 (20.0)	22.0 (75.7)	34680	1" MNPT	32 x 16 x 16	81 x 41 x 41	24.0	10.9	\$581.00
8.7 (30.0)	32.9 (113.6)	34681	1" MNPT	44 x 16 x 16	112 x 41 x 41	28.0	12.7	\$839.00
11.9 (40.0)	45.0 (151.4)	34682	1" MNPT	57 x 16 x 16	145 x 41 x 41	35.0	15.9	\$999.00
17.7 (60.0)	67.0 (227.1)	34683	1-1/4" MNPT	41.50 x 24 x 24	105 x 61 x 61	55.0	24.9	\$1,162.00
25.6 (80.0)	96.9 (302.8)	34684	1-1/4" MNPT	55.25 x 24 x 24	140 x 61 x 61	63.0	28.6	\$1,447.00
35.4 (120.0)	134.0 (454.2)	34685	1-1/4" MNPT	74.25 x 24 x 24	189 x 61 x 61	90.0	40.8	\$1,826.00

PRESSURE RELIEF VALVE KITS

PART NO	DESCRIPTION	DIMENSIONS (H X W X D)		PACK SIZE	SHIP WT		LIST PRICE
		IN	CM		LBS	KGS	
EV3131-96	For HE-II, 1"	12.25 x 12.25 x 6.50	31.12 x 31.12 x 16.51	1	2.4	1.1	\$377.00
EV3143-67	For HE-II, 1-1/4"	12.25 x 12.25 x 6.50	1.12 x 31.12 x 16.51	1	2.4	1.1	\$471.00
EV3143-68	Universal 1"	12.25 x 12.25 x 6.50	1.12 x 31.12 x 16.51	1	2.4	1.1	\$533.00
EV3141-17	Universal, 1-1/4"	12.25 x 12.25 x 6.50	1.12 x 31.12 x 16.51	1	2.4	1.1	\$533.00

*At 30 - 50 PSI [2.07 - 3.44 bar] with 28 PSI [1.93 bar] pre-charge.

ADJUSTABLE THERMOSTATIC MIXING VALVE (TMV) FOR RO SYSTEMS

- Controls the blending of hot and cold water producing a controlled (tempered) outlet water temperature
- Typically used in cold climates to regulate the water temperature to an RO system, which in turn allows the RO to maintain its rated output at 77°F [25°C]

PRODUCT	DESCRIPTION	PART NO	LIST PRICE
Thermostatic Mixing Valve	Controls the blending of hot and cold water.	EV3114-79	\$757.00



REVERSE OSMOSIS (RO) ACCESSORIES

EVERPURE® ACCUMULATOR TANKS & ACCESSORIES

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
EV3102-75	Accumulator Tank: 3 gallon [11.36 L] 15.0" H x 11.0" W [38.1 H x 27.9 W cm], with base.	1	\$238.00
EV3116-55*	Ball Valve: 1/4" NPT x 3/8" PI for 3 gallon [11.36 L] tank	1	\$40.80
EV3123-39*	Adapter: Air Gap RO, wall mount	1	\$65.60
181-201	Accumulator Tank: 21 oz [0.62 L]	12	\$76.50
181-400	Accumulator Tank: 21 oz [0.62 L] Shurloc fitting.	12	\$76.90


3-Gallon
Accumulator
Tank

21-Oz
Accumulator
Tank

SHURFLO® POWER SUPPLY / TRANSFORMER

- Switch-made design makes it energy efficient
- For RO booster pumps only

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
60-044-00	100-240 VAC 50/60 Hz 1.2 Amps, 24 VDC 2.5 Amps, US plug, 4.50' [1.37 m] power cord and 4.50' [1.37 m] low voltage cord with AMP connector.	24	\$46.60
94-60-047	Replacement power supply for 24 VDC Water Boost Pumps: 100-240 VAC 50/60 Hz, 120 Watt, 24 VDC 5.0 Amps, US, Australia/New Zealand Plug (IEC320/C13 female power cord adapter). Additional cords for Europe available. 3.9' [1.2 m] power cord and 3.2' [1.0 m] low voltage cord with AMP connector; UL, CUL, CE, and C-Tick recognized. Water Boost Systems only.	1	\$228.00



SHURFLO RO TANK AND SYSTEM CONTROL SWITCHES

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
84-169-00	Wire Harness Assembly	1	\$10.00
84-331-34	Tank Pressure Switch: Used in RO applications to control pump. Senses pressure in product water tank. Shutoff at 60 PSI [4.1 bar], turn on at 25 PSI [1.72 bar], 1/4" [6.4 mm] NPT.	1	\$28.70
94-080-01	Low Pressure Switch with Wire Harness and Fittings: Wire length 2' [0.61 m], shutoff at 3 PSI [0.2 bar], turn on at 8 PSI [0.6 bar], 3/8" [10 mm] John Guest® (JG) fittings (use as Sold Out Switch).	24/1	\$66.10
94-090-00	Tank Pressure Switch with Wire Harness: Wire length 2' [0.61 m], shutoff at 60 PSI [4.1 bar], turn on at 25 PSI [1.72 bar], 1/4" [6.4 mm] FPT.	50/1	\$40.70
94-090-01	Tank Pressure Switch with Wire Harness and Fittings: Wire length 2' [0.61 m], shutoff at 60 PSI [4.1 bar], turn on at 25 PSI [1.72 bar], 1/4" [6.4 mm] JG fittings.	50/1	\$39.80
94-090-02	Tank Pressure Switch with Wire Harness and Fittings: Wire length 2' [0.61 m], shutoff at 60 PSI [4.1 bar], turn on at 25 PSI [1.72 bar], 3/8" [10 mm] JG fittings.	50/1	\$46.40
94-091-00	Feed Water Control Valve with Wire Harness: Used in combination with tank and pressure switch. It automatically closes the feed-water when the water tank after RO is full. Current: 200 mA holding current, valve position: normally closed. 24 VAC, 50/60 Hz, 1/4" [6.4 mm] John Guest fittings. (Not for use with 60-044-00 transformer.)	10/1	\$150.00

SHURFLO® REVERSE OSMOSIS BOOSTER PUMPS

- Helps boost water pressure prior to a reverse osmosis (RO) system to help make it run more efficiently
- Boosts water pressure on long line runs
- Increases filter life



SHURFLO 80 SERIES RO BOOSTER SYSTEM

- Features a high quality, continuous-duty pump
- Reliable pump head and motor
- Safe, low-voltage motor
- Safe, constant pressure to RO systems
- Quiet, continuous operation
- Includes full tank shutoff switch
- Can be wall mounted

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPH	LPH			
80-121-18	Without enclosure, flow up to 50 gpd [189 Lpd] (8010-101-200 pump configuration). Booster pump with tank switch and transformer, 115/24 VAC/VDC, 120 PSI [8.3 bar], 3/8" [10 mm] FPT ports.	20	1.4	7.52	28.00	0.21	6	\$333.00
		40	2.8	6.33	24.00	0.27		
		60	4.1	5.48	22.00	0.34		
		90	6.2	0.60	2.30	0.41		

SHURFLO 8075 HIGH PERFORMANCE BRUSHLESS D.C. RO BOOSTER PUMP



The Shurflo 8075 Series High Performance Brushless D.C. RO Booster Pump pushes the envelope in the market. The pump head provides reliability with its high efficiency, long life, brushless D.C. motor, making it a versatile workhorse. The motor is robustly built to handle the demanding requirements of commercial RO systems. With its unique two-speed switch, one pump meets the performance requirements of 150 or 200 gpd [570 or 760 Lpd] with a quick flip of a switch.

- Versatility, high efficiency and long life
- High flow rate supports 150 - 200 + gpd [570 - 760 + Lpd] systems with two speed switch at standard recovery rates
- Quiet operation at any flow and pressure range
- Extended motor life with brushless technology
- Pressures up to 140 PSI [9.6 bar]
- Power supply see page 58 for 60-044-00

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPH	LPH			
8075-192-319	24 VAC/VDC, 200 gpd [760 Lpd], 140 PSI [9.6 bar], bypass 3/8"-18 NPT, NSF-listed.	80	5.5	47.00	178.00	2.5	6	\$322.00
		100	6.9	41.00	155.00	2.5		
		120	8.3	32.00	121.00	2.5		



SHURFLO® 8075 GOLD SERIES RO BOOSTER PUMPS

Shurflo 8075 Gold Series Pumps provide the ultimate in performance, reliability and quality for RO pumps. The precision bypass maintains a constant, safe outlet pressure regardless of changes in incoming city water pressure. These pumps offer quiet performance and long operational life.

- Ultra-quiet operation
- Long life
- Flow rates up to 150 gpd [570 Lpd]
- One-piece, solid diaphragm reduces leak points
- Built-in bypass
- Power supply required – see page 58

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPH	LPH			
8075-111-313	24 VAC/VDC, 50 gpd [189 Lpd], 90 PSI [6.2 bar], bypass, 3/8" [10 mm] FPT connection.	20	1.4	11.90	45.00	0.38	6	\$211.00
		40	2.8	8.90	34.00	0.49		
		60	4.1	8.20	31.00	0.58		
		90	6.2	5.90	22.00	0.70		
8075-142-313	24 VAC/VDC, 100.0 gpd [378.5 Lpd], 90 PSI [6.2 bar], bypass, 3/8" [10 mm] FPT connection, NSF-listed.	20	1.4	20.00	76.00	0.43	6	\$238.00
		40	2.8	17.00	64.00	0.59		
		60	4.1	15.00	57.00	0.69		
		90	6.2	10.00	38.00	0.93		



SHURFLO 8075 SILVER SERIES RO BOOSTER PUMP

- Quality and reliability in its one-piece design
- Ultra-quiet operation
- Ideal for 50 – 150 gpd [189 – 570 Lpd] applications
- Patented diaphragm and bypass design
- Reliable, long-lasting performance
- Economical price point
- Power supply see page 58 for 60-044-00

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPH	LPH			
8075-111-319	24 VAC/VDC, 50 gpd [189 Lpd], 90 PSI [6.2 bar], bypass 3/8" [10 mm] NPT, NSF-listed.	20	1.4	17.00	61.40	0.22	6	\$242.00
		40	2.8	14.00	53.00	0.32		
		60	4.1	11.00	41.60	0.42		
		90	6.2	7.00	26.50	0.56		
8075-111-329	24 VAC/VDC, RO General, 50 gpd [189 Lpd], 120 PSI [8.3 bar], bypass 3/8" [10 mm] NPT, NSF-listed.	20	1.4	17.00	61.40	0.22	6	\$220.00
		40	2.8	14.00	53.00	0.32		
		60	4.1	11.00	41.60	0.42		
		90	6.2	7.00	26.50	0.56		
8075-142-319	24 VAC/VDC, 100.0 gpd [378.5 Lpd], 90 PSI [6.2 bar], bypass 3/8" [10 mm] NPT, NSF-listed.	20	1.4	25.70	97.20	0.67	6	\$170.00
		40	2.8	22.00	83.30	0.42		
		60	4.1	18.10	70.80	1.16		
		90	6.2	13.20	49.90	1.47		
8075-162-319	24 VAC/VDC, 150 gpd [570 Lpd], 90 PSI [6.2 bar], bypass, 3/8" [10 mm] NPT, NSF-listed.	40	2.8	25.90	98.00	1.22	6	\$234.00
		60	4.1	23.90	90.00	1.43		
		90	6.2	21.40	80.00	1.72		

SHURFLO® 8005 SERIES RO BOOSTER PUMPS

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPH	LPH			
8005-952-480	24/36 VDC, 0.25 gpm [0.95 Lpm] open flow, Santoprene® diaphragm, 80 PSI [5.5 bar], female 3/8"-18 NPT.	20	1.4	33.70	128.00	0.48	6	\$224.00
		40	2.8	30.40	115.00	0.63		
		80	5.5	24.40	92.00	0.88		
8005-952-899	24/36 VDC, 0.56 gpm [2.1 Lpm] open flow, Santoprene diaphragm, 100 PSI [6.9 bar], internal bypass, female 3/8"-18 NPT.	40	2.8	30.40	115.00	0.63	6	\$212.00
		80	5.5	24.40	92.00	0.88		
		100	6.9	16.10	61.00	0.99		



SHURFLO 8010 SERIES RO BOOSTER PUMPS

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPH	LPH			
8010-101-200	24 VAC/VDC, 25.0 gpd [94.6 Lpd] open flow, Santoprene diaphragm, 80 PSI [6.9 bar], internal bypass, 3/8", 2 x 3/8"-18 NPT, NSF-listed.	20	1.4	7.52	28.00	0.21	6	\$229.00
		40	2.8	6.33	24.00	0.27		
		90	6.2	0.60	2.30	0.41		
8010-101-201	24 VAC/VDC, 50.0 gpd [189.0 Lpd], Santoprene diaphragm, 60 PSI [4.1 bar], internal bypass, female, 3/8" [10 mm] FPT, NSF-listed, non-corded.	20	1.4	12.30	47.00	0.24	6	\$200.00
		30	2.1	10.90	41.00	0.29		
		60	4.1	8.30	31.00	0.41		
8010-102-210	24 VAC/VDC, 100.0 gpd [378.5 Lpd], Santoprene diaphragm, 80 PSI [5.5 bar], internal bypass, 3/8"-18 NPT-female fittings, NSF-listed, non-corded.	20	1.4	18.10	68.50	0.57	6	\$224.00
		60	4.1	9.90	37.50	0.90		
		80	5.5	7.90	29.90	1.00		



SHURFLO 82 SERIES LOW VOLTAGE DELIVERY SYSTEM

- Delivery pump system can be used to boost water to the faucet after the RO tank. Ready to use... simply plumb, plug in and you're in operation
- Flow rates up to 0.90 gpm [3.4 Lpm]
- Self-primers up to 7.0 feet [14.9 m]
- Low-voltage 24 VAC/VDC
- UL-listed transformer
- Select models include a low-pressure switch that shuts off the pump when the pressure is 3 PSI [0.2 bar], and turns on when the inlet pressure is 8 PSI [0.5 bar]

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPM	LPM			
82-100-00	0.9 gpm [3.4 Lpm], 100-240/24 VAC/VDC, UL-listed transformer, 60 PSI [4.1 bar], demand switch, 3/8" [10 mm] inlet/outlet fittings, low pressure switch, NSF-listed.	20	1.4	0.89	3.40	1.21	1	\$354.00
		40	2.8	0.74	2.80	1.43		
		60	4.1	0.41	1.60	1.62		
		90	6.2	0.01	0.01	1.81		



SHURFLO® ELECTRIC BEVERAGE PUMP SYSTEM

The Shurflo Electric Beverage Pump System is designed to deliver liquid at a range of flow and pressure. Products such as a Bag-In-Box (BIB) or non-pressurized systems are a fit for this pump. The pump will run automatically or until the valve is closed within the system. The automatic reset button indicates when the pump or system is primed and pressurized at an accurate level for consistent fluid delivery.

- Features Shurflo 8010 Series Low Voltage Pump, 60 PSI [4.14 bar] shutoff
- Approvals: NSF-listed, UL/CSA-recognized components
- Ports: 3/8" [10 mm] barb
- Mounting board
- Flow up to 0.95 gpm [3.60 Lpm]



PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPM	LPM			
94-437-00	8010-252-736 100/240 VAC Pump, 24 VAC/VDC, w/switching power supply transformer, 3/8" [10 mm] barb fittings.	60	4.14	0.95	3.60		1	\$609.00
94-437-01	3/8" [10 mm] barb 100-240 VAC 50/60 Hz, 120 Watt power supply, 24 VDC 5.0 Amps, US, Australia/New Zealand Plug (IEC320/C13 female power cord adapter) Additional cords for Europe available. 3.9' [1.2 m] power cord and 3.2' [1.0 m] low voltage cord with AMP connector; with 8025-897-338, 24 VDC pump.	60	4.14	1.25	4.70	5.0	1	\$656.00

SHURFLO ELECTRIC BEVERAGE PUMP SYSTEM

Shurflo 8000 Series Delivery Pumps are ideal for applications that require high pressure with flow rates up to 1.5 gpm [5.7 Lpm] and low amp draw. They can be mounted in any position, are compact and designed for long, trouble-free life. Spherically-shaped valves and diaphragms are available in a variety of materials to meet a wide range of applications.

- Great for water boost systems, misters and sprayers
- Self-priming up to 8.0 vertical feet [2.4 m]
- Can run dry without damage
- Flow rates up to 1.5 gpm [5.7 Lpm]
- Pressures up to 150 PSI [10.3 bar] available
- Corded pump: UL-listed; non-corded pump: UL-recognized
- Built-in check valve
- 12 or 24 VAC requires customer provided low volt power supply



SHURFLO 8000 SERIES DELIVERY PUMPS

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPM	LPM			
8005-233-236	115 VAC, 1.5 gpm [5.7 Lpm] open flow, Santoprene® diaphragm, 60 PSI [4.1 bar], demand switch, 3/8" [10 mm] NPT-female ports, NSF-listed, non-corded.	20	1.4	1.26	4.70	0.48	6	\$212.00
		40	2.8	1.07	4.00	0.57		
		50	3.4	0.99	3.70	0.61		
		60	4.1	0.94	3.50	0.66		
8005-243-256	12 VDC, 1.3 gpm [4.9 Lpm] open flow, Santoprene diaphragm, demand switch, 60 PSI [4.1 bar], with 45 PSI [3.1 bar] internal bypass, 3/8"-18 NPT-female ports, NSF-listed, non-corded.	20	1.4	1.13	4.30	3.20	6	\$120.00
		40	2.8	0.66	2.50	4.20		
		50	3.4	0.17	0.60	4.50		
		60	4.1	0.01	0.30	4.70		
8005-292-139	12 VDC, 1.4 gpm [5.3 Lpm] open flow, Santoprene diaphragm, demand switch, 30 PSI [2.1 bar], 1/2"-14 NPT-male, NSF-listed, non-corded.	OPEN	OPEN	1.40	5.30	1.90	6	\$121.00
		10	0.7	1.00	3.80	2.00		
		20	1.4	0.93	3.50	2.50		
		30	2.1	0.83	3.10	2.90		
8005-733-155	115 VAC, 1.5 gpm [5.7 Lpm] open flow, Santoprene diaphragm, 60 PSI [4.1 bar], demand switch, with 45 PSI [3.1 bar] internal bypass, 1/2" [12.7 mm] NPT male ports, NSF-listed, non-corded.	20	1.4	1.26	4.90	0.40	6	\$234.00
		40	2.8	0.67	2.50	0.49		
		60	4.1	0.05	0.10	0.54		

(Continued on next page.)

SHURFLO 8000 SERIES DELIVERY PUMPS, continued

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPM	LPM			
8005-733-255	115 VAC, 1.5 gpm [5.7 Lpm] open flow, Santoprene diaphragm, 60 PSI [4.1 bar], demand switch, with 45 PSI [3.1 bar] internal bypass, 3/8" [10 mm] NPT-female ports, NSF-listed, non-corded.	20	1.4	1.26	4.90	0.40	6	\$232.00
		40	2.8	0.67	2.50	0.49		
		60	4.1	0.05	0.10	0.54		
8005-791-255	230 VAC, 1.2 gpm [4.5 Lpm] open flow, 50 PSI [3.4 bar], demand switch, with 45 PSI [3.1 bar] internal bypass, NSF-listed, non-corded.	20	1.4	0.93	3.50	0.16	6	\$294.00
		40	2.8	0.30	1.10	0.20		
		50	3.4	0.05	0.19	0.21		
8005-912-260	115 VAC, 1.5 gpm [5.7 Lpm] open flow, Santoprene diaphragm, 100 PSI [6.9 bar], internal bypass, 3/8" 2 x 3/8"-18 NPT, NSF-listed, non-corded.	20	1.4	1.50	5.70	0.41	6	\$177.00
		40	2.8	1.26	4.70	0.45		
		60	4.1	0.98	3.60	0.58		
		100	6.9	0.90	3.40	0.65		
8005-912-290	115 VAC, 1.4 gpm [5.3 Lpm], Santoprene diaphragm, 100 PSI [6.9 bar], female 3/8"-18 NPT, no base plate, NSF-listed, non-corded.	20	1.4	1.25	4.70	0.42	6	\$206.00
		40	2.8	1.12	4.20	0.53		
		60	4.1	1.01	3.80	0.63		
		80	6.9	0.83	3.10	0.81		
8005-913-289	115 VAC, 1.7 gpm [6.4 Lpm], Santoprene diaphragm, 95 PSI [6.6 bar], female 3/8"-18 NPT, NSF-listed, non-corded.	20	1.4	1.58	6.00	0.49	6	\$192.00
		40	2.8	1.42	5.40	0.63		
		60	4.1	1.27	4.80	0.72		
		100	6.9	0.64	2.40	0.91		
8005-932-260	115 VAC, 1.5 gpm [5.7 Lpm], Santoprene diaphragm, 100 PSI [6.9 bar], female 3/8"-18 NPT, NSF-listed, non-corded.	20	1.4	1.17	4.40	0.47	6	\$210.00
		40	2.8	0.98	3.70	0.60		
		60	4.1	0.87	3.30	0.71		
		100	6.9	0.36	1.40	0.91		
8005-991-820	24 VAC, 1.1 gpm [4.2 Lpm] open flow, Santoprene® diaphragm, 45 PSI [3.1 bar] internal bypass, female 3/8"-18 NPT, NSF-listed, non-corded.	10	0.7	0.86	3.30	1.20	6	\$249.00
		20	1.4	0.81	3.10	1.40		
		30	2.1	0.68	2.60	1.60		
		40	2.8	0.37	1.40	1.80		
8005-992-890	24 VAC, 1.5 gpm [5.7 Lpm] open flow, Santoprene diaphragm, 125 PSI [8.6 bar], internal bypass, female 3/8"-18 NPT, NSF-listed, non-corded.	40	2.8	0.51	1.90	0.95	6	\$306.00
		80	5.5	0.41	1.60	1.40		
		120	8.3	0.22	0.80	1.68		
8010-121-200	115 VAC, 1.1 gpm [4.2 Lpm], Santoprene diaphragm, 100 PSI [6.9 bar], internal bypass, 3/8"-18 NPT-female fittings, non-corded.	20	1.4	0.96	3.60	0.37	6	\$173.00
		40	2.8	0.81	3.00	0.44		
		60	4.1	0.67	2.50	0.51		
		100	6.9	0.25	0.94	0.61		
8010-252-136	24 VAC, Santoprene diaphragm, 1.2 gpm [4.5 Lpm], 60 PSI [4.1 bar] shutoff, internal bypass, 3/8"-18 NPT-female fittings.	20	1.4	0.82	3.10	1.21	6	\$205.00
		40	2.8	0.72	2.70	1.62		
		60	4.1	0.62	2.30	1.98		
8010-252-236	24 V, 1.2 gpm [4.5 Lpm], 60 PSI [4.1 bar], Santoprene, internal bypass, 3/8"-18 NPT-female fittings.	20	1.4	0.82	3.10	1.21	6	\$220.00
		40	2.8	0.72	2.70	1.62		
		60	4.1	0.62	2.30	1.98		
8010-252-256	24 V, 0.9 gpm [0.3 Lpm], 60 PSI [4.1 bar] shutoff, Santoprene, 45 PSI [3.1 bar] internal bypass, 3/8"-18 NPT-female fittings.	20	1.4	0.89	3.40	1.21	6	\$213.00
		30	2.1	0.74	2.80	1.43		
		40	2.8	0.41	1.60	1.62		

(Continued on next page.)

SHURFLO® 8000 SERIES DELIVERY PUMPS, continued

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPM	LPM			
8025-213-236	115 V, Santoprene diaphragm, 1.5 gpm [5.7 Lpm], 60 PSI [4.1 bar], 3/8"-18 NPT-female fittings, corded.	20	1.4	1.26	4.80	0.40	6	\$276.00
		40	2.8	1.08	4.10	0.49		
		60	4.1	0.92	3.50	0.57		
8025-213-256	115 V, Santoprene diaphragm, 2.5 gpm [9.5 Lpm], 60 PSI [4.1 bar], 45 PSI [3.1 bar] internal bypass, 3/8"-18 NPT-female fittings, corded.	20	1.4	1.32	5.00	0.47	6	\$407.00
		30	2.1	1.12	4.20	0.53		
		40	2.8	0.77	2.90	0.58		
8025-733-256	115 V, Santoprene diaphragm, 1.5 gpm [5.7 Lpm], 60 PSI [4.1 bar], 45 PSI [3.1 bar] internal bypass, 3/8"-18 NPT-female fittings, corded.	20	1.4	1.52	5.00	0.44	6	\$294.00
		30	2.1	1.35	4.70	0.49		
		40	2.8	0.86	4.30	0.54		
8025-933-289	115 V, Santoprene diaphragm, 1.5 gpm [5.7 Lpm], 95 PSI [6.6 bar], internal bypass, 3/8"-18 NPT-female fittings, corded.	20	1.4	1.42	5.40	0.48	6	\$304.00
		40	2.8	1.26	4.80	0.61		
		60	4.1	1.13	4.30	0.73		
		90	6.2	0.68	2.60	0.90		

SHURFLO® 2088 SERIES PUMPS

Shurflo 2088 Series Pumps are high flow, low pressure pumps ideally suited for beverage and water applications such as city water pressure boost, portable cart water delivery, batch and transfer of product. These pumps activate automatically as line pressure drops and turns off when a preset pressure is achieved.

- Self-priming up to 12.0 vertical lift feet [3.7 m]
- Used in delivery and transfer applications up to 3.0 gpm [11.4 Lpm]
- UL/CSA-recognized components
- Built-in check valve (may vary by model) prevents back flow of fluid
- Automatic turn on / shutoff
- Can run dry without damage
- Customer provided power supply required



SHURFLO 2088® SERIES PUMPS

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPM	LPM			
2088-443-144	12 VDC, 3.0 gpm [11.4 Lpm] open flow, Santoprene® valves, Santoprene diaphragm, 45 PSI [3.1 bar], shutoff, 1/2"-14* NPT male ports.	10	0.7	2.80	10.60	5.80	6	\$212.00
		20	1.4	2.50	9.50	7.00		
		30	2.1	2.30	8.70	8.00		
		40	2.8	2.00	7.60	9.10		
2088-474-144	24 VDC, 3.0 gpm [11.4 Lpm] open flow, Santoprene valves, Santoprene diaphragm, 45 PSI [3.1 bar], shutoff, 1/2"-14* NPT male ports.	10	0.7	2.80	10.60	2.14	6	\$213.00
		20	1.4	2.25	8.50	2.63		
		30	2.1	1.75	6.60	2.73		
		40	2.8	1.25	4.70	2.71		
2088-554-144	12 VDC, 3.5 gpm [13.2 Lpm] open flow, Santoprene valves, Santoprene diaphragm, 45 PSI [3.1 bar], shutoff, 1/2"-14 NPT male thread, NSF-listed.	10	0.7	2.80	10.70	0.60	6	\$252.00
		20	1.4	2.50	9.70	0.70		
		30	2.1	2.30v	8.70	0.80		
		40	2.8	2.00	7.60	0.85		
2088-564-144	230 VAC, 3.0 gpm [11.4 Lpm] open flow, Santoprene valves, Santoprene diaphragm, 45 PSI [3.1 bar], shutoff, 1/2"-14* NPT male ports, NSF-listed, non-corded.	10	0.7	2.80	10.60	0.35	6	\$271.00
		20	1.4	2.50	9.50	0.45		
		30	2.1	2.20	8.30	0.50		
		40	2.8	2.00	7.60	0.55		

(Continued on next page.)

SHURFLO 2088® SERIES PUMPS continued

PART NO	DESCRIPTION	PRESSURE		FLOW		AMPS	PACK SIZE	LIST PRICE
		PSI	BAR	GPM	LPM			
2088-592-054BX	115 VAC, 2.7 gpm [10.2 Lpm], open flow, Santoprene diaphragm, 45 PSI [3.1 bar] shutoff, NPT male ports, NSF-listed, corded.	10	0.7	2.53	9.60	-	6	\$184.00
		20	1.4	2.30	8.70	-		
		30	2.1	2.08	7.90	-		
		40	2.8	1.83	6.90	-		
2088-592-094BX	230 VAC, 3.3 gpm [12.5 Lpm] open flow, Santoprene valves, Santoprene diaphragm, 45 PSI [3.1 bar], shutoff 1/2"-14 NPT male thread, NSF-listed, painted motor, non-corded.	10	0.7	2.80	10.70	0.37	6	\$244.00
		20	1.4	2.50	9.70	0.44		
		30	2.1	2.30	8.70	0.49		
2088-594-144	115 VAC, 3.3 gpm [12.5 Lpm] open flow, Santoprene valves, Santoprene diaphragm, 45 PSI [3.1 bar], shutoff, 1/2"-14* NPT male ports, NSF-, UL-, and CUL-listed, corded.	10	0.7	2.60	9.80	0.58	6	\$321.00
		20	1.4	2.34	8.80	0.67		
		30	2.1	2.08	7.90	0.76		
		40	2.8	1.85	6.20	0.94		
2088-594-154	115 VAC, 3.3 gpm [12.5 Lpm] open flow, Santoprene valves, Santoprene diaphragm, 45 PSI [3.1 bar], shutoff, 1/2"-14* NPT male ports, NSF-, UL-, and CUL-recognized, non-corded.	10	0.7	2.60	9.80	0.58	6	\$244.00
		20	1.4	2.34	8.80	0.67		
		30	2.1	2.08	7.90	0.76		
		40	2.8	1.85	6.20	0.94		
2088-594-500	115 VAC, 3.3 gpm [12.5 Lpm] open flow, Santoprene diaphragm, 1/2"-14 NPT male thread, NSF-listed, corded.	10	0.7	2.60	10.00	0.60	6	\$260.00
		20	1.4	2.30	8.70	0.70		
		30	2.1	2.00	7.60	0.80		
		40	2.8	1.80	6.80	0.85		

SHURFLO CARBONATOR PUMPS

Shurflo 8005 Series Carbonator Pumps have the same features as 8025 Series Water Boost Pumps, including the run-dry capability which is so critical to carbonator pump reliability. Pumps are sized for small to medium carbonators.

- Core pump model – Shurflo 8005 Series
- Positive displacement, 3 chamber diaphragm pump
- NSF/UL/CSA-listed
- Self-priming; can run dry without damage
- Ports: 3/8"-18 NPT female
- Ground wires
- Base plate



PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
8005-932-260	115 VAC, 100 PSI [6.89 bar] bypass, 1.5 gpm [5.7 Lpm] open flow, 3/8"-18 NPT female ports, no shutoff switch, non-corded pump.	6	\$210.00
8095-902-260	230 VAC, 100 PSI [6.89 bar] bypass, 1.5 gpm [5.7 Lpm] open flow, 3/8"-18 NPT female ports, no shutoff switch, non-corded pump.	6	\$255.00
8095-902-290	230 VA=C, 100 PSI [6.89 bar] bypass, 1.5 gpm [5.7 Lpm] open flow, no shutoff switch, no motor baseplate, non-corded pump.	6	\$160.00
8090-791-260	24 VAC, 100 PSI [6.89 bar] bypass, 0.7 gpm [2.6 Lpm] open flow, 3/8"-18 NPT female ports, no shutoff switch, non-corded pump.	6	\$481.00
8095-951-269	230 VAC, 100 PSI [6.89 bar] bypass, 1.0 gpm [3.8 Lpm] open flow, 3/8"-18 NPT female ports, no shutoff switch, non-corded pump.	6	\$193.00
8095-951-299	230 VAC CE Compliant, 100 PSI [6.89 bar] bypass, 1.0 gpm [3.8 Lpm] open flow, 3/8"-18 NPT female ports, no shutoff switch, non-corded pump.	6	\$231.00
8095-951-299-BW	230 VAC CE Compliant, EU Materials, 100 PSI [6.89 bar] bypass, 1.0 gpm [3.8 Lpm] open flow, 3/8"-18 NPT female ports, no shutoff switch, non-corded pump.	6	\$238.00

EVERPURE® DRINKING WATER FILTRATION SYSTEMS

Pentair Everpure has a wide array of water filtration solutions that reduce or remove undesirable or potentially harmful contaminants to ensure fresh, clean, great-tasting drinking water for your customers.

From bacteria reduction with our MicroGuard™ filters, to CLM filters for chloramines reduction, to lead-reducing H-L and FC-L filters, and more, you are certain to find a filter that meets your needs within our vast solutions portfolio.

SYSTEM	PART NO	MICRON RATING	FLOW RATE		RATED CAPACITY		CHLORINE REDUCTION	PARTICULATE REDUCTION†*	BACTERIOSTATIC†* CONTROL	CYST REDUCTION†*	CHLORAMINES REDUCTION	LEAD REDUCTION	SCALE INHIBITION	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES									LBS	KGS	
QL2-OW200L System	EV9275-70	0.5	0.50	1.89	480	1,817	•	•		•		•	•	1	4.0	1.8	\$222.00
LVRO-75HE+F	EV9975-10	N/A	—	—	14.66††	55.49††	•	•		•		•	•	1	20.0	9.1	\$946.00
LVRO-75HE	EV9975-00	N/A	—	—	14.66††	55.49††	•	•		•		•	•	1	19.5	8.8	\$890.00

REPLACEMENT CARTRIDGES

CARTRIDGE	PART NO	MICRON RATING	FLOW RATE		RATED CAPACITY		CHLORINE REDUCTION	PARTICULATE REDUCTION†*	BACTERIOSTATIC†* CONTROL	CYST REDUCTION†*	CHLORAMINES REDUCTION	LEAD REDUCTION	SCALE INHIBITION	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES									LBS	KGS	
2FC Cartridge	EV9691-56	0.5	1.50	5.68	6,000	22,710	•	•	•	•				6	6.6	3.0	\$83.20
2FC-S Cartridge	EV9691-76	0.5	1.50	5.68	6,000	22,710	•	•	•	•		•		6	6.6	3.0	\$92.60
4FC-L Cartridge	EV9693-10	0.5	1.80	6.81	4,900	18,548	•	•	•	•		•		6	12.0	5.4	\$117.00
4FC-LS Cartridge	EV9693-16	0.5	1.80	6.81	4,900	18,548	•	•	•	•		•	•	6	12.0	5.4	\$122.00
7FC-L Cartridge	EV9693-40	0.5	2.70	10.22	7,400	28,012								6	18.0	8.2	\$163.00
7FC-LS Cartridge	EV9693-46	0.5	2.70	10.22	7,400	28,012								6	18.0	8.2	\$188.00
2H-L Cartridge	EV9634-26	0.5	0.50	1.89	750	2,839	•	•		•		•	•	12	13.4	6.1	\$71.20
4H-L Cartridge	EV9635-26	0.5	0.50	1.89	1,000	3,785	•	•		•		•	•	6	8.9	4.0	\$93.90
2K-Plus Cartridge	EV9612-66	0.5	0.50	1.89	1,500	5,678	•	•	•	•			•	6	9.0	4.0	\$77.40
4K-Plus Cartridge	EV9612-76	0.5	0.50	1.89	3,000	11,355	•	•	•	•			•	6	11.0	4.9	\$97.10
4C²	EV9605-50	0.5	0.50	1.89	3,950	14,952	•	•	•	•							\$74.90
AC Cartridge	EV9601-12	0.5	0.50	1.89	750	2,839	•	•		•				6	8.0	3.6	\$60.20
AC²	EV9605-80	0.5	0.50	1.89	1,500	5,278	•	•	•	•				6	8.0	3.6	\$63.30
4H²	EV9605-70	0.5	0.50	1.89	3,950	14,952	•	•	•	•			•				\$94.70
BH² Cartridge	EV9612-50	0.5	0.50	1.89	3,000	11,355	•	•	•	•			•	1	12.0	5.4	\$119.00
OCS² Cartridge	EV9618-02	0.5	0.50	1.89	1,500	5,678	•	•	•	•			•	1	7.0	3.2	\$67.20
OW2-Plus Cartridge	EV9634-06	0.5	0.50	1.89	1,000	3,785	•	•	•	•		•	•	6	9.0	4.1	\$89.20
OW4-Plus Cartridge	EV9635-06	0.5	0.50	1.89	2,000	7,571	•	•	•	•		•	•	6	9.0	4.1	\$111.00
OW200L Cartridge	EV9619-06	0.5	0.50	1.89	480	1,817	•	•		•		•	•	6	16.0	7.3	\$136.00
MicroGuard Pro 2 Cartridge	EV9637-01	0.15	1.00	3.79	2,200	8,328	•	•	•	•				6	9.0	4.1	\$147.00
MicroGuard Pro 4 Cartridge	EV9637-02	0.15	1.00	3.79	3,600	13,627	•	•	•	•				6	10.0	4.5	\$164.00

Note: For Shurflo® LVPO or Everpure In-line Filters, see page 73. For additional manifold options, see page 79.

*By mechanical means. †See individual system specification sheets for performance claims and FIFRA registration information. ††Gallons/Litres per day.

EVERPURE® PREFILTERS



E-10
10.0" (25.4 cm) Coarse
Prefilter*



EC110
Cartridge



FC10
Cartridge



E-20
20.0" (50.8 cm)
Coarse Prefilter*



EC210
Cartridge



FC20
Cartridge



Right Wing
Bracket Assembly
for E-Series†



Left Wing
Bracket Assembly
for E-Series**



Endurance® TKO
MicroFilter System



Parallel 202 Prefilter Kit with
12.0 gallon [45.4 L] Surge Tank



Algae Problem?

Cut off the source of light with Pentair® Everpure Filter Bowl Sleeves and eliminate algae buildup in the bowl. Available in 10" and 20", see information below.

Note: Refer to page 66 for replacement cartridges.

PRODUCT	PART NO	MICRON RATING	PACK SIZE	SHIP WT		LIST PRICE
				LBS	KGS	
E-10 10" Coarse Prefilter	EV9795-80	10.0	1	4.0	1.8	\$127.00
EC110 Cartridge†	EV9534-12	10.0	12	5.0	2.3	\$8.70
FC10 Cartridge	EV9537-10	0.5	12	7.0	3.2	\$90.70
E-20 20" Coarse Prefilter	EV9795-90	10.0	1	6.0	2.7	\$203.00
EC210 Cartridge††	EV9534-26	10.0	6	5.0	2.3	\$16.10
FC20 Cartridge	EV9537-20	0.5	12	14.5	6.6	\$146.00
Endurance TKO MicroFilter System	EV9437-50	0.65	1	12.8	5.8	\$769.00
TKO MicroFilter	FE4620YYAB	0.65	1	1.0	0.5	\$593.00
Left Wing Bracket Assembly for E-Series Prefilter Kit	EV3114-34	N/A	1	5.0	2.3	\$70.60
Right Wing Bracket Assembly for E-Series Postfilter Kit	EV3114-35	N/A	1	5.0	2.3	\$106.00
10" Filter Bowl Sleeves for E-Series 10" Bowls	EV6500-22	N/A	1	1.0	0.5	\$33.90
20" Filter Bowl Sleeves for E-Series 20" Bowls	EV6500-23	N/A	1	1.0	0.5	\$57.50
Parallel 202 Prefilter Kit w/Tank [Shipped in two (2) boxes]	EV9336-52	N/A	1	32.1 (prefilter) 35.0 (tank)	14.7 (prefilter) 15.2 (tank)	\$2,150.00
Parallel 202 Prefilter Kit w/o Tank	EV9100-24	N/A	1	32.1	14.7	\$1,238.00
DGD 5005 Dual Density 50/5 Micron Cartridge	155358-43	5.0	6	12.0	5.4	\$48.10
DGD 2501 Dual Density 25/1 Micron Cartridge	155360-43	10.0	6	13.0	5.9	\$50.90

*To add E-10 or E-20 Coarse Prefilter to existing manifold, right wing or left wing bracket assembly needs to be purchased separately.

**For mounting of E-10 or E-20 Coarse Prefilter to QC7I Coldrink®/Insurice®/High Flow manifolds.

†EC110 Prefilter used in systems with 10.0" [25.4 cm] prefilter bowl.

††EC210 Prefilter used in systems with 20.0" [50.8 cm] prefilter bowl.

WATER APPLIANCES

EVERPURE® INSTANT HOT WATER DISPENSER

- Piping hot water available on demand at 190.0°F [87.8°C]
- Produces 100-8 oz [0.24 L] cups of water per hour
- Compact unit mounts on wall or inside virtually any cabinet
- Insulated stainless steel tank is energy efficient and maintenance-free
- Powerful 1300 watts for quicker recovery
- Fingertip temperature adjustment
- Easy to install with quick connect fittings
- Self-resetting thermal fuse protects heating element by preventing accidental dry starts
- UL listed



PART NO	DESCRIPTION	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
EV9318-40	Instant Hot Water Dispenser	11.2 x 6.8 x 8.1	28.4 x 17.3 x 20.6	8.0	3.6	\$437.00

EVERPURE POLARIA® WATER CHILLER

- Chills to an ideal temperature of 50°F
- Produces 1.3 gallons (4.9 L) chilled water per hour
- 0.7 gallon (2.6 L) internal tank
- Whisper quiet, hermetically sealed, and maintenance-free compressor
- Uses ozone-friendly refrigerant
- Consumes only 155 watts of electricity when compressor is cycling
- Stainless steel components and lead-free design
- Accessory power cord included
- UL listed



PART NO	DESCRIPTION	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
		IN	CM	LBS	KGS	
EV9318-30	Polaria Water Chiller	14 x 7 x 17	35.6 x 17.8 x 43.2	34.0	15.4	\$1,044.00

APPLIANCE ACCESSORIES

EVERPURE DUAL-TEMP WATER APPLIANCE FAUCETS

PART NO	SHIP WT		LIST PRICE
	LBS	KGS	
EV9000-85	4.0	1.8	\$489.00
EV9000-86	4.0	1.8	\$489.00



EV9000-85*
Polished
Stainless Steel



EV9000-86*
Brushed
Stainless Steel

EVERPURE DESIGNER WATER APPLIANCE FAUCETS*

Everpure Designer Drinking Water Faucets deliver a steady stream of premium quality filtered water from Everpure Water Filtration Systems. These faucets (sold separately) are available in eight stunning finishes and colors to match any office decor.

Ceramic disc-type valve – won't leak and no O-rings to replace.

PART NO	SHIP WT		LIST PRICE
	LBS	KGS	
EV9970-56	1.2	0.5	\$189.00
EV9970-59	1.2	0.5	\$189.00
EV9820-10	1.0	0.45	\$145.00
EV3081-32**	1 oz	0.03	\$52.50



EV9970-56*
Chrome



EV9970-59*
Brushed
Nickel



EV9820-10
Faucet Kit

*Approved for use in California.

** Not shown - MALE CONNECTOR W/FC ASSY



EVERPURE® TOTAL WATER MANAGEMENT (TWM) PROGRAM

TOGETHER, WE KNOW WATER LIKE NO ONE ELSE.

High quality water is essential to protecting expensive investments in water-using foodservice equipment. It keeps equipment operating efficiently and cost-effectively so your customers are as happy as their bottom line is healthy.

Pentair Everpure TWM is a comprehensive, proprietary program customized for the end-user which not only delivers that critical, high quality water but also ensures it remains that way – consistently.

EASY AS 1-2-3

The three-step TWM process, managed by Pentair and you – our valued channel partners, results in the design, implementation and ongoing support of the right solution for the end-user.

1 NEEDS
ANALYSIS

2 SITUATION
ASSESSMENT

3 WATER QUALITY
IMPROVEMENT

HOW DOES THE TWM PROGRAM BENEFIT YOU?

- Gain access to proven, reliable Pentair service providers across the country
- Obtain a competitive advantage in the marketplace via a combined Everpure product and Pentair-backed services offering to end-users
- Provides new revenue streams for your business
- Deliver more value and increase customer satisfaction

**CONTACT US TO LEARN MORE ABOUT WHAT TWM
CAN DO FOR YOU AND YOUR CUSTOMERS!**



EVERPURE® WATER SOFTENING SYSTEMS

Pentair® Everpure offers a full line of commercial point-of-entry water softeners for small food and beverage operations up to large retail superstores.

System capacities include

- Hardness removal: 30,000 to 750,000 grains
- Flow rate: 10.0 to 165.0 gpm [37.9 to 624.6 Lpm]

Feature control valves from an industry leader

Everpure systems feature Pentair Fleck® brand control valves – recognized worldwide for reliability and performance. Available in both mechanical and electronic configurations.

Tested-tough tanks by Pentair

- NSF-certified, fiberglass-reinforced pressure tank endures up to 250,000 cycles without leaking

All-around savings

- Precision flow meter efficiently regenerates the system, saving on salt, water and the cost of electricity.

Never without softened water

- Available in duplex alternating configurations for a never-ending supply of soft water.

Five (5) years worry-free

- A complete system has a five-year limited warranty



EVERPURE WS SERIES WATER SOFTENERS

- Advanced, user-friendly controls incorporate time-tested, hydraulically-balanced piston, seal and spacer design to pilot service flow and regeneration
- Fiberglass-reinforced resin vessels with NSF®-approved polyethylene liners eliminate worries about corrosion
- Pentair Fleck® 5600-SXT meter-initiated control valve monitors water usage and minimizes salt, water and electrical costs
- Single-tank design for simplicity, economy and space savings
- Large capacity brine tank maximizes time between salt replenishments

PART NO	DESCRIPTION	CAPACITY	DIMENSIONS (H X W X D)		LIST PRICE
			IN	CM	
EV9980-58	WS-30E: 120 VAC 50/60 Hz	30,000 grains @ 15.0 lbs. [6.8 kgs.] salt 24,000 grains @ 10.0 lbs. [4.1 kgs.] salt 20,000 grains @ 6.0 lbs. [2.7 kgs.] salt	12.75 x 23 x 44.50	32.40 x 58.40 x 113	\$2,483.00
EV9980-59	WS-30E: 230 VAC 50 Hz				
EV9980-11	WS-45, 115V/60HZ	45,000 grains @ 22.5 lbs. (10.21kgs.) salt	37 x 22 x 68	93.98 x 58.42 x 113	\$2,537.00

EVERPURE ELECTRONIC SOFTENING SYSTEMS

- Easy, user-friendly programming with LCD backlit displays
- Networking capability allows for same programming on multiple softeners
- Self diagnostic service and indicators
- Designed for continuous operation and test-proven to deliver up to 27 years of uninterrupted daily use

PART NO	INLET/OUT-LET INCHES	DESCRIPTION	PART NO	INLET/OUT-LET INCHES	DESCRIPTION
EV9982-31	1.00	SOFTENER, CES-2750E-30	EV9985-12	1.00	SOFTENER, CES-9000 E-60
EV9982-32	1.00	SOFTENER, CES-2750 E-45	EV9983-31	1.50	SOFTENER, CES-2850 E-60
EV9982-33	1.00	SOFTENER, CES-2750 E-60	EV9984-22	1.50	SOFTENER, CES-2850 E-90
EV9982-34	1.00	SOFTENER, CES-2750 E-90	EV9983-33	1.50	SOFTENER, CES-2850 E-120
EV9985-10	1.00	SOFTENER, CES-9000 E-30	EV9983-34	1.50	SOFTENER, CES-2850 E-150
EV9985-11	1.00	SOFTENER, CES-9000 E-45			



Visit
www.pentair.com for
 more softener product
 information and additional
 mechanical softener system
 skus.

High levels of dissolved (ferrous) iron and manganese (>5 ppm) can damage your resin. To prolong the lifespan of your water softener when these materials are excessively present, Pentair Everpure recommends a prefilter. Also, use salt that contains an iron-fighting additive or use a resin cleaner on a regular basis.

EVERPURE® BOWL SOFTENING

- Ion exchange resin technology
- Reduces hardness that can cause mineral buildup
- Reduces calcium and magnesium
- May be used on water with up to 30 grains hardness per gallon



PRODUCT	PART NO	FLOW RATE		RATED CAPACITY		SHIP WT		LIST PRICE
		GPM	LPM	GALLONS	LITRES	LBS	KGS	
A-10 Housing	EV9100-01	—	—	—	—	3.0	1.4	\$66.40
A-11 Housing	EV9100-02	—	—	—	—	2.0	0.9	\$57.60
SO-10 Cartridge*	EV9105-41	0.50	1.89	750	2,839	10.3	4.7	\$42.90
A-20 Housing	EV9100-03	—	—	—	—	4.0	1.8	\$87.20
SO-20 Cartridge	EV9105-42	0.75	2.84	1,500	5,678	21.3	9.7	\$67.60
SO-24 System	EV9100-94	2.00	7.57	4,500	17,034	34.0	15.4	\$334.00

EVERPURE WAREWASHING

Hot Temperature Scale Control

- Scale control for hot temperature applications such as warewashing and booster heaters
- Inhibits limescale buildup and reduces corrosion
- Features metering flow through head, high temperature housing and transparent HT-10 Cartridge containing Hydroblend™ compound effective up to 200°F [93.3°C], 15.0 gpm [56.8 Lpm]
- Maximum feeder inlet temperature: 170.0°F [76.7°C]



Kleenware® HTS-11
Scale Control System



HT-10 Replacement
Cartridge



#10 Slim Line
Black Housing

PRODUCT	PART NO	DIMENSIONS (H X W X D)		PACK SIZE	SHIP WT		LIST PRICE
		IN	CM		LBS	KGS	
Kleenware HTS-11	EV9799-11	12.50 x 4.75 x 4.75	21.80 x 12.10 x 12.10	1	7.0	3.2	\$669.00
HT-10 Replacement Cartridge	EV9799-22	10 x 2.50	25.40 x 2.50	6	4.0	1.8	\$557.00
#10 Slim Line Black Housing	158319	11.75 x 4.38 x 4.38	29.8 x 11.1 x 11.1	12	38.0	17.2	\$130.00

*Not shown.

EVERPURE® DROP-IN FILTERS AND HOUSINGS SYSTEM SELECTION GUIDE

The Everpure line of value-priced filtration systems are designed for rigorous foodservice applications. The housings feature inlet/outlet shutoff valves, gauges, mounting bracket and hardware. The filter cartridges are a standard size that fit most 10.0" [25.4 cm] and 20.0" [50.8 cm] slim line design housing systems.

STEP ONE: Select flow rate, capacity, application and cartridge features required.

APPLICATION	MODEL	PART NO	FLOW RATE		RATED CAPACITY		PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES		LBS	KGS	
Chlorine, T & O Reduction										
Coffee and Ice; Includes Scale Inhibition	CGT-10S*	EV9108-13	1.00	3.79	5,000	18,927	12	12.0	5.4	\$32.50
	CGT-20S*	EV9108-33	2.00	7.57	10,000	37,854	6	17.0	7.7	\$53.60
Fountain	CGT-10	EV9108-11	1.00	3.79	5,000	18,927	12	12.0	5.4	\$24.50
	CGT-20*	EV9108-32	2.00	7.57	10,000	37,854	6	17.0	7.7	\$40.30
Chlorine, T & O and Particulate Reduction										
Coffee and Ice; Includes Scale Inhibition	CG5-10S*	EV9108-17	1.70	6.44	6,000	22,710	12	15.0	6.8	\$39.10
	CG5-20S*	EV9108-27	3.30	12.49	12,000	45,425	6	18.0	8.2	\$60.20
Fountain	CG5-10*	EV9108-15	1.70	6.44	6,000	22,710	12	14.0	6.4	\$28.70
	CG5-20*	EV9108-25	3.30	12.49	12,000	45,425	6	17.0	7.7	\$47.00
Chlorine, T & O, Particulate and Cyst Reduction by Mechanical Means**										
Coffee and Ice; Includes Scale Inhibition	CG53-10S*	EV9108-57	2.00	7.57	10,000	37,854	12	14.0	6.8	\$40.30
	CG53-20S*	EV9108-67	4.00	15.14	20,000	75,708	6	15.0	8.2	\$71.40
Fountain	CG53-10	EV9108-53	2.00	7.57	6,000	22,710	12	14.0	6.4	\$29.90
	CG53-20*	EV9108-63	4.00	15.14	12,000	45,425	6	15.0	7.7	\$57.90

Cartridge Capacity:

10" Cartridge –
Up to 2 gpm;

20" Cartridge –
2-4 gpm



CGT-10



CG5-10



CG53-10

STEP TWO: Select appropriate housing.

PRODUCT	PART NO	CONNECTION	PACK SIZE	SHIP WT		LIST PRICE
				LBS	KGS	
CGS-10 Single	EV9100-10	3/8" FPT	1	5.0	2.3	\$176.00
CGS-12 Dual Series	EV9100-12	1/2" FPT	1	8.0	3.6	\$290.00
CGS-20 Single	EV9100-20	3/8" FPT	1	7.0	3.2	\$263.00
CGS-22 Dual Series	EV9100-22	1/2" FPT	1	12.0	5.4	\$475.00
CGS-23 Parallel	EV9100-23	3/8" FPT	1	13.0	5.9	\$457.00
CGS-55 Single Series	EV9100-50	1/2" FPT	1	20.0	9.1	\$627.00

10" Housings



CGS-10 Single



CGS-12 Dual Series

20" Housings



CGS-20 Single



CGS-22 Dual Series



CGS-23 Parallel



CGS-55 Single Series

EVERPURE FILTRATION SYSTEMS FOR STEAMER AND COMBI-OVEN APPLICATIONS



SC10-11 System



SC10-21 System

PRODUCT	PART NO	PACK SIZE	SHIP WT		LIST PRICE
			LB	KG	
SC10-11 (Twin Series Header Configuration, CG5-10 10" Carbon Block Cartridge, SS-10 ScaleStick® Cartridge)	EV9797-82	1	9.0	4.1	\$578.00
SC10-21 (Twin Series Header Configuration, CG5-20 20" Carbon Block Cartridge, SS-10 ScaleStick® Cartridge)	EV9797-83	1	10.0	4.5	\$636.00
CG5-10 Replacement Cartridge*	EV9108-15	12	14.0	6.4	\$28.70
CG5-20 Replacement Cartridge*	EV9108-25	6	17.0	7.7	\$47.00
SS-10 Replacement Cartridge*	EV9799-02	12	5.0	2.3	\$114.00

*Not shown.

**See individual system specification sheets for performance claims and FIFRA registration information.

SHURFLO® GENERAL BEVERAGE LVPO FILTRATION SYSTEMS

Shurflo LVPO filters feature the revolutionary Fibredyne™ filtration technology, and include a unique set of plumbing and mounting accessories.



LVPO-F2 Kit

SYSTEM	MICRON RATING	PART NO	DESCRIPTION	FLOW RATE		RATED CAPACITY		PACK SIZE	SHIP WT		LIST PRICE
				GPM	LPM	GALLONS	LITRES		LBS	KGS	
LVPO-F1*	5.0	94-751-00	Removes chlorine, T&O	3.00	11.36	6,000	22,710	1	3.0	1.4	\$167.00
LVPO-F2	5.0	94-479-00	Removes sediment and scale	3.00	11.36	—	—	1	3.0	1.4	\$182.00
LVPO-F3*	5.0	94-751-01	Removes chlorine, T&O and scale	3.00	11.36	6,000	22,710	1	3.0	1.4	\$205.00
LVPO-F4*	—	94-751-02	Hardness removal	0.50	1.89	250	946	1	4.0	1.8	\$252.00

SHURFLO LVPO REPLACEMENT CARTRIDGES



CARTRIDGE	MICRON RATING	PART NO	DESCRIPTION	FLOW RATE		RATED CAPACITY		PACK SIZE	SHIP WT		LIST PRICE
				GPM	LPM	GALLONS	LITRES		LBS	KGS	
LVPO-F1	5.0	94-399-00	Removes chlorine, T&O	3.00	11.36	6,000	22,710	12	30.0	13.5	\$136.00
LVPO-F2	5.0	94-470-00	Removes sediment and scale	3.00	11.36	—	—	12	35.0	15.8	\$151.00
LVPO-F3	5.0	94-470-01	Removes chlorine, T&O and scale	3.00	11.36	6,000	22,710	12	38.0	17.1	\$158.00
LVPO-F4	—	94-470-02	Hardness removal	0.50	1.89	250	946	12	42.0	19.0	\$224.00

EVERPURE® GENERAL BEVERAGE AND OCS ECONOMICAL IN-LINE FILTERS

Complete line of economical in-line filters suitable for many foodservice applications. Depending on model, features include reduction of chlorine, sediment, scale, lead, and cysts. In-line UV system also available.



PRODUCT	PART NO	DESCRIPTION	FLOW RATE		RATED CAPACITY		PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES		LBS	KGS	
IN-6 PG-S	EV9100-67	6" 100% phosphate for scale prevention only.	0.50	1.89	6-12 months		6	4.0	1.8	\$32.60
IN-10	EV9100-08	10" granular activated carbon with scale control.	0.80	3.03	2,400	9,080	6	6.0	2.7	\$33.20
IN-10	EV9100-06	10" granular activated carbon with scale control and John Guest® (JG) fittings.	0.80	3.03	2,400	9,080	6	6.0	2.7	\$42.20
IN-10 CS	EV9100-69	10" 100% coconut shell carbon for enhanced T&O reduction.	—	—	3,308	12,522	6	5.0	2.3	\$21.50
IN-10 CC	EV9100-71	10" calcite/carbon for T&O with mineral feed.	—	—	2,000	7,750	6	6.0	2.7	\$34.70
IN-10 NS5	EV9100-72	10" 5 micron sediment for dirt and particles.	—	—	6-12 months		6	3.0	1.4	\$28.30
IN-10 CK	EV9100-68	10" KDF®-55D**/carbon for T&O reduction with scale and slime prevention.	—	—	5,000	18,927	6	7.0	3.2	\$34.70
IN-12	EV9100-07	10" high capacity granular activated carbon with scale control	—	—	4,800	18,168	6	7.0	3.2	\$42.20
IN-12	EV9100-86	10" high capacity granular activated carbon with scale control and JG fittings.	—	—	4,800	18,168	6	8.0	3.6	\$49.80
IN-15 CF	EV9100-76	15" 5 micron graded density carbon block for T&O reduction	—	—	5,000	18,925	6	7.0	3.2	\$59.70
GAC	255599-43	GAC w/Phosphate Filter: 2" x 10"	—	—	1,350	5,110	12	10.0	4.5	\$27.00
CC Shell	255525-43	CC Shell Filter: 2" x 10"	—	—	3,308	12,522	12	12.0	5.4	\$20.30
Sediment	255579-43	Sediment Filter: 2" x 10", 5 Micron	—	—	6-12 months		12	7.0	3.2	\$23.80
CC Shell	255553-43	CC Shell with KDF®†† Filter: 2" x 10"	—	—	5,000	18,927	12	10.0	4.5	\$34.20
Clip	244454	For Standard In-Line Filters, 2.0" [5.1 cm].	—	—	—	—	1	2 oz	0.06	\$4.90
Clip	EV3145-50	For OCS Premium and High Capacity In-Lines, 2-1/2" [6.4 cm].	—	—	—	—	1	2 oz	0.06	\$3.00

*Not shown

**See individual system specification sheets for performance claims and FIFRA registration information.

†By mechanical means.

††KDF media inhibits scale buildup that can damage equipment.

EVERPURE® SIMPLIFLOW® WATER MANAGEMENT SYSTEMS


The Everpure SimpliFlow System rescues your back room from the typical tangled mess of water lines that worsen as your water needs grow and change. This adaptable, simple-to-use beverage line management system provides quick and easy identification of water lines, and helps you organize and manage fluid movement throughout your store.

- Organize back room water lines
- Manage water by water quality profiles and application
- Easy to install
- Compact footprint
- Easily identify water lines using labels included with each manifold
- Multiple connection options available
- Inlet can be oriented from left, right or bottom of manifold
- Flexible manifold can be rotated 90 degrees within bracket to allow for elbow connections
- Reduce service expense

SYSTEM	KIT NO	DESCRIPTION	PACK SIZE	DIMENSIONS (H X W X D)		SHIP WT		LIST PRICE
				IN	CM	LBS	KGS	
SimpliFlow Single Standard Manifold	EV9961-00	Three (3) inlets and six (6) outlets Manages a single water quality	1	15.0 x 4.0 x 4.0	38.1 x 10.1 x 10.1	2.8	1.3	\$238.00
SimpliFlow Single Split Manifold	EV9961-50	Features three (3) valves on each side Allows for two (2) different water qualities	1	15.0 x 4.0 x 4.0	38.1 x 10.1 x 10.1	2.8	1.3	\$262.00
SimpliFlow Twin Standard Manifold	EV9962-00	Two (2) manifolds for a total of six (6) inlets, and up to 12 valve outlets Allows for two (2) different water qualities	1	18.0 x 9.0 x 6.0	5.7 x 22.7 x 15.2	6.9	3.1	\$429.00
SimpliFlow Quad Standard Manifold	EV9964-00	Four (4) manifolds for a total of 12 inlet options, and up to 24 valve outlets Allows for four (4) different water qualities	1	18.0 x 14.5 x 10.0	38.1 x 10.1 x 10.1	11.6	5.3	\$837.00




Water lines can be difficult to identify and trace to water-using equipment, increasing service time and costs.



Water line organization made simple with Everpure SimpliFlow.

EVERPURE® SIMPLIFLOW® ACCESSORIES



PART NO	OPTION	DESCRIPTION	LIST PRICE
A	EV3135-34	Inlet Connection Fitting, 1/2" [12.700 mm] barb	\$13.30
B	EV3135-35	Inlet Connection Elbow, 1/2" [12.700 mm] barb	\$23.90
C	EV3135-50	Inlet Connection Fitting, 3/4" [19.050 mm] barb	\$14.20
D	EV3135-89	Inlet Connection Fitting, 1" [25.400 mm] barb	\$16.90
E	EV3136-00	Inlet Connection Elbow, 3/4" [19.050 mm] barb	\$25.20

PART NO	OPTION	DESCRIPTION	LIST PRICE
F	EV3135-48	Plug, Inlet, 1/2" [12.700 mm]	\$15.40
G	EV3137-16	Plug, Inlet Plug with 1/8" [3.175 mm] NPT	\$27.30
H	EV3135-49	Plug, Outlet Plug	\$13.10
I	EV3135-52	Outlet Valve, Valve, Ball, 1/2" [12.700 mm] barb	\$38.00
J	EV3136-09	Outlet Valve, Valve, Ball, 3/8" [9.525 mm] barb	\$38.00

FLOOD PROTECTION

ELTEK® WATER BLOCK

- Overflow safety device for coffee brewers, coolers, chillers, heaters, vending machines, ice machines and more
- Automatically shuts off if preset volume is exceeded
- Automatically resets if water volume preset is not exceeded
- Ten-position dial sets maximum flow volume
- No external energy source required
- Not recommended for reverse osmosis (RO) or ice flaker installation as an RO system by nature can produce permeate water for long periods of time which will unnecessarily trip the Water Block
- Water Block Reset Device is optional for use to manually reset device

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
EV9503-05	Water Block	25	\$61.40
EV9503-25	Water Block Reset Device	25	\$33.90
EV3138-61	Adaptor: 3/4" male garden hose (both ends), black	1	\$2.90
EV3118-40	Wall Mount Clip: black	1	\$4.70



Water Block



Water Block Reset Device



Wall Mount Clip

EVERPURE® MANIFOLD SYSTEM CONFIGURATIONS ORDERING GUIDE

Everpure Manifolds by Pentair® are available in a variety of preconfigured setups. You are able to mix and match between our wide range of cartridges and various manifolds to create a Single,

Twin, Triple or Quad System that meets your specific needs. Follow these four quick and easy steps to determine the best fit for your application.

STEP ONE: Identify your application and corresponding filter cartridge.

At right are some of the typical Everpure applications and corresponding filter cartridge options. For additional assistance, please contact Pentair Everpure Technical Service at 800.942.1153 or servicespecialist@pentair.com.

APPLICATION	FOUNTAIN/COMBINATION	ICE	COFFEE	ESPRESSO
Everpure Filter Cartridge Options	MC ²	i2000 ²	BH ²	ES06
	XC ²	i4000 ²	4H ²	ES07
	4CB5 / 7CB5	4CB5-S / 7CB5-S	4CB5-S / 7CB5-S	—
	4FC5 / 7FC5	4FC5-S / 7FC5-S	4FC5-S / 7FC5-S	—
	4FC / 7FC	4FC-S / 7FC-S	4FC-S / 7FC-S	—

STEP TWO: Select your flow rate or capacity requirements.

Configured System Flow Rates

Determine the flow rate you require and then match to the head and cartridge. Examples:

- If you need a flow rate of 1.67 gallons per minute (gpm) [6.32 Lpm], you can use a single head with one (1) filter cartridge as long as the filter cartridge is designed for 1.67 gpm (such as the Everpure MC²) or greater.
- If you need a flow rate of 3 gpm [11.36 Lpm], you will need a twin head with two (2) filter cartridges as long as the total flow rate of the two (2) cartridges equals or is greater than 3. To get a 3 total flow rate, you could use two (2) Everpure MC² Cartridges (total flow rate 3.34).
- If you need a flow rate of 1 gpm [3.79 Lpm], but the filter cartridge you require is only 0.50 gpm [1.89 Lpm] (such as the Everpure BH² Cartridge), then you would need two (2) cartridges in a twin head.

		TYPICAL EVERPURE CARTRIDGE FLOW RATES IN GPM [LPM]			
HEAD		0.50 [1.89]	1.00 [3.79]	1.67 [6.32]	2.50 [9.46]
Number of Cartridges	1(Single)	0.50 [1.89]	1.00 [3.79]	1.67 [6.32]	2.50 [9.46]
	2(Twin)	1.00 [3.79]	2.00 [7.57]	3.34 [12.64]	5.00 [18.93]
	3(Triple)	1.50 [5.68]	3.00 [11.36]	5.01 [18.96]	7.50 [28.39]
	4(Quad)	2.00 [7.57]	4.00 [15.14]	6.68 [25.20]	10.00 [37.85]

CONFIGURED SYSTEM CAPACITIES

		TYPICAL EVERPURE CARTRIDGE CAPACITIES IN GALLONS [LITRES]					
	HEAD	3,000 [11,356]	6,000 [22,712]	9,000 [34,068]	12,000 [45,425]	15,000 [56,781]	25,000 [94,635]
Number of Cartridges	1 (Single)	3,000 [11,356]	6,000 [22,712]	9,000 [34,068]	12,000 [45,425]	15,000 [56,781]	25,000 [94,635]
	2 (Twin)	6,000 [22,712]	12,000 [45,425]	18,000 [68,137]	24,000 [90,849]	30,000 [113,562]	50,000 [189,271]
	3 (Triple)	9,000 [34,068]	18,000 [68,137]	27,000 [102,206]	36,000 [136,274]	45,000 [17,0343]	75,000 [283,906]
	4 (Quad)	12,000 [45,425]	24,000 [90,849]	36,000 [136,274]	48,000 [181,699]	60,000 [227,125]	100,000 [378,541]

EVERPURE® MANIFOLD SYSTEM CONFIGURATIONS ORDERING GUIDE (cont'd.)

STEP THREE: Determine if you need prefiltration or postfiltration.

WHEN DO I NEED PREFILTRATION?

- Prefiltration is always recommended to ensure you receive the best performance from your Pentair® Everpure filtration system. But in areas where there is little concern around suspended solids, turbidity or particulates, you may choose to opt for a system without a prefilter.

WHEN DO I NEED POSTFILTRATION?

- Postfiltration is designed to reduce the likelihood of scale buildup. You should consider postfiltration any time your system is delivering water to more than one application. Postfiltration is highly recommended when you are running pieces of equipment that either heat water (such as coffee or espresso), or chill water (such as an ice machine, or drinking water and fountain drink equipment).

Pick the desired number of cartridges/heads.

Prefiltration
(Available in 10.0" [25.4 cm] or 20.0" [50.8 cm] system sizes)



Postfiltration
(Scale prevention systems available in multiple sizes)

Examples:



STEP FOUR: Make your final product selection.

EVERPURE MANIFOLDS

FILTRATION / PREFILTRATION / POSTFILTRATION	PART NO	MANIFOLD
Filtration Only (No prefilter or postfilter)	EV9272-41	QC7I Single Manifold
	EV9272-22	QC7I Twin Manifold
	EV9272-23	QC7I Triple Manifold
	EV9336-11	QC7I Quad Manifold
Filtration Plus Prefilter (10" or 20" prefilter included, depending upon model)	EV9293-01	Coldrink® 1 / Insurice® Single PF 10" Manifold
	EV9293-02	Coldrink 2 / Insurice Twin PF 10" Manifold
	EV9293-03	Coldrink 3 / Insurice Triple PF 10" Manifold
	EV9293-04	Coldrink 4 / Insurice Quad PF 10" Manifold
	EV9293-21	Coldrink 1 / Insurice Single PF 20" Manifold
	EV9293-22	Coldrink 2 / Insurice Twin PF 20" Manifold
	EV9293-23	Coldrink 3 / Insurice Triple PF 20" Manifold
	EV9293-24	Coldrink 4 / Insurice Quad PF 20" Manifold
Filtration Plus Prefilter and Postfilter (Includes prefilter and scale reduction cartridge)	EV9294-02	High Flow CSR Twin PF 10" Manifold
	EV9294-03	High Flow CSR Triple PF 10" Manifold
	EV9294-04	High Flow CSR Quad PF 10" Manifold
	EV9294-22	High Flow CSR Twin PF 20" Manifold
	EV9294-23	High Flow CSR Triple PF 20" Manifold
	EV9294-24	High Flow CSR Quad PF 20" Manifold

Note: PF = Prefilter

EVERPURE® FILTER HEADS



QL1
Single
Head



QL2
Single
Head



QL3
Single
Head



QL3B
Single
Head



Filter
Head


PRODUCT	PART NO	SHUT-OFF VALVE	MOUNTING BRACKET	CONNECTION	FLUSHING VALVE	PRESSURE GAUGE(S)	PACK SIZE	SHIP WT		LIST PRICE
								LBS	KGS	
QL1 Single Head	EV9256-17	N	Y	3/8" JG	N	N	24	14.0	6.4	\$43.90
	EV9256-18	N	Y	3/8" NPT	N	N	24	14.0	6.4	\$42.00
	EV9256-19*	N	Y	3/8" NPT	N	N	24	14.0	6.4	\$42.00
	EV9256-20	N	Y	1/4" JG	N	N	24	14.0	6.4	\$43.90
QL2 Single Head	EV9272-18	N	Y	3/8" NPT	N	N	12	5.3	2.4	\$51.10
QL3 Single Head	EV9259-14	Y	Y	3/8" NPT	N	N	12	5.8	2.6	\$81.60
QL3B Single Head	EV9259-24	Y	Y	3/8" NPT	N	N	12	7.0	3.2	\$62.40
Filter Head	357296-06*	Y	Y	3/8" JG	N	N	50	10.0	4.5	\$47.00

*The EV9256-19 is a "reverse flow direction" head

WHAT'S YOUR FILTER SIZE?

Pentair® Everpure® Replacement Filter Cartridges are manufactured in five (5) different height configurations. Each cartridge has a size designation of:

- 2-size = 10.25" tall
- 4-size = 14.50" tall
- 6-size = 17" tall
- 7-size = 20.75" tall
- X-size = 25" tall



*Requires tri-wall baffle in cartridge

EVERPURE® MANIFOLDS

A parallel head:

- Flow rate and capacities of all cartridges are combined to determine total system flow rate and capacity
- Inlet water passes through all filter cartridges simultaneously



QC7I/Insurice®
Single Head



QC7I/Insurice
Twin Parallel Head



QC7I/Insurice
Triple Parallel Head



QC7I/Insurice
Quad Parallel Head

PRODUCT	PART NO	SHUTOFF VALVE	MOUNTING BRACKET	CONNECTION	FLUSHING VALVE	PRESSURE GAUGE(S)	PACK SIZE	SHIP WT		LIST PRICE
								LBS	KGS	
QC7I/Insurice Single Head	EV9272-41	Y	Y	3/8" NPT	Y	Y	1	3.0	1.7	\$309.00
QC7I/Insurice Twin Parallel Head	EV9272-22	Y	Y	3/4" NPT	Y	Y	1	6.0	2.7	\$546.00
QC7I/Insurice Triple Parallel Head	EV9272-23	Y	Y	3/4" NPT	Y	Y	1	7.0	3.2	\$775.00
QC7I/Insurice Quad Parallel Head	EV9336-11	Y	Y	3/4" NPT	Y	Y	1	10.0	4.5	\$1,103.00

Twin Series Head; Series Plumbed



A series head:

- Water flows through each filter in a linear fashion so the total flow is limited to the filter with the lowest flow rate and capacity

QC7I DIO Manifold



DIO manifold:

- Provides two water qualities. The first outlet is from two (2) filter cartridges in parallel, the second outlet is from three (3) filter cartridges, see page 24 for example.

PRODUCT	PART NO	SHUTOFF VALVE	MOUNTING BRACKET	CONNECTION	FLUSHING VALVE	PRESSURE GAUGE(S)	PACK SIZE	SHIP WT		LIST PRICE
								LBS	KG	
Twin Series Head; Series Plumbed*	EV9272-24	Y	Y	3/4" NPT	Y	N	1	4.0	1.8	\$280.00
QC7I DIO Manifold	EV9278-91	Y	Y	3/4" NPT x 2	Y	Y	1	12.0	5.4	\$1,099.00

*Twin Series Head required when the Everpure 7SO, 7TO, 7OF and 7NE Cartridges are used with an Everpure MC² Fine Filter Cartridge.

MANIFOLD SYSTEMS

**Coldrink 1 / Insurice
Single PF 20" Manifold**



**Coldrink 2 / Insurice Twin
PF 20" Manifold**



**Coldrink 3 / Insurice Triple
PF 10" Manifold**



**Coldrink 4 / Insurice Quad
PF 10" Manifold**



EVERPURE® COLDRINK® / INSURICE® PF MANIFOLDS

- Shutoff valve
- Mounting bracket
- Inlet/outlet connection: 3/4" NPT
- Flushing valve
- Pressure gauge(s)
- Pack size: one (1)

PRODUCT	PART NUMBER	SHIP WT		LIST PRICE
		LBS	KGS	
Coldrink 1 / Insurice Single PF 10" Manifold*	EV9293-01	10.0	4.5	\$435.00
Coldrink 1 / Insurice Single PF 20" Manifold	EV9293-21	12.0	5.4	\$515.00
Coldrink 2 / Insurice Twin PF 10" Manifold*	EV9293-02	13.0	5.9	\$676.00
Coldrink 2 / Insurice Twin PF 20" Manifold	EV9293-22	14.0	6.4	\$758.00
Coldrink 3 / Insurice Triple PF 10" Manifold	EV9293-03	16.0	7.3	\$909.00
Coldrink 3 / Insurice Triple PF 20" Manifold*	EV9293-23	17.0	7.7	\$988.00
Coldrink 4 / Insurice Quad PF 10" Manifold*	EV9293-04	18.0	8.2	\$1,269.00
Coldrink 4 / Insurice Quad PF 20" Manifold	EV9293-24	20.0	9.1	\$1,323.00

See page 76 for Manifold System Configurations Ordering Guide.

Note: Coldrink/Insurice PF Manifolds contain integrated 10.0" [25.4 cm] or 20.0" [50.8 cm] coarse prefilter.

EVERPURE HIGH FLOW CSR MANIFOLDS

- Scale reduction
- Shutoff valve
- Mounting bracket
- Inlet/outlet connection: 3/4" NPT
- Flushing valve
- Pressure gauge(s)
- Pack size: one (1)

**High Flow CSR
Twin PF 10" Manifold**



**High Flow CSR
Triple PF 10" Manifold**



**High Flow CSR
Quad PF 10" Manifold**



PRODUCT	PART NUMBER	SHIP WT		LIST PRICE
		LBS	KGS	
High Flow CSR Twin PF 10" Manifold	EV9294-02	19.0	8.6	\$976.00
High Flow CSR Twin PF 20" Manifold*	EV9294-22	20.0	9.1	\$1,055.00
High Flow CSR Triple PF 10" Manifold	EV9294-03	22.0	10.0	\$1,233.00
High Flow CSR Triple PF 20" Manifold*	EV9294-23	22.0	10.0	\$1,288.00
High Flow CSR Quad PF 10" Manifold	EV9294-04	23.0	10.4	\$1,544.00
High Flow CSR Quad PF 20" Manifold*	EV9294-24	24.0	10.9	\$1,624.00

See page 76 for Manifold System Configurations Ordering Guide.

Note: High Flow CSR Manifolds contain integrated 10.0" [25.4 cm] or 20.0" [50.8 cm] coarse prefilter and Everpure SS-IMF ScaleStick®.


*Not shown.

REPLACEMENT CARTRIDGES

EVERPURE® CARTRIDGES BY APPLICATION

APPLICATION	PART NO	CARTRIDGE	MICRON RATING	FLOW RATE		RATED CAPACITY	
				GPM	LPM	GALLONS	LITRES
Fountain or Combination	EV9618-11	7CB5	5.0	2.50	9.46	10,000	37,854
	EV9693-21	4FC5	5.0	2.50	9.46	15,000	56,781
	EV9693-61	7FC5	5.0	2.50	9.46	25,000	94,635
	EV9612-56	MC ²	0.5	1.67	6.32	9,000	34,068
	EV9613-10	XC ²	0.5	1.67	6.32	12,000	45,425
	EV9692-21	4FC	0.5	2.50	9.46	15,000	56,781
	EV9692-61	7FC	0.5	2.50	9.46	25,000	94,635
	EV9771-00	7CLM ⁺	5.0	1.67	6.32	7,500	28,391
Ice	EV9761-00	XCLM ⁺	5.0	2.00	7.57	9,300	35,204
	EV9618-21	7CB5-S	5.0	2.50	9.46	10,000	37,854
	EV9693-31	4FC5-S	5.0	2.50	9.46	15,000	56,781
	EV9693-71	7FC5-S	5.0	2.50	9.46	25,000	94,635
	EV9612-22	i2000 ²	0.5	1.67	6.32	9,000	34,068
	EV9612-32	i4000 ²	0.5	1.67	6.32	12,000	45,425
	EV9692-31	4FC-S	0.5	2.50	9.46	15,000	56,781
	EV9692-71	7FC-S	0.5	2.50	9.46	25,000	94,635
Coffee	EV9606-51	4SI	0.5	2.00	7.57	15,000	56,781
	EV9606-01	7SI	0.5	3.50	13.25	25,000	94,635
	EV9617-22	2CB5-S	5.0	1.00	3.79	3,000	11,356
	EV9617-26	4CB5-S	5.0	1.67	6.32	6,000	22,712
	EV9618-21	7CB5-S	5.0	2.50	9.46	10,000	37,854
	EV9618-02	OCS ²	0.5	0.50	1.89	1,500	5,678
Espresso	EV9612-50	BH ²	0.5	0.50	1.89	3,000	11,356
	EV9613-21	MH ²	0.5	1.67	6.32	9,000	34,068
	EV9607-10	ES0 ⁶	N/A	0.50	1.89	4,100*	15,520*
	EV9607-25	ES0 ⁷	N/A	0.50	1.89	5,300*	20,063*

EVERPURE SEDIMENT PREFILTER CARTRIDGES (DROP-INS)



Product size
not to scale.

SIZE	CARTRIDGE	MICRON RATING	HOUSING	PART NO	PACK SIZE	SHIP WT		LIST PRICE
						LBS	KGS	
10" Slimline	EC110	10.0	E-10	EV9534-12	12	5.0	2.3	\$8.70
20" Slimline	EC210	10.0	E-20	EV9534-26	6	5.0	2.3	\$16.10
20" FloPlus™	FloPlus-20	0.5	E-20	455904-43	12	11.0	5.0	\$63.80
10" ECP1	ECP1-10	1.0	E-10	255481-43	24	9.0	4.1	\$13.00
20" ECP1	ECP1-20	1.0	E-20	255485-43	14	10.0	4.5	\$29.90
20" ECP1 Big Bowl	ECP1-20BB	1.0	Parallel 202	255493-43	6	10.0	4.5	\$60.00
10" Pleated Cellulose-Polyester	ECP5-10	5.0	E-10	255482-43	24	8.8	4.0	\$12.30
20" Pleated Cellulose-Polyester	ECP5-20	5.0	E-20	255486-43	24	14.0	6.4	\$23.50
20" x 4" Big Bowl	DGD5005	50.0 & 5.0	Parallel 202	155358-43	6	12.0	5.4	\$48.10
20" x 4" Big Bowl	DGD2501	25.0 & 1.0	Parallel 202	155360-43	6	13.0	5.9	\$50.90
P5	P5	5.0	E-10	155014-43	24	8.0	3.6	\$7.80
20" x 4" Big Bowl (CB20 type)	TKO	0.65	TKO MicroFilter	FE4620YYAB	1	1.0	0.5	\$593.00

EVERPURE SOFTENING & SCALE REDUCTION CARTRIDGES (DROP-INS)



Product size
not to scale.

CARTRIDGE	TECHNOLOGY	HOUSING	PART NO	PACK SIZE	SHIP WT		LIST PRICE
					LBS	KG	
SO-10	Ion Exchange	A-10/11	EV9105-41	6	10.0	4.5	\$42.90
SO-20	Ion Exchange	A-20	EV9105-42	6	21.0	9.5	\$67.60
SO-204	Ion Exchange	SO-24	EV9105-45	4	24.0	10.9	\$149.00
SS-IMF	Hydroblend™ Polyphosphate	IMF SR-X (w/spacer)	EV9799-32	12	4.0	1.8	\$93.90
SS-10	Hydroblend Polyphosphate	SR-X	EV9799-02	12	5.0	2.3	\$114.00
SS-XL	Hydroblend Polyphosphate	SR-X	EV9799-42	6	6.0	2.7	\$369.00
HT-10	Hydroblend Polyphosphate	HTS-10/11	EV9799-22	6	4.0	1.8	\$557.00

Product shown in order listed by row.

*Grains reduction.

EVERPURE® REPLACEMENT CARTRIDGES FOR 3M® / CUNO® SERIES 5000 & 8000 SYSTEMS



CARTRIDGE	MICRON RATING	TECHNOLOGY	FLOW RATE		RATED CAPACITY		PERFORMANCE & FEATURES	PART NO	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES				LBS	KGS	
EFS5002-K	5.0	Carbon Block with KDF	1.00	3.79	4,000	15,140	Chlorine Reduction, Taste & Odor Reduction, Particulate Reduction, Scale Reduction, Microbial Control*†	EV9751-11	6	10.0	45.0	\$92.40
EFS8002	5.0	Carbon Block	1.50	5.68	10,000	37,850	Chlorine Reduction, Taste & Odor Reduction, Particulate Reduction	EV9781-10	6	14.0	6.4	\$95.40
EFS8002-S	5.0	Carbon Block with Scale Inhibitor	1.50	5.68	10,000	37,850	Chlorine Reduction, Taste & Odor Reduction, Particulate Reduction, Scale Reduction	EV9781-12	6	14.0	6.4	\$106.00

EVERPURE REVERSE OSMOSIS SYSTEM REPLACEMENT CARTRIDGES



Product proportions not to scale.



APPLICATION	CARTRIDGE	SYSTEM	PART NO	PACK SIZE	SHIP WT		LIST PRICE
					LBS	KGS	
Carbon Prefilter	2FC5-S	LVR0-75HE	EV9691-86	6	6.6	3.0	\$89.90
	4CB5	MRS-20	EV9617-16	6	13.0	5.9	\$98.10
	4FC5	Conserv® 75S / Conserv LT-S	EV9693-21	1	2.0	0.9	\$155.00
	6TO-BW	MRS-100/100CC/100BL / MRS-225/225CC	EV9607-41	1	3.0	1.4	\$154.00
	7TO-BW	MRS-350 / 350CC / 350BL	EV9627-04	1	4.0	1.8	\$164.00
	7FS-BW	MRS-600HE-II	EV9627-16	1	5.0	2.3	\$208.00
	SEN+	HE-3	EV9692-66	1	3.0	1.4	\$285.00
RO Module	GRO-75EN	LVR0-75HE / Conserv 75S / Conserv 75E / Conserv LT-S	4002575	16	27.7	12.6	\$141.00
	MR-20	MRS-20	EV9273-69	1	3.0	1.4	\$276.00
	MR-100	MRS-100 / 100CC / 100BL	EV9627-11	1	3.0	1.4	\$563.00
	MR-225	MRS-225 / 225CC / 225BL	EV9627-03	1	3.0	1.4	\$648.00
	MR-350	MRS-350 / 350CC / 350BL	EV9627-07	1	4.0	1.8	\$867.00
	MR-600-1	MRS-600HE, MRS-600HE-II	EV9627-23	1	4.0	1.8	\$990.00
	MR-600F	HE-3	EV9627-22	1	4.0	1.8	\$1,054.00
Feeder	4CC	Conserv 75S / Conserv 75E / Conserv LT-S	EV9627-45	1	3.3	1.5	\$134.00
	7CC-BW	MRS-100CC / 225CC / 350CC	EV9627-05	1	4.0	1.8	\$188.00
	2SR-BW	MRS-600HE	EV9627-14	1	3.0	1.4	\$151.00
Carbon Filter	4FC5-S	Conserv 75E	EV9693-31	1	2.0	0.9	\$171.00
Postfilter	2CB5	LVR0-75HE	EV9617-05	6	8.0	3.6	\$57.50
	4CB5	Conserv 75E	EV9617-16	6	13.0	5.9	\$98.10
	GS-215-RO-H	MRS-600HE	EV9627-15	1	2.0	0.9	\$65.40
	MC²	MRS-600HE-II	EV9612-56	1	2.0	0.9	\$129.00
	BW 4400	MRS-100BL / 225BL / 350BL	EV9668-24	1	2.0	0.9	\$169.00
	SEN	HE-3	EV9692-65	1	3.0	1.4	\$262.00

*By mechanical means.

†See individual system specification sheets for performance claims and FIFRA registration information.

EVERPURE® COMBINATION SYSTEM REPLACEMENT CARTRIDGES

APPLICATION/ PRODUCT	DESCRIPTION	PART NO	FLOW RATE		RATED CAPACITY		MICRON RATING	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES			LBS	KGS	
Coarse Prefilter	EC110 (10" Prefilter)	EV9534-12	-	-	-	-	10.0	12	5.0	2.3	\$8.70
Coarse Prefilter	EC210 (20" Prefilter)	EV9534-26	-	-	-	-	10.0	6	5.0	2.3	\$16.10
Coarse Prefilter	FloPlus™-20	455904-43	-	-	-	-	0.5	12	11.0	5.0	\$63.80
Fine Filter	MC ² Cartridge	EV9612-56	1.67	6.32	9,000	34,065	0.5	1	2.0	0.9	\$129.00
Fine Filter	XC ² (33% more capacity)	EV9613-10	2.50	9.46	12,000	45,425	0.5	1	3.0	1.4	\$161.00
High Capacity Fibredyne™	4FC Cartridge	EV9692-21	2.50	9.46	15,000	56,781	0.5	1	2.0	0.9	\$163.00
High Capacity Fibredyne	7FC Cartridge	EV9692-61	2.50	9.46	25,000	94,635	0.5	1	3.0	1.4	\$262.00
Spacer for SS-IMF	SS-IMF 10" Housing Adapter	EV3114-69	-	-	-	-	-	1	1.0	0.5	\$7.50
Carbon Block Filter	7CB5 Cartridge	EV9618-11	2.50	9.46	10,000	37,850	5.0	1	5.0	2.3	\$139.00
High Capacity Fibredyne	4FC5 Cartridge	EV9693-21	2.50	9.46	15,000	56,781	5.0	1	2.0	0.9	\$155.00
High Capacity Fibredyne	7FC5 Cartridge	EV9693-61	2.50	9.46	25,000	94,365	5.0	1	3.0	1.4	\$248.00
Triple-MC ² Kit	EC210 (1 ea), MC ² (3 ea) SS-IMF w/spacer (1 ea)	EV9970-42	5.01	18.96	27,000	102,195	0.5	1	12.0	5.4	\$444.00
Quad-MC ² Kit	EC210 (1 ea), MC ² (4 ea) SS-IMF w/spacer (1 ea)	EV9628-28	6.68	25.29	36,000	136,275	0.5	1	14.0	6.4	\$563.00
Quad-XC ² Kit	EC210 (1 ea), XC ² (4 ea) SS-IMF w/spacer (1 ea)	EV9628-29	6.68	52.29	48,000	181,700	0.5	1	15.0	6.8	\$673.00
Twin Endurance Cart Kit	Twin - Pretreatment cart (1 ea), SEN (2 ea) and 2SR-BW (1 ea)	EV9628-70	7.50	28.39	100,000	378,541	0.5	1	13.0	5.9	\$971.00
Triple Endurance Cart Kit	Triple - Pretreatment cart (1 ea), SEN (3 ea) and 2SR-BW (1 ea)	EV9628-71	11.25	42.59	150,000	567,812	0.5	1	16.0	7.3	\$1,202.00
Quad Endurance Cart Kit	Quad - Pretreatment cart (1 ea), SEN (4 ea) and 2SR-BW (1 ea)	EV9628-72	15.00	56.78	200,000	757,082	0.5	1	19.0	8.6	\$1,435.00
Twin SC Endurance Cart Kit	Twin - SEN (2 ea) and 2SR-BW (1 ea)	EV9628-80	7.50	28.39	100,000	378,541	0.5	1	11.0	5.0	\$579.00
Triple SC Endurance Cart Kit	Triple - SEN (3 ea) and 2SR-BW (1 ea)	EV9628-81	11.25	42.59	150,000	567,812	0.5	1	14.0	6.4	\$810.00
Quad Endurance SC Cart Kit	Quad - SEN (4 ea) and 2SR-BW (1 ea)	EV9628-82	15.00	56.78	200,000	757,082	0.5	1	17.0	7.7	\$1,042.00
Endurance SC UF Membrane	Pretreatment Cartridge	EV9628-91	-	-	-	-	-	1	6.6	3.0	\$1,381.00
Scale Reduction	SS-IMF ScaleStick®	EV9799-32	-	-	-	-	-	12	4.0	1.8	\$93.90
Scale Reduction	SS-XL ScaleStick	EV9799-42	-	-	-	-	-	6	6.0	2.7	\$369.00

EVERPURE® PRECOAT CARTRIDGES

CARTRIDGE	PART NO	SIZE	FLOW RATE		RATED CAPACITY		MICRON RATING	MICRO-PURE II®	COFFEE	COMBINATION	DRINKING WATER	FOUNTAIN	ICE	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES									LBS	KGS	
2K-Plus	EV9612-66	2	0.50	1.89	1,500	5,678	0.5				•			6	9.0	4.0	\$77.40
4K-Plus	EV9612-76	4	0.50	1.89	3,000	11,356	0.5				•			6	11.0	5.0	\$97.10
4C²	EV9605-50		0.50	1.89	3,950	14,952	0.5				•	•					\$74.90
4H²	EV9605-70		0.50	1.89	3,950	14,952	0.5		•		•						\$94.70
AC²	EV9605-80		0.50	1.89	1,500	5,278	0.5				•			6	8.0	3.6	\$63.30
BH²	EV9612-50	4	0.50	1.89	3,000	11,356	0.5	•	•					1	12.0	5.4	\$119.00
i2000²	EV9612-22	7	1.67	6.32	9,000	34,069	0.5	•					•	1	17.0	7.7	\$146.00
i4000²	EV9612-32	X	1.67	6.32	12,000	45,425	0.5	•					•	1	23.0	10.4	\$165.00
MC²	EV9612-56	7	1.67	6.32	9,000	34,069	0.5	•		•	•	•		1	17.0	7.7	\$129.00
MH²	EV9613-21	7	1.67	6.32	9,000	34,069	0.5	•	•					1	17.0	7.7	\$165.00
OCS²	EV9618-02	2	0.50	1.89	1,500	5,678	0.5	•	•					1	7.0	3.2	\$67.20
OW200L	EV9619-06	6	0.50	1.89	480	1,817	0.5	•			•			6	16.0	7.3	\$136.00
OW2-Plus	EV9634-06	2	0.50	1.89	1,000	3,785	0.5	•			•			6	7.0	3.2	\$89.20
OW4-Plus	EV9635-06	4	0.50	1.89	2,000	7,571	0.5	•			•			6	12.0	5.4	\$111.00
XC²	EV9613-10	X	1.67	6.32	12,000	45,425	0.5	•		•	•	•		1	23.0	10.4	\$161.00
Triple MC² Kit	EV9970-42	7	5.10	19.31	27,000	102,206	0.5	•		•				3	9.0	4.1	\$444.00
Quad MC² Kit	EV9628-28	7	6.68	25.29	36,000	136,275	0.5	•		•				4	9.0	4.1	\$563.00
Quad XC² Kit	EV9628-29	X	6.68	25.29	48,000	181,680	0.5	•		•				4	12.0	5.4	\$673.00

EVERPURE HIGH CAPACITY CARTRIDGES
FEATURING FIBREDYNE™ MEDIA

CARTRIDGE	PART NO	SIZE	FLOW RATE		RATED CAPACITY		MICRON RATING	COFFEE	COMBINATION	DRINKING WATER	FOUNTAIN	ICE	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES								LBS	KGS	
2FC	EV9691-56	2	1.50	5.68	6,000	22,712	0.5			•			6	6.6	3.0	\$83.20
2FC-S	EV9691-76	2	1.50	5.68	6,000	22,712	0.5	•		•	•	•	6	6.6	3.0	\$92.60
2FC5	EV9691-66	2	1.50	5.68	6,000	22,712	5.0			•	•			6.6	3.0	\$81.30
2FC5-S	EV9691-86	2	1.50	5.68	6,000	22,712	5.0	•				•	6	6.6	3.0	\$89.90
4FC	EV9692-21	4	2.50	9.46	15,000	56,781	0.5		•	•	•		1	2.0	0.9	\$163.00
4FC-S	EV9692-31	7	2.50	9.46	15,000	56,781	0.5	•				•	1	2.0	0.9	\$182.00
4FC5	EV9693-21	4	2.50	9.46	15,000	56,781	5.0		•	•	•		1	2.0	0.9	\$155.00
4FC5-S	EV9693-31	4	2.50	9.46	15,000	56,781	5.0	•				•	1	2.0	0.9	\$171.00
7FC	EV9692-61	7	2.50	9.46	25,000	94,635	0.5		•	•	•		1	3.0	1.4	\$262.00
7FC-S	EV9692-71	7	2.50	9.46	25,000	94,635	0.5	•				•	1	3.0	1.4	\$285.00
7FC5	EV9693-61	7	2.50	9.46	25,000	94,635	5.0		•	•	•		1	3.0	1.4	\$248.00
7FC5-S	EV9693-71	7	2.50	9.46	25,000	94,635	5.0	•				•	1	3.0	1.4	\$272.00

EVERPURE® CLM & CLM⁺ CHLORAMINES REDUCTION CARTRIDGES

CARTRIDGE	PART NO	SIZE	FLOW RATE		RATED CAPACITY		MICRON RATING	COFFEE	COMBINATION	DRINKING WATER	FOUNTAIN	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES							LBS	KGS	
7CLM ⁺	EV9771-00	7	1.67	6.32	7,500	28,391	5.0		•	•	•	1	3.0	1.4	\$224.00
XCLM ⁺	EV9761-00	X	2.00	7.57	9,300	35,204	5.0		•	•	•	1	2.6	1.2	\$279.00

EVERPURE FC-L AND H-L LEAD REDUCTION CARTRIDGES

CARTRIDGE	PART NO	SIZE	FLOW RATE		RATED CAPACITY		MICRON RATING	ICE	STEAM	COFFEE	FOUNTAIN	DRINKING WATER	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES								LBS	KGS	
2H-L [†]	EV9634-26	2	0.50	1.89	750	2,839	0.5					•	12	13.4	6.1	\$71.20
4H-L [†]	EV9635-26	4	0.50	1.89	1,000	3,785	0.5					•	6	8.9	4.0	\$93.90
4FC-L [†]	EV9693-10	4	1.80	6.81	4,900	18,548	0.5				•	•	6	12.0	5.4	\$117.00
4FC-LS [†]	EV9693-16	4	1.80	6.81	4,900	18,548	0.5	•	•	•			6	12.0	5.4	\$122.00
7FC-L [†]	EV9693-40	7	2.70	10.22	7,400	28,012	0.5				•	•	6	18.0	8.2	\$163.00
7FC-LS [†]	EV9693-46	7	2.70	10.22	7,400	28,012	0.5	•	•	•			6	18.0	8.2	\$188.00

EVERPURE 4SI & 7SI SLIME REDUCTION CARTRIDGES

CARTRIDGE	PART NO	SIZE	FLOW RATE		RATED CAPACITY		MICRON RATING	SCALE INHIBITION	NSF STD 42	CHLORINE REDUCTION	T&O REDUCTION	PARTICULATE REDUCTION [†]	BACTERIOSTATIC (NSF-CERTIFIED) [†]	NSF STD 53	CYST REDUCTION [†]	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES											LBS	KGS	
4SI	EV9606-51	4	2.00	7.57	15,000	56,781	0.5	•	•			•		•	•	1	1.6	0.7	\$116.00
7SI	EV9606-01	7	3.50	13.25	25,000	94,635	0.5	•	•			•		•	•	1	2.0	0.9	\$248.00

EVERPURE CARBON BLOCK CARTRIDGES

CARTRIDGE	PART NO	SIZE	FLOW RATE		RATED CAPACITY		MICRON RATING	COFFEE	COMBINATION	FOUNTAIN	ICE	STEAM	PACK SIZE	SHIP WT		LIST PRICE
			GPM	LPM	GALLONS	LITRES								LBS	KGS	
2CB5	EV9617-05	2	1.00	3.79	3,000	11,355	5.0	•		•		•	6	8.0	3.6	\$57.50
2CB-GW	EV9618-36	2	0.50	1.89	3,000	11,355	10.0	•					6	10.0	4.5	\$66.30
2CB5-S	EV9617-22	2	0.50	1.89	3,000	11,355	5.0	•					6	10.0	4.5	\$62.70
2CB5-K	EV9617-06	2	0.50	1.89	3,000	11,355	5.0	•					6	10.0	4.5	\$65.20
4CB5	EV9617-16	4	1.67	6.32	6,000	22,710	5.0			•		•	6	13.0	5.9	\$98.10
4CB5-S	EV9617-26	4	1.67	6.32	6,000	22,710	5.0	•			•		6	13.0	5.9	\$108.00
4CB5-K	EV9617-36	4	1.67	6.32	6,000	22,710	5.0	•					6	13.0	5.9	\$117.00
7CB5	EV9618-11	7	2.50	9.46	10,000	37,850	5.0		•	•		•	1	5.0	2.3	\$139.00
7CB5-S	EV9618-21	7	2.50	9.46	10,000	37,850	5.0	•			•		1	5.0	2.3	\$149.00
7CB5-K	EV9617-76	7	2.50	9.46	10,000	37,850	5.0	•					6	18.0	8.2	\$159.00

*By mechanical means.

[†]See individual system specification sheets for performance claims and FIFRA registration information.

EVERPURE® SPECIALTY CARTRIDGES

PROBLEM/ PRODUCT	TECHNOLOGY	CARTRIDGE	CARTRIDGE SIZE	FLOW RATE		RATED CAPACITY		PART NO	PACK SIZE	SHIP WT		LIST PRICE
				GPM	LPM	GALLONS	LITRES			LBS	KGS	
Extraordinary Taste & Odor, High Turbidity	Granular Activated Carbon	7TO	7	1.50	5.68	30,000	113,550	EV9607-56	6	17.0	7.7	\$156.00
Extraordinary Taste & Odor, High Turbidity	Dual Stage GAC	7DBG	7	1.70	6.44	—	—	EV9607-00	1	3.0	1.4	\$195.00
High Mineral Content (Low volume application)	Demineralizing	7DM	7	0.05 - 0.50	0.19 - 1.89	1,600 grains		EV9607-01	1	3.0	1.4	\$226.00
High Mineral Content (Low volume application)	Ion Exchange Resin	7SO	7	0.50	1.89	2,000 grains		EV9607-04	1	3.0	1.4	\$176.00
Taste & Odor and Mineral Reduction	3-Stage Blending	ES0 ⁶	6	0.50	1.89	See Individual Spec Sheets		EV9607-10	1	4.0	1.8	\$184.00
		ES0 ⁷	7					EV9607-25			2.3	\$203.00
Acidic (Low pH) Water	Buffering	7NE	7	0.50	1.89	—	—	EV9607-02	1	5.0	2.7	\$197.00
Iron & Sulfur	Oxidizing	7OF	7	0.50	1.89	—	—	EV9607-03	1	6.0	2.7	\$220.00
Chloramines	Granular Activated Carbon	CC1E	4" x 20" Drop-In	5.00	18.93	15,000	56,775	EV9105-02	1	4.0	1.8	\$373.00
4-CX Filter	Pleated Septum	4C-X	4	0.50	1.89	—	—	EV9590-06	6	4.0	1.8	\$73.20

IRON REDUCTION HOUSING & CARTRIDGE

PRODUCT	PART NO	FLOW RATE	RATED CAPACITY	SHIP WT		LIST PRICE
				LBS	KGS	
Big Blue® Housing	150467	see chart to right		27.9	12.7	\$75.40
RFFE-20BB Cartridge	155263-43	see chart to right		39.0	17.7	\$207.00

APPROXIMATE LIFE OF RFFE-20BB CARTRIDGE SYSTEMS*		
IRON LEVEL IN WATER	RATED CAPACITY	
	GALLONS	LITRES
3.0 ppm	26,000	98,410
2.0 ppm	40,000	151,400
1.0 ppm	80,000	302,800
0.5 ppm	160,000	605,600

Big Blue and
RFFE-20BB

*Test results were obtained by using the RFFE-20BB in combination with an RFC-20BB cartridge.

EVERPURE® SURGE TANKS

PRODUCT	DESCRIPTION	PART NO	LIST PRICE
Surge Tank	Allows for 9.0 gallon [34.1 L.] reserve of filtered water; includes interconnecting fittings and tubing.	EV9336-50	\$772.00
Extra Capacity Surge Tank	Allows for 12.0 gallon [45.4 L.] reserve of filtered water; includes interconnecting fittings and tubing.	EV9336-51	\$1,076.00
Flotec® Extra Capacity Surge Tank	Allows for 12.0 gallon [45.4 L.] reserve of filtered water; installation kit not included.	EV3118-91	\$401.00



EV9336-51


EVERPURE ACCESSORIES & REPLACEMENT PARTS

PRODUCT	PART NO	LIST PRICE	PRODUCT	PART NO	LIST PRICE
E-Series Prefilters and SR-X Systems			ARX (Old Style Feeder) (Cont'd.)		
Wrench	150295-06	\$11.90	White AR-X Replacement Head	EV3080-44	\$121.00
O-Ring #241	151120	\$3.90	Dip Tube Assembly	EV3080-40	\$21.90
Black 20" Replacement Bowl	153199-06	\$73.70	Replacement Pressure Relief	EV3071-20	\$32.60
Black 10" Replacement Bowl	153196-06	\$41.80	Tubing		
Black Head	154981-06	\$47.70	1/4" O.D. Blue Tubing (500 ft)	A0860119	\$2.00
Blue 20" Replacement Bowl	153200-06	\$73.70	1/4" O.D. Red Tubing (500 ft)	EV3050-61	\$2.70
Blue 10" Replacement Bowl	153197-06	\$41.80	3/8" O.D. Black Tubing (500 ft)	EV3103-26	\$2.50
Dip Tube Assembly	EV3080-40	\$21.90	Tubing 1/2" O.D. x 3/8" I.D. Clear	EV3114-31	\$2.50
Series K Prefilters (Old Style)			3/8" O.D. Blue Tubing (500 ft)	EV5446-00	\$2.50
O-Ring #240	EV3071-19	\$9.30	Tools		
Clear 10" Replacement Bowl with O-Ring	EV3070-19	\$142.00	SW-1A Wrench for Slim Line Bowls	150539	\$7.80
Clear 20" Replacement Bowl with O-Ring	EV3070-18	\$251.00	Wrench for E-Series Prefilters and SR-X Systems	150295-06	\$11.90
White 10" Blue Replacement Bowl with O-Ring	EV3089-65	\$151.00	Wrench for Big Bowls Systems	SH144368	\$12.00
White 20" Blue Replacement Bowl with O-Ring	EV3108-16	\$175.00	Miscellaneous		
White Prefilter Head	EV3060-32	\$120.00	1/2 gpm Flow Control for OW-Series	EV3081-32	\$52.50
Replacement Pressure Relief	EV3071-20	\$32.60	Flush Valve Kit for CB20-302	EV3114-37	\$206.00
IMF (Old Style Feeder)			1/2" Flush Kit for CB20-312	EV3111-50	\$206.00
Replacement O-Ring #240	EV3071-19	\$9.30	O-Ring for HFC-10	158096	\$18.50
Blue Replacement Bowl with O-Ring	EV3089-65	\$151.00	3/4" Ball Valve, One Piece Manifold	EV3114-07	\$75.60
IMF Replacement Bowl with O-Ring	EV3081-65	\$74.80	3/4" Coupling, One Piece Manifold	EV3114-08	\$27.60
IMF White Head	EV3084-25	\$136.00	End cap 3/4" NPTI with 3/8" John Guest® (JG) Fitting	EV3112-50	\$35.20
Replacement Pressure Relief	EV3071-20	\$32.60	End cap 3/4" NPTI with 1/2" JG Fitting	EV3112-51	\$36.80
ARX (Old Style Feeder)			Valve Stem Assembly for OL3 Heads	EV5896-00	\$13.40
Replacement O-Ring #240	EV3071-19	\$9.30	Low Pressure Alarm (LPA) Box	EV3027-05	\$449.00
10" Replacement Bowl with O-Ring	EV3070-19	\$142.00	Low Pressure Alarm (LPA) Pressure Switch	EV3016-41	\$102.00
10" Blue Replacement Bowl with O-Ring	EV3089-65	\$151.00	Low Pressure Alarm (LPA) Switch Cover	EV3016-50	\$5.80

SHURFLO® BIB PUMP LIQUID PORT FITTINGS


If the combination of fittings you require are not shown in any preconfigured pumps, consider purchasing a core pump (no fittings) and mix-and-match fittings from the list below. Please remember gas and liquid fittings are not interchangeable. All fittings are sold in case quantities only.

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
A	1/4" [6 mm] barb, stainless steel elbow, (84-044-01).	1 Kit of 50	\$357.00
B	3/8" [10 mm] barb, stainless steel elbow, (84-044-11).	1 Kit of 50	\$482.00
C	3/8" [10 mm] barb, plastic elbow, (84-042-01).	1 Kit of 50	\$79.90
D	3/8" [10 mm] barb, polypro elbow (Juice), (84-042-05).	1 Kit of 50	\$94.40
E	3/8" [10 mm] barb, stainless steel straight, (84-044-12).	1 Kit of 50	\$460.00
F	3/8" [10 mm] barb, plastic straight, (84-038-00).	1 Kit of 50	\$79.90
G	3/8" [10 mm] John Guest® plastic adaptor, (84-038-03).	1 Kit of 50	\$89.20
H	1/2" [13 mm] barb, stainless steel elbow, (84-044-02).	1 Kit of 25	\$478.00
I	1/2" [13 mm] barb, plastic elbow (Brix), (84-040-00).	1 Kit of 50	\$158.00
J	1/2" [13 mm] barb, stainless steel straight, (84-044-14).	1 Kit of 25	\$393.00
K	1/2" [13 mm] barb, plastic straight (Brix), (21-381-00).	1 Kit of 50	\$229.00
L	3/8" [10 mm] x close stainless steel coupling, gas pump outlet to air vent inlet.	1 Kit of 6	\$67.90
L	3/8" [10 mm] x close stainless steel coupling, gas pump outlet to air vent inlet.	1 Kit of 50	\$478.00



SHURFLO BIB PUMP GAS / AIR PORT FITTINGS

PART NO	DESCRIPTION	PACK SIZE	LIST PRICE
N	1/4" [6 mm] barb, plastic elbow, yellow w/check valve, (84-033-13).	1 Kit of 50	\$173.00
O	1/4" [6 mm] barb, plastic tee, yellow w/check valve, (84-078-02).	1 Kit of 50	\$246.00
P	1/4" [6 mm] barb, brass elbow w/check valve, (84-033-11).	1 Kit of 50	\$793.00
Q	1/4" [6 mm] barb, brass tee w/check valve, (84-078-11).	1 Kit of 50	\$600.00
R	1/4" [6 mm] barb, elbow w/o check valve, (84-042-06).	1 Kit of 50	\$85.70
S	Muffler Kit: plastic, (84-080-00), silencer to fit on exhaust port.	1 Kit of 50	\$229.00




SHURFLO® FITTINGS

PART NO	DESCRIPTION	CASE QTY	LIST PRICE
234-2926	1/2" [12.7 mm] barb, SW fitting straight, poly.	1	\$2.40
244-3916	3/8" [10 mm] barb, SW fitting elbow, nylon.	1	\$3.40
234-2936	5/8" [15.9 mm] barb, wing nut ST, poly.	1	\$4.10
234-3936	5/8" [15.9 mm] barb, fitting, wing nut, poly.	1	\$4.30
234-2946	3/4" [19 mm] barb, wing nut ST, poly.	1	\$4.30
234-3946	3/4" [19 mm] barb, wing nut EL, poly.	1	\$4.30
234-3926	1/2" [12.7 mm] barb, wing nut EL, poly.	1	\$4.30
234-3916	3/8" [10 mm] barb, wing nut EL, poly.	1	\$2.60
244-3926	1/2" [12.7 mm] barb, SW Fit elbow, nylon.	1	\$2.90

SHURFLO BRIX ACCESSORIES & KITS

PART NO	DESCRIPTION	CASE QTY	LIST PRICE
A 94-402-02	Valve Kit: Brix II	1	\$27.70
B 84-010-00	Reverse Flow Inhibitor: with 3/8" [10 mm] barb fittings.	25	\$27.90
C 94-056-00*	3-Way Sanitizing Valve: with 3/8" [10 mm] barb elbow fittings .	25	\$51.40
D 94-433-00	Brix Pump Rebuild/Conversion Kit: 6:1 ratio.	1	\$210.00
D 94-433-01	Brix Pump Rebuild/Conversion Kit: 5:1 ratio.	1	\$210.00

*Stainless steel fitting, CY84-044-11, 3/8" [10 mm] elbow on the outlet port of the sanitizing valve.



SHURFLO QUICK DISCONNECT CLIPS

PART NO	DESCRIPTION	CASE QTY	LIST PRICE
94-359-10	For general beverage, yellow clip pumps.	1 Kit of 100 liquid and 50 gas	\$85.20
94-359-50	For red clip pumps.	1 Kit of 100 liquid and 50 gas	\$85.20



SHURFLO STRAINERS

Shurflo Strainers provide safety and convenience, and are built to last. The innovative design protects your pump and check valve from damaging debris.



PART NO	DESCRIPTION	CASE QTY	LIST PRICE
CY255-213	Strainer RVM, 1/2" [12.7 mm] NPSM OEM, maximum inlet pressure 50 PSI [3.4 bar].	1	\$21.90
255-223	50 mesh screen, 1/2" [12.7 mm] barb inlet x 1/2 NPSM-female, maximum inlet pressure 50 PSI [3.4 bar].	1	\$21.60

EVERPURE® CROSS REFERENCE GUIDE

Everpure Value Series replacement filter cartridges are of a standard width and length that will fit most sump style filtration systems. For your assistance some common makes and models are shown.

COMPETITIVE CROSS REFERENCE GUIDE FOR 10.0" [25.4 cm] STANDARD HOUSINGS

MEDIA	EVERPURE®	BUNN®	CORNELIUS®	CUNO®	AQUA-PURE®	ECOLAB®	MANITOWOC®	NUCALGON®	PUREMARK®	SELECTO®	SHURFLO®
Sediment	155225-43	—	COR101	AP1003	AP1001	—	—	—	PFS101	—	—
	155014-43	ED-S-1 SS-10	COR105 COR120	CFS110	AP010 AP110	9320-1135	K-00069 K-00173	4712-87	PFS105	101-230	SF31-SEDS 15-052-00
	EV9534-12	—	COR150 CFS111	CFS124 AP111	AP124	—	—	PFS150	PFS120	—	15-055-00
Granular Carbon	EV9108-11	C-10 ED-TL-1	—	CFS117	AP017	—	—	—	PFS17	—	SF31-T0 15-053-00
	EV9108-13	CP10 ED-TL-1	COR10AS	CFS117s	APS117	—	—	—	PFS175	—	SF31-T0S 15-054-00
Carbon Block	EV9108-15	—	COR10B1 COR10B5	—	—	9320-1002	—	4711-87	PFS10B1 PFS10B5	101-200	15-056-10
	EV9108-17	—	COR10B1s COR10B5s	—	—	9320-1010	—	4716-87	PFS10B1s PFS10B5s	—	15-056-10
	EV9108-53	—	COR10B1p	—	9320-1044	9320-1028	—	—	PFS10B1p	101-210	15-028-12
	EV9108-57	—	COR10B1sP	—	9320-1051	9320-1036	—	—	PFS10B1sp	—	—
Softening	EV9105-41	WS-10 ED-H-1	—	—	—	9320-1176	—	—	—	—	15-054-30
Scale Reduction	155248-43	P12-10 ED-L-1	COR-10sIMF	CFS4201MF	AP420	9320-1150	—	4715-87	PFS10sIMF	101-260	15-054-20

COMPETITIVE CROSS REFERENCE GUIDE FOR 20.0" [50.8 cm] STANDARD HOUSINGS

MEDIA	EVERPURE®	BUNN®	CORNELIUS®	CUNO®	AQUA-PURE®	ECOLAB®	MANITOWOC®	NUCALGON®	PUREMARK®	SELECTO®	SHURFLO®
Sediment	155304-43	—	COR201	—	—	9320-1143	—	—	PFS201	—	—
	155016-43	ED-S-2	COR205 COR220	CFS110-C20 CFS8504-C20	AP110-2C	—	—	—	PFS205	101-230	15-052-03
	EV9534-26	—	COR250	CFS124-C20	AP111-2C AP124-2C	—	—	—	PFS220 PFS250	—	15-055-03
Granular Carbon	EV9108-32	C-20 ED-T-2	—	CFS017-C20	—	—	—	—	PFS27	—	—
	EV9108-33	CP20 ED-TL-2	COR20AS	CFS017S-C20	—	—	K-00070	C-0070 4610-26	PFS27s	—	—
Carbon Block	EV9108-25	—	COR20B1 COR20B5	—	—	9320-1069	—	—	PFS20B1 PFS20B5	101-200	15-062-00
	EV9108-27	—	COR20B1s COR20B5s	—	—	9320-1077	K-00174	—	PFS20B1s PFS20B5s	—	—
	EV9108-63	—	COR20B1p	—	—	9320-1101	—	—	PFS20B1p	101-210	—
	EV9108-67	—	COR20B1sP	—	—	9320-1119	—	—	PFS20B1sp	—	—
Softening	EV9105-42	WS-20 ED-H-2	—	—	—	9320-1184	—	—	—	—	—

EVERPURE® CROSS REFERENCE GUIDE

SELECTO® CARTRIDGE KIT CROSS REFERENCE GUIDE

SELECTO KIT PART NO	EVERPURE PART NO	SELECTO KIT PART NO	EVERPURE PART NO	SELECTO KIT PART NO	EVERPURE PART NO	SELECTO KIT PART NO	EVERPURE PART NO
109-0010	155014-43 (1 ea) 155170-43 (1 ea)	109-0020	155014-43 (1 ea) 155312-43 (1 ea)	109-0040	155249-43 (1 ea) 155312-43 (1 ea)	109-0060	155312-43 (2 ea)
109-0012	155170-43 (2 ea)	109-0030	155014-43 (1 ea) 155312-43 (1 ea) 155248-43 (1 ea)	109-0050	155249-43 (1 ea) 155312-43 (2 ea)	—	—

COMPETITIVE CROSS REFERENCE GUIDE FOR BIG BOWL HOUSINGS

MEDIA	EVERPURE	BUNN®	CUNO®	AQUA-PURE®	SELECTO®	SHURFLO®	VULCAN®
10"BB Sediment	155357-43	—	—	AP810 AP811 AP814	—	15-052-01 15-054-01	—
10"BB Carbon Block	155170-43	—	—	—	101-290	15-040-00	854306-4
20"BB Sediment	155360-43	S5-30	—	CFS211-2 CFS212-2 CFS214-2	AP811-2 AP814-2	15-052-02	—
	255494-43	—	CFS210-2	AP810-2	—	15-054-02	—
20"BB Granular Carbon	155249-43	C-30	—	—	101-300	15-053-02	—
20"BB Carbon Block	155312-43	—	—	—	101-298	15-041-00	854306-13
	155583-43	—	CFS215-2	AP815-2	—	—	854306-13
20"BB Softening	EV9105-45	WS-30 ED-HB-2	CFS5400C	—	—	—	—

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
34679	1623 R015 CLASSIC-STYLE TANK	\$530.00	—	155358-43	CART DGD 5005-20 IND SHR 6/C	\$48.10	67, 81
34680	1628 R020 CLASSIC-STYLE TANK	\$581.00	57	155360-130	CART EC-204 IND SHR(1 MIC) 6/C	\$49.90	—
34681	1640 R030 CLASSIC-STYLE TANK	\$839.00	57	155360-43	CARTRIDGE MODEL DGD-2501-20	\$50.90	67, 81, 91
34682	1653 R040 CLASSIC-STYLE TANK	\$999.00	57	155583-43	EP-20BB Ind Shr w/Label 4/C	\$143.00	91
34683	2438 R060 CLASSIC-STYLE TANK	\$1,162.00	57	155634-43	CART EPM-10 IND/LABEL 12/C	\$14.50	—
34684	2450 R080 CLASSIC-STYLE TANK	\$1,447.00	57	165-110	ASV ASSY 12 IN HG SANTO	\$57.50	29
34685	2470 R0120 CLASSIC-STYLE TANK	\$1,826.00	57	166-257-00	GP BEER ACE II	\$112.00	28
150467	20" BIG BLUE, HFPP W/PR, 3/4" 4/C	\$75.40	86	166-257-16	GP BEER ACE W/FTG	\$112.00	28
150539	SW-1A PLASTIC WRENCH SL	\$7.80	87	166-257-32	GP BEER ACE W/FTG	\$121.00	28
151120	O-RING BUNA-N#241 STD UPC BULK	\$3.90	87	166-257-37	GP BEER ACE W/FTG	\$129.00	28
153049	#10 SMP, SL, WH, PP	\$28.00	—	166-257-39	GAS PMP BEER ACE W/FTNGS	\$129.00	28
153081	#20 SL WHITE SUMP (AM)	\$68.50	—	166-257-40	GP BEER ACE W/FTG	\$129.00	28
158096	O-RING PKG #237 SILICONE UPC	\$18.50	87	166-257-41	GP ASSY BEER ACE W/FTNGS	\$129.00	28
158149	3/8" #10 SL WHITE W/PR 12/C	\$22.70	—	181-201	ACCUM TANK NYL/BUTYL	\$76.50	58
158319	#10SL BLK NYL WO/PR 12/C	\$130.00	71	181-400	ACCUM TANK QD	\$76.90	58
161074	PENTEK RO-2500, 4 STAGE RO	\$450.00	—	183-130-NF	30 PSI WPRV W/O FITTINGS, 12/C	\$46.20	33
161079	RO-2550, 4 STAGE RO SYSTEM	\$404.00	—	183-130-SS	WPRV 30PSI, 3/8B SS FTGS 30/C	\$50.20	33
244454	INLINE CLIP, #COW, 2"	\$4.90	73	183-150-01	WPRV 50 PSI, 3/8B SS 30/C	\$73.60	33
244455	INLINE CLIP, #CSWM, 2.5"	\$3.80	—	183-150-NF	50 PSI WPRV W/O FITTINGS, 12/C	\$46.20	33
1204694	ELEMENT, NSF, DESAL, TFM-50	\$53.00	—	183-150-PG	WPRV 50 PSI, 3/8B SS, PG 6/C	\$113.00	33
1220190	ELEMENT, NSF, DESAL, TFM-36	\$53.50	—	183-150-SS	WPRV 50PSI, 3/8B SS FTGS 30/C	\$50.20	33
1221122	ELEMENT, NSF, DESAL, TFM-100	\$64.30	—	183-151-00	WPRV 50PSI, 3/8 TUBE	\$44.80	—
1223077	ELEMENT, ENCAP, TFM-75EB	\$121.00	—	183-165-01	WPRV 65 PSI, 3/8B SS 30/C	\$73.60	33
1238189	ELEMENT, ENCAP, TFM-100EB	\$138.00	—	183-165-02	WPRV 65 PSI, 3/8B SS, PG 6/C	\$113.00	33
4002575	RO MEMBRANE ASSY - GRO-75EN	\$141.00	56, 82	183-165-NF	65 PSI WPRV W/O FITTINGS, 12/C	\$46.20	33
12-130-00	TEST GAUGE 0-120 PSI	\$39.20	32	183-165-PG	WPRV 65 PSI, 3/8B SS, PG	\$47.00	—
150295-06	SW-2 WRENCH, BULK 50/C	\$11.90	87	183-165-QC14	1/4" JG 65 PSI COW WPRV	\$47.40	33
153194-06	#10 SMP 3G CL SA 12/C	\$78.00	—	183-165-QC38	3/8" JG 65 PSI COW WPRV	\$47.40	33
153195-06	#20 SMP 3G CL SA 8/C	\$167.00	—	183-165-SS	WPRV 65PSI, 3/8 SS FTGS, 30/C	\$50.20	33
153196-06	#10 SMP 3G-ST PP BLACK 12/C	\$41.80	87	183-180-01	WPRV 80 PSI, 3/8B SS 30/C	\$73.60	33
153197-06	#10 SMP 3G-ST BL PP	\$41.80	87	183-180-02	WPRV 80 PSI, 3/8B SS PG 6/C	\$113.00	33
153199-06	#20 SMP 3G-ST PP BLACK 8/C	\$73.70	87	183-180-SS	WPRV 80PSI, 3/8 SS FTGS	\$50.20	33
153200-06	#20 SMP 3G-ST BL PP	\$73.70	87	2088-443-144	12VDC PUMP 3.0 P/SANTO	\$212.00	64
154981-06	CAP 3G 3/4" IB W/PR EV 60/C	\$47.70	87	2088-474-144	PMP 24V 3.0G 45 PSI	\$213.00	64
155014-43	CART P5 SED IND SHR 24/C	\$7.80	56, 81, 90, 91	2088-554-144	PMP 12V 3.5G 45 OEM	\$252.00	64
155015-43	CART P25 SED IND SHR 24/C	\$7.60	—	2088-564-144	PUMP 230V 45PSI 3.0G P/S	\$271.00	64
155016-43	P5-20 IND SHR UPC 20/C	\$15.40	90	2088-592-054	PMP 115V PAINTED 45PSI	\$184.00	65
155030-43	CART P5-478 IND SHR 24/C	\$7.70	—	2088-592-094	PMP 230V PAINTED 45PSI	\$244.00	65
155110-43	CART GAC-5 IND SHR 24/C	\$19.50	—	2088-594-144	PMP 115VAC 3.0 40 PSI	\$321.00	65
155170-43	Cart CBC-BB Ind Shr 4/C	\$94.60	90, 91	2088-594-154	PMP115V P/SANTO3.3G 45PSI	\$244.00	65
155225-43	CART P1 SED IND SHR 24/C	\$8.70	90	2088-594-500	PMP 115V N/C 3.3G P/S 3.0	\$260.00	65
155226-43	P25-20 IND SHR UPC 20/C	\$15.10	—	21-1500-00	WALL CLIP BASE	\$20.80	—
155248-43	CART PCC212 IND BOX 6/C	\$50.30	90, 91	22-109-00	MOUNTING BASE 94-067-00	\$34.10	—
155249-43	CART GAC20-BB IND SHR+BOX 4/C	\$127.00	91	22-121-00	MOUNTING BASE BLK ABS	\$39.10	—
155263-43	CART RFFE20-BB IND SHR 4/C	\$207.00	86	22-243-01	SLIDE TRACK, 16.5"	\$29.10	—
155304-43	P1-20 IND SHR UPC 20/C	\$16.90	90	22-243-03	SLIDE TRACK, 18.5"	\$31.90	—
155312-43	Cart CBC20-BB Ind Shr 4/C	\$211.00	91	22-243-04	SLIDE TRACK, 24.5"	\$35.80	—
155357-43	CART DGD 5005 IND SHR 8/C	\$26.80	91	22-243-05	SLIDE TRACK, 30.5"	\$46.40	—

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
22-243-06	SLIDE TRACK, 36.5"	\$48.20	—	8005-932-260	PUMP 115V 2.5 100PSI BYP	\$210.00	63, 65
234-2926	SW FIT STR 1/2 BARB POLY	\$2.40	89	8005-952-480	PMP, RO 24/36VDC 80PSI BY	\$224.00	61
234-2936	SW FIT STR 5/8 BARB POLY	\$4.10	89	8005-952-899	PMP RO 36VDC 100PSI BYP	\$212.00	61
234-2946	SW FIT STR 3/4 BARB POLY	\$4.30	89	8005-991-820	PMP RO 24VAC 45PSI BYP	\$249.00	63
234-3916	SW FIT ELB 3/8 BARB POLY	\$2.60	89	8005-992-890	PMP 24VAC 125PSI BYP N/E/	\$306.00	63
234-3926	SW FIT ELB 1/2 BARB POLYPRO	\$4.30	89	8010-101-200	PUMP 24VAC, 2.0, 80PSI	\$229.00	59, 61
234-3936	SW FIT ELB 5/8 BARB POLY	\$4.30	89	8010-101-201	PUMP 24 VAC 2.0 60 PSI	\$200.00	61
234-3946	SW FIT ELB 3/4 BARB POLY	\$4.30	89	8010-102-210	PMP 24V 2.5 80PSI BYP	\$224.00	61
244-2916	SWIVEL STR ADAPTER ASSY	\$2.80	—	8010-121-200	PMP 115V 60PSI BYP N/C	\$173.00	63
244-2926	SW FIT STR 1/2 BARB NYL	\$3.80	—	8010-252-136	PUMP, 24VAC P/E/SANTO 2.5	\$205.00	63
244-3916	SW FIT ELB 3/8 BARB NYL	\$3.40	89	8010-252-236	PMP 24V 2.5 60PSI P/E/S	\$220.00	63
244-3926	SW FIT ELB 1/2 BARB NYL	\$2.90	89	8010-252-256	PMP 24V 45BYP 60PSI P/E/S	\$213.00	63
255-223	STRAINER RVM 1/2 BARB OEM	\$21.60	89	8010-252-736	PUMP 24V 2.5 P/E/SANTO	\$196.00	62
255481-43	ECPI-10 CART IND SHR 24/C	\$13.00	81	80-121-02	RO BOOSTER PMP KIT, 50GPD	\$384.00	—
255482-43	ECP5-10 IND SHR 24/C	\$12.30	81	80-121-18	GOLD SERIES RO BOOSTER, 6PK	\$333.00	59
255485-43	ECPI-20 IND SHR 14/C	\$29.90	81	8025-213-236	PMP 115V 60PSI W/CORD	\$276.00	64
255486-43	ECP5-20 IND SHR 14/C	\$23.50	81	8025-213-256	PMP 115V 60PSI W/CORD	\$407.00	64
255493-43	ECPI-20BB IND SHR 6/C	\$60.00	81	8025-733-256	PMP 115V 60PSI CORD N/E/S	\$294.00	64
255494-43	ECP5-20BB IND SHR 6/C	\$55.50	91	8025-833-336	STNDRD BEV W/QD CLIPS	\$402.00	32
255525-43	MU-GS-10RO-G, INLINE, 12/C	\$20.30	73	8025-897-338	24VDC WATER BOOST PUMP	\$316.00	32, 62
255553-43	MU-GS-10EXTRA-5-B, INLINE, 12/C	\$34.20	73	8025-933-237	PMP 115V 60PSI NO/BY W/BP	\$322.00	32
255579-43	MU-GS-10SED/5-G, INLINE, 12/C	\$23.80	73	8025-933-289	PMP 115V CORD 95PSI P/E/S	\$304.00	64
255583-43	MU-GS-210SED/5-G, INLINE, 12/C	\$32.20	—	8025-933-299	PMP, 115V 90PSI NON-BYP	\$193.00	—
255599-43	MU-GS-10ALS-G, INLINE, 12/C	\$27.00	73	8025-933-399	STNDRD BEV. W/ QD CLIPS	\$298.00	32
255800-43	PENTEK UDS-10EX1 CART, 12/C	\$56.20	—	8025-998-338	24VDC WATER BOOST PUMP	\$325.00	32
357296-06	MANIFOLD SINGLE EVP QCP 3/8"	\$47.00	78	8029-332-009	8000 PUMP W/CORD 75 PSI	\$245.00	—
41-230-00	2GAL SYNTHETIC RUBBER BLADDER	\$80.00	55	8-035	SWIVEL ELBOW ADAPTER FTG	\$4.70	—
41-230-20	2 GALLON TPU BLADDER W/GASKET 1/C	#N/A	32	804-001	M-WATER BOOST SYST 60 PSI	\$487.00	31, 32
41-230-60	6 GALLON TPU BLADDER W/GASKET 1/C	#N/A	32	804-002	M-WATER BOOST SYST 90 PSI	\$461.00	31, 32
455903-43	FLOPLUS 10, PENTEK (12/C)	\$32.00	—	804-021	M.W.BOOST SYST 230V 90PSI	\$520.00	32
455904-43	FLOPLUS 20, PENTEK (12/C)	\$63.80	81, 83	804-023	MED. WBS W/PMP	\$778.00	31, 32
60-044-00	SWITCHING POWER SUPPLY	\$46.60	58, 59, 60	804-026	115VAC 6 GAL MAXI WBS	\$1,063.00	31, 32
61595-03	UF FILTER ELEMENT ASSY, 4"	\$2,603.00	—	804-029	MED.WBS W/230V PMP ONSIDE	\$820.00	32
723S1810	SS FLANGE 2 & 6 GAL TANK	\$82.00	32	804-031	WBS W/NOCCHI HDA BLK	\$572.00	—
8000-443-236	PUMP 12V 3.0 FTF 60 PSI	\$123.00	—	804-034	MEDIUM WATER BOOST 3/8 BARB AU	\$878.00	31, 32
8000-912-288	PUMP 115V 2.5 100PSI FTF	\$269.00	—	804-036	230 VAC 6 GAL MAXI WBS	\$1,088.00	32
8005-233-236	PUMP 115V 3.0 P/EP/SANTO	\$212.00	62	804-037	115 VAC 6 GAL MAXI WBS	\$1,056.00	31, 32
8005-243-256	PMP 12V 60PSI 1.4G P/E/S	\$120.00	62	804-038	230 VAC 6 GAL MAXI WBS	\$1,114.00	31, 32
8005-292-139	PMP 12V 45PSI 1.1G P/E/S	\$121.00	62	804-042	MINI WATER BOOST 3/8 BARB AU	\$567.00	31, 32
8005-733-155	PUMP 115V 3.0 60 PSI PTP	\$234.00	62	804-066	MED WBS W/PMP 60PSI	\$778.00	31, 32
8005-733-255	PUMP 115V 3.0 60PSI FTF	\$232.00	63	804-067	MAXI WATER BOOST 3/4 NPT AU	\$1,265.00	31, 32
8005-733-255-BW	PUMP 115V 3.0 60PSI FTF	\$232.00	—	804-068	MAXI WATER BOOST 1/2 BARB AU	\$1,220.00	31, 32
8005-791-255	PMP 230V 50PSI 1.2G N/E/S	\$294.00	63	8075-111-313	PMP 24VAC R.O. GENERAL	\$211.00	60
8005-912-260	PMP 115V 100PSI BYP N/E/S	\$177.00	63	8075-111-319	PUMP 24VAC R.O. GENERAL	\$242.00	60
8005-912-290	PMP 115V 100PSI BYP N/E/S	\$206.00	63	8075-111-329	PUMP 24VAC R.O. GENERAL	\$220.00	60
8005-913-289	PMP 115V 95PSI 1.7G N/E/S	\$192.00	63	8075-132-313	PMP 24VDC RO BOOST	\$265.00	—
				8075-142-313	PMP 24VAC RO BOOST	\$238.00	60
				8075-142-319	PUMP 24VAC R.O. BOOST	\$170.00	60

(Continued on next page.)

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
8075-162-319	PUMP 24VAC R.O. BOOST	\$234.00	60	94-178-17	FITTING KIT 1/4 IN AIR 50/C	\$246.00	88
8075-192-319	SLVR SERIES RO 24V 200GPD	\$322.00	59	94-178-18	FITTING KIT 3/8 IN ELBOW 50/C	\$482.00	88
8090-212-246	PMP 230V 60PSI 1.2G P/E/S	\$224.00	—	94-178-19	FITTING KIT 3/8 IN	\$460.00	88
8090-791-260	24V CARBONATOR PUMP	\$481.00	65	94-178-20	FITTING KIT 1/2 IN B	\$158.00	88
8095-902-260	PMP 230V 100PSI BYP 1.5G	\$255.00	65	94-178-22	FITTING KIT 1/4 EL BRASS	\$793.00	88
8095-902-290	PMP 230V 100PSI BYP 1.5G	\$160.00	65	94-178-23	FITTING KIT 1/4 TEE BRASS	\$600.00	88
8095-902-299	PMP 230V 100PSI BYP	\$174.00	—	94-178-24	FITTING KIT J. GUEST	\$89.20	88
8095-903-249	PMP 230V 90PSI NON-BYP	\$477.00	—	94-178-25	FITTING KIT, 1/2 ST	\$229.00	88
8095-942-349	PUMP 230V 90 PSI W/RFI	\$471.00	32	94-178-26	FITTING KIT	\$94.40	88
8095-951-269	PMP 230V 100PSI BYP N/E/S	\$193.00	32, 65	94-178-27	FTNG KIT, 1/2 ST SS BULK	\$393.00	88
8095-951-299	PMP 230V 100PSI BYP N/E/S/ CE	\$231.00	65	94-178-40	FTNG KIT 3/8" CL CPLNG 50/C	\$400.00	88
8095-951-299-BW	PMP 230V 100PSI BYP CE N E/T	\$238.00	65	94-178-406	FTNG KIT 3/8" CL CPLNG 6/C	\$67.90	88
82-100-00	LOW VOLTAGE DELIVERY SYST	\$354.00	61	94-178-51	LIQ. FTNG KIT, 1/2B SS	\$478.00	88
82-100-04	LOW VOLTAGE DELIVERY SYST	\$386.00	—	94-189-00	24VDC WB PUMP K NEMA 5-15US	\$431.00	—
84-010-00	REVERSE FLOW INHIBITOR	\$27.90	89	94-229-08	PRESS SW 100PSI SANTO VDE	\$25.20	—
84-1166-00	3/8 BARB CHECK VALVE	\$26.90	—	94-230-35	SW. REPL KIT, SANTOPRENE 50/C	\$39.10	—
84-1194-00	FTNG, 3/8B EL SST	\$32.70	32	94-231-20	UP HSG/SW KIT 40PSI LP SW	\$46.20	—
84-1204-00	BALL VALVES W/O-RINGS KIT	\$114.00	—	94-231-30	UPPER HOUSING KIT	\$29.70	—
84-169-00	WIRE HARNESS ASSY	\$10.00	58	94-232-00	VALVE KIT SANTO 2088	\$35.50	—
84-2040-60	PRESSURE SWITCH, 60PSI, 1/4NPT	\$71.00	—	94-236-08	PHEAD KIT, 2088 P/S 3.5	\$185.00	—
84-306-02	FTNG ASSY 1/2B EL SST	\$32.70	32	94-236-21	PHEAD, 2088 P/E/S 3.0 45PS	\$113.00	—
84-330-06	PRESS SW ASSY 8-20PSI	\$32.10	—	94-237-00	CHK VALVE KIT, 2088	\$20.30	—
84-331-34	PRESS SW ASSY 25-60 PSI	\$28.70	58	94-238-03	L-HSG/DRIVE KIT, 3.0 2088	\$54.50	—
87-121-00	GOLD SERIES RO BOOSTER	\$351.00	—	94-238-04	L-HSG/DRIVE KIT, 3.5 2088	\$45.50	—
94-012-00	QD FITTING KIT 3/8 B	\$217.00	—	94-260-01	BRIX PUMP FINAL ASSY 3 to 1	\$444.00	30
94-054-00	VAC REG W/ 3/8" FITTINGS	\$56.60	28	94-260-03	BRIX PUMP FINAL ASSY 4 to 1	\$444.00	30
94-054-02	VAC REG W/ 3/8" FITTINGS EU	\$67.10	28	94-260-05	BRIX PUMP FINAL ASSY 5 to 1	\$444.00	30
94-056-00	ASV 3-WAY VLVE W/ALL 3/8EL	\$51.40	89	94-260-06	BRIX PUMP FINAL ASSY 5 to 1	\$444.00	30
94-057-00	MUFFLER KIT	\$229.00	88	94-260-07	BRIX PUMP FINAL ASSY 7.7 to 1	\$444.00	30
94-057-01	GAS PUMP MUFFLER KIT	\$273.00	—	94-260-12	BRIX PUMP FINAL ASSY 9 to 1	\$444.00	30
94-064-01	SPRITE REPL SW KIT, 10/C	\$40.50	—	94-338-03	WATER BOOST GAS PUMP	\$95.90	—
94-068-01	SOLD OUT SW KIT - NSF 50/C	\$122.00	33	94-350-03	ASV ASSY 3/8B OUTLET	\$65.20	29
94-068-20	SOLD-OUT SW KIT, 3/8B 50/C	\$210.00	33	94-350-08	ASV FINAL ASSY GEN BEV	\$59.00	29
94-068-31	AUTO SOLD-OUT SW KIT	\$210.00	33	94-359-10	GAS PUMP QD CLIP KIT YELLOW	\$85.20	89
94-068-33	SOLD-OUT SW KIT 10/C	\$120.00	33	94-359-50	GAS PMP QD CLIP KIT, RED	\$85.20	89
94-068-45	SOLD-OUT SW 45PSI 1/4SS T	\$110.00	—	94-360-00	GAS PUMP KIT BULK PKG	\$95.20	26
94-068-51	SUPPLY OUT SYSTEM 115V	\$243.00	—	94-360-02	GP KIT, BLK W/T-FTNG	\$97.70	27
94-080-01	LOW-PRESS SW/HARNESS KIT, 24/C	\$66.10	58	94-360-05	GAS PUMP KIT BULK PKG	\$102.00	27
94-090-00	TANK SW WIRE HARNESS KIT 50/C	\$40.70	58	94-360-06	GAS PUMP KIT BULK PKG	\$96.10	27
94-090-01	TANK SW/HARNESS KIT 50/C	\$39.80	58	94-360-19	GP KIT, BLK BRS CO2 FTNG	\$97.70	27
94-090-02	TANK SW/HARNESS KIT 50/C	\$46.40	58	94-360-22	GP KIT, BULK PKG WINE	\$117.00	—
94-091-00	FEEDWATER CONTROL/HARNESS, 10/C	\$150.00	58	94-360-31	GAS PUMP HDA W/BP W/TEE	\$96.10	—
94-178-01	FTNG KIT, 3/8B EL 50/C	\$79.90	88	94-360-38	GAS PUMP KIT	\$96.10	26
94-178-02	FTNG KIT, 1/4B 50/C	\$85.70	88	94-360-40	GAS PMP KIT, PEPSI	\$95.20	26
94-178-03	FTNG KIT, 3/8B ST	\$79.90	88	94-360-41	GAS PUMP KIT PEPSI	\$96.10	26
94-178-07	FTNG KIT, 1/4B EL SS	\$357.00	88	94-360-65	GAS PUMP KIT BULK PKG SS	\$161.00	27
94-178-16	FITTING KIT 1/4 IN AIR 50/C	\$173.00	88	94-365-44	2 GP SYST W/O INLET TUBNG	\$231.00	—
				94-365-47	HDA RACK SYST, 3 PMP	\$319.00	—

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
94-366-48	GP ASSY HI-ALT HDA	\$96.10	26	94-753-00	PUMP MOUNTING BRACKET KIT	\$262.00	—
94-366-49	GP ASSY HI-ALT HDA	\$95.20	26	94-760-00	PRESS. GAUGE/TEE FTG ASSY 10/C	\$72.10	32
94-366-50	GP KIT, HDA HI-ALT	\$95.20	26	94-897-00-SS	BALL VALVE/SS FITTING PK 50/C	\$120.00	32
94-375-06	PRESS SW KIT SANTOPRENE	\$35.50	—	94-897-01-SS	BALL VALVE/FITTING PACK 10/C	\$118.00	32
94-376-51	GP HDA BLK CC-B W/UMB	\$126.00	27	A0860119	TUBING 1/4" PE BLUE	\$2.00	87
94-376-52	2GP SYST W/HARDWARE	\$284.00	27	CY255-213	STRAINER RVM 1/2 NPSM OEM	\$21.90	89
94-376-53	GP RACK SYST, 3PMP BTLR	\$403.00	27	DEV701373	STANDARD A WATER ANALYSIS	\$275.00	6
94-379-00	UPPER HOUSING KIT FTF	\$38.10	—	DEV980015	EVP WATER TEST KIT 1PK (NTL)	\$336.00	6
94-384-31	GAS PUMP KIT, PEPSI	\$121.00	26	DEV983000	CARTRIDGE HQ-WF 12/C	\$42.10	—
94-384-32	GAS PUMP KIT, PEPSI	\$121.00	26	DEV983001	CARTRIDGE HQS-WF 12/C	\$44.30	—
94-385-40	S.DIAPH/DRIVE KIT 2.0	\$79.80	—	DEV998018	SOFTENER, 5600TC, 7.5K 2-TANK	\$1,619.00	—
94-390-06	VALVE KIT EPDM, 8000	\$28.80	—	DEV998019	SOFTENER, 5600TC, 15K CABINET	\$1,736.00	—
94-390-08	VALVE KIT, POLY/EP	\$39.90	—	DEV998036	SOFTENER, 5600TC, 30K 2-TANK	\$1,860.00	—
94-391-06	BYP VLV KIT,NYL/EPDM	\$33.70	—	EV087157	O-RING, ARP#115, NITRILE	\$1.60	—
94-395-16	DIAPHRAGM KIT, SANTO/NYL	\$33.20	—	EV087192	O-RING, APR#120, NITRILE	\$1.90	—
94-399-00	LVPO F1 REPLACEMENT 12PK	\$136.00	32, 73	EV087327	BAG POLY 3 X 8 3MIL	\$1.60	—
94-402-02	VLVE REPL KIT BRIX II	\$27.70	89	EV092900	SHELL ASSY T9	\$628.00	—
94-433-00	BRIX PMP REBUILD KIT 6 to 1	\$210.00	89	EV094400	GASKET SQ. CUT T-9/20	\$17.50	—
94-433-01	BRIX PMP REBUILD KIT 5 to 1	\$210.00	89	EV095300	T9 MPC WRAPPED	\$79.30	—
94-437-00	ELECT BEV PUMP SYST, 115V	\$609.00	62	EV095620	TEE, ELEMENT, T9	\$29.90	—
94-437-01	ELEC BEVERAGE DELIVERY SYS AU	\$656.00	62	EV096701	1/2" UNION NUT T9	\$45.70	—
94-440-30	GP SYST, 1 PMP HI-ALT	\$122.00	27	EV096703	1/2" UNION BODY	\$43.10	—
94-440-31	GP SYST, 1 PMP HI-ALT	\$121.00	27	EV096705	1/2" UNION TAILPIECE T9	\$40.90	—
94-440-38	GAS PMP KIT, COKE BOTTLER	\$95.20	27	EV201200	T20 TOP W/NUTS	\$1,326.00	—
94-440-39	GAS PUMP KIT, HI-ALTITUDE	\$96.10	27	EV201252	T20 TOP W/UNION BODIES	\$987.00	—
94-440-60	GAS PUMP SYST 1 PUMP	\$122.00	27	EV205200	T20 INLET TUBE FLARED	\$22.60	—
94-441-17	COKE SERVICE PUMP	\$91.30	27	EV205300	T20 MPC WRAPPED	\$101.00	—
94-441-48	GAS PUMP KIT	\$89.50	26	EV205600	T20 ELEMENT BAGGED	\$463.00	—
94-444-01	GP KIT, GAYLORD BULK PACK	\$70.30	26	EV206701	3/4" UNION NUT	\$86.60	—
94-444-02	GP KIT, GAYLORD BULK PACK	\$70.30	26	EV300800	VALVE HANDLE BLACK MOLD	\$6.20	—
94-444-03	GP KIT BULK PACK NO FITTING	\$91.60	26	EV300817	ANTIFREEZE DIVERTER PRE-PACK	\$65.60	—
94-444-04	GP KIT, BULK PACK w/FITTINGS	\$121.00	26	EV300900	VALVE STEM CELCON MOLD	\$4.40	—
94-467-00	SNAPFIT BASEPLATE KIT BLK	\$169.00	—	EV301000	O-RING .5310D X .103CS	\$1.70	—
94-470-00	LVPO-F2 REPLACEMENT 12PK	\$151.00	73	EV301091	RT-3 TOP ASSY	\$448.00	—
94-470-01	LVPO-F3 REPLACEMENT 12PK	\$158.00	73	EV301097	RT-3 & RT-9 O-RING/UNION	\$9.10	—
94-470-02	LVPO F4 12PK REPL. FILTER	\$224.00	73	EV301104	RT-9 GASKET	\$26.60	—
94-471-01	1/2" NNP QD BALL VAL (50)	\$114.00	—	EV301106	RT-9 TOP UNION	\$104.00	—
94-472-00	FILTER-WB. CLIP LVPO(50)	\$59.30	—	EV301200	SCREW,TAP,#8-16X7/8,PLTD	\$1.60	—
94-473-00	FILTER-WALL CLIP LVPO(50)	\$49.90	—	EV301326	GAUGE ACTIVATION KIT	\$312.00	—
94-474-00	FILTER-TO-FILTER CLIP(50)	\$60.20	—	EV301641	PRESSURE SWITCH 9PSI	\$102.00	87
94-475-00	FILTER BYPASS KIT (50)	\$57.40	—	EV301650	CAP BLACK VINYL	\$5.80	87
94-479-00	SHURGUARD LVPO F2 ASSY	\$182.00	73	EV301940	QUADCUP XTRNL 3.445I IMF	\$24.10	—
94-60-047	120W SWITCHING POWER SUPPLY AU	\$228.00	32	EV302705	A LPA II ASSY 115V	\$449.00	87
94-705-18	3/8B ELB WB SS FTNG KIT 40PK	\$1,343.00	—	EV302913	CTN PLN 20 X 14 X 9	\$27.30	—
94-729-00	PLF-1	\$88.20	—	EV303452	BLK VALVE HANDLE/PL HEAD	\$3.80	—
94-751-00	SHURGUARD LVPO F1 ASSY	\$167.00	73	EV303700	O-RING QC MEDIUM	\$1.60	—
94-751-01	SHURGUARD LVPO F3 ASSY	\$205.00	73	EV303800	O-RING QC SMALL	\$1.60	—
94-751-02	SHURGUARD LVPO F4 ASSY	\$252.00	73	EV303958	O-RING, #015	\$1.60	—

(Continued on next page.)

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV304451	RETAINING RING PLATED	\$3.90	—	EV308168	QC RESTRICTOR FITTING PACK	\$98.10	—
EV304644	BRKT POWDER COATED	\$11.20	—	EV308207	BALL VALVE ASSY	\$60.70	—
EV304710	TUBING, 3/4"ID X 1.031 OD, PVC	\$11.80	—	EV308425	IMF HEAD ASSEMBLY	\$136.00	87
EV305061	TUBING 1/4, RED	\$2.70	87	EV308479	FAUCET	\$91.40	—
EV305384	TWIN TUBING	\$101.00	—	EV308594	BY-PASS ASSEMBLY	\$4.70	—
EV305550	FAUCET-LR	\$136.00	—	EV308784	DUAL HIGH FLOW MC(2) CART KIT	\$1,313.00	—
EV305973	SPACER, HEAD, W/O STOPS	\$5.80	—	EV308839	HOSE 12'	\$77.60	—
EV305979	CAP	\$2.00	—	EV308842	UNION TEE PLATED	\$31.40	—
EV306014	B-DUAL MNTING BRACKET	\$87.60	—	EV308921	MALE CONNECTOR	\$16.60	—
EV306032	STANDARD HEAD ASSY	\$120.00	87	EV308965	10" BLUE FILT BOWL W/ OR	\$151.00	87
EV306107	PLSTC HD.BODY QC W/RINGS	\$43.90	—	EV309378	HEAD BODY - LEFT VER	\$48.30	—
EV306136	MALE CONNECTOR PLATED	\$67.40	—	EV309379	LO COST HEAD-LEFT VER.	\$52.00	—
EV306193	HEAD,LC,QC,RINGLET,3/8NPT	\$38.00	—	EV309383	LO COST HEAD-RIGHT VER.	\$48.90	—
EV306332	QL2 HEAD ASSY	\$92.20	—	EV309385	HEAD BODY RIGHT VER.BW	\$48.60	—
EV306411	T-HANDLE 5/16 SS	\$84.70	—	EV309391	BW RO HEAD SUB ASSEMBLY	\$73.50	—
EV306416	SCREW TAP #10-32 X1/2 410 SS	\$1.40	—	EV309396	DIVERTER ASSEMBLY BW	\$20.40	—
EV306520	TANK ACCUMULATOR 9 GAL W/FTGS	\$1,102.00	—	EV309590	CONNECTOR - NO FLOW	\$21.40	—
EV306552	QUAD KUP ASSEMBLY	\$30.40	—	EV309977	HEX NIPPLE 3/4"	\$18.50	—
EV306572	V-BAND CLAMP 5/16 SS	\$179.00	—	EV310077	QC HD W/3/8" FPT & STOPS	\$38.40	—
EV306573	V-BAND ASSY T9/T20	\$485.00	—	EV310093	WATER METER	\$410.00	—
EV306585	TAPPING VALVE	\$65.20	—	EV310201	VALVE,BALL,3/8 NPTI X 3/8 PI	\$63.00	—
EV306676	VALVE,BALL,1/2" NPTI,BRASS	\$76.30	—	EV310259	TUBE RIGID ABS BLACK	\$12.30	—
EV306731	LOW COST HEAD BODY "BW"	\$37.40	—	EV310275	B TANK ACCUMULATOR 3 GAL	\$238.00	57, 58
EV306818	BACK MNT BRASS GAUGE 0-125 PSI	\$90.10	—	EV310291	UNION TEE	\$33.30	—
EV306854	QUAD HI FLOW XC (2) HEAD ASSY	\$1,973.00	—	EV310310	REDUCER	\$20.80	—
EV307018	20" P/F REPL BOWL&O-RING	\$251.00	87	EV310312	FLOW RESTRICTOR CAPILLARY TUBE	\$20.80	—
EV307019	10" P/F REPL BOWL&ORING	\$142.00	87	EV310313	ADAPTER STEM	\$7.50	—
EV307119	REPLACEMENT O-RING	\$9.30	87	EV310326	TUBING,3/8",BLACK,PE	\$2.50	87
EV307120	REPL.PRESS.RELIEF KIT	\$32.60	87	EV310362	FLOW RESTRICTOR	\$20.80	—
EV307133	K SERIES BKT W/SC FTG PK	\$40.60	—	EV310388	ELBOW, PLUG IN, 3/8 X 3/8	\$32.80	—
EV307170	RV FAUCET REPL.FTG KIT	\$109.00	—	EV310391	CHECK VALVE	\$69.20	—
EV307384	MALE BRANCH TEE PLATED	\$64.30	—	EV310410	POWER SUPPLY	\$253.00	—
EV307420	VALVE,BALL,3/8" NPTI,BRASS	\$77.50	—	EV310428	FITTING KIT	\$32.20	—
EV307826	CAP MOLDED	\$5.70	—	EV310429	CROSS 3/8 T PI	\$58.60	—
EV307924	OETIKER CLAMP	\$5.20	—	EV310449	HOSE 1/2" X 3/4" PVC GREY	\$22.80	—
EV307925	CONNECTOR GUEST 3/8 X 1/8	\$22.20	—	EV310591	BUSHING,3/4 MNPT X 3/8 FNPT	\$23.90	—
EV307926	SHUT-OFF VALVE	\$88.00	—	EV310606	VALVE,BALL,3/8 NPTI X 3/8 PI	\$58.40	—
EV307927	CONNECTOR GUEST W/CHECK	\$48.70	—	EV310619	WATER BOTTLE 16 OZ	\$7.50	—
EV307942	DUAL RO HEADER	\$608.00	—	EV310718	CLOSE NIPPLE 1/8" SS	\$17.90	—
EV308040	DIP TUBE REPL ASSEMBLY	\$21.90	87	EV310816	HOUSING 20" BLUE WITH O'RING	\$175.00	87
EV308044	HEAD (PACKAGED)	\$121.00	87	EV310823	INSTALL ACCESS KIT MRS 20T	\$321.00	—
EV308072	BLANK CONNECTOR	\$12.10	—	EV310850	GAUGE,PRS,2",1/8"LM,125 PSI SS	\$74.80	—
EV308081	TAPPED CONNECTOR	\$12.50	—	EV310851	OUTLET TEE MOLDED TOP MOUNT	\$18.50	—
EV308099	O-RING, ARP#230, NITRILE	\$3.60	—	EV310852	ELBOW 3/8"	\$20.00	—
EV308130	MALE CONNECTER,3/8"NPTX3/8"PI	\$19.00	—	EV310855	OUTLET TEE MOLDED BACK MOUNT	\$20.80	—
EV308132	MALE CONNECTOR W/FC ASSY	\$52.50	68, 87	EV310876	HEADER BYPASS PLUG ASSM	\$13.60	—
EV308157	BW HEAD BODY & RING ASSY	\$37.80	—	EV311096	VALVE SOL 24VAC	\$519.00	—
EV308161	SPACER, HEAD, W/STOPS	\$5.90	—	EV311125	BUSHING, 1/4" X 1/8",PP,HEX	\$8.80	—
EV308165	8" FILT HOUS W/ O'RING	\$74.80	87	EV311133	UNIVERSAL FITTING W/RET-RING	\$79.20	—

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV311134	CAP 3/4" NPT FOR O.P.M.	\$11.20	—	EV312185	ELBOW, 3/4 NPT X 1/2 BARB PP	\$24.50	—
EV311145	FLOW RESTRICTOR CAPILLARY 300	\$20.80	—	EV312186	FITTING, 3/4 NPT X 1/2 BARB PP	\$24.50	—
EV311150	FLUSH VALVE KIT 1/2"	\$206.00	87	EV312206	PUMP, 230 VAC BOOSTER, 80GPH	\$995.00	—
EV311161	B VALVE, NEEDLE, PVC, 3/8" PI	\$92.30	—	EV312208	VALVE, SOLENOID, 230VAC	\$409.00	—
EV311192	VALVE BALL 3/8 PI X 3/8 PI	\$52.00	—	EV312224	VALVE, 3WAY 3/4 NPT-MODIFIED	\$215.00	—
EV311203	ADAPT, 1/4 NPTI X 3/8 PI	\$29.60	—	EV312247	VALVE,BALL, 3/4 FNPT X 3/4FNPT	\$75.60	—
EV311242	SCREW 5/16-18X5/8 HEX HD BLKZC	\$3.80	—	EV312248	VALVE, BALL, 3/4FNPT X 3/8BARB	\$75.60	—
EV311243	NUT 5/16-18 LOCK HEX PLTD BLK	\$1.60	—	EV312251	NIPPLE, 1/2 X 3/8, PE	\$4.20	—
EV311244	WASHER FLAT 5/16 PLTD BLK	\$1.60	—	EV312295	ADAPTER, 3/4"MNPT X 3/4" MNPT	\$7.20	—
EV311250	END CAP 3/4" WITH 3/8" JG FTG	\$35.20	87	EV312296	VALVE, CHECK, NEOPERL	\$16.60	—
EV311251	END CAP 3/4"NPTI W/1/2" JG FTG	\$36.80	87	EV312339	ADAPTER, AIR GAP RO WALL MOUNT	\$65.60	58
EV311253	UV LAMP S463RL	\$394.00	—	EV312348	CART KIT MRS 100 GPD BASE	\$701.00	—
EV311254	UV QUARTZ SLEEVE QS-463	\$161.00	—	EV312349	CART KIT MRS 225 GPD BASE W/CC	\$968.00	—
EV311394	QC PLUG	\$15.60	—	EV312364	ADAPTER, 3/8"MNPT X 1/4" FBSPP	\$29.60	—
EV311403	QC PLUG W/O-RINGS	\$36.60	—	EV312382	CLAMP, DBL SNAP-GRIP, 1/2"HOSE	\$2.00	—
EV311407	VALVE,BALL 3/4"FNPT X 3/4"MNPT	\$75.60	87	EV312427	AIR FILTER, DISPOSABLE	\$442.00	—
EV311408	COUPLING, 3/4" FNPT	\$27.60	87	EV312473	CART KIT, MRS, 350, W/SUB-MIC	\$1,187.00	—
EV311409	GAUGE PRS 2" 1/8"LM 160PSI SS	\$134.00	—	EV312491	REGULATOR, CO2,DISPOSABLE CART	\$606.00	—
EV311418	REPL RO ASSB FOR MRS-20	\$2,109.00	—	EV312492	REGULATOR, CO2,REFILLABLE CART	\$699.00	—
EV311431	TUBING 1/2"O.D.X3/8" I.D.CLEAR	\$2.50	87	EV312493	FLOW COMPENSATOR, CO2	\$260.00	—
EV311434	BRACKET PREFILTER KIT	\$70.60	67	EV312510	SWITCH, LEVEL, SHIELDED	\$727.00	—
EV311435	BRACKET POSTFILTER KIT	\$106.00	41, 67	EV312578	KIT, SAMPLE PORT, BRASS	\$146.00	—
EV311437	FLUSH VALVE KIT CB-20-302	\$206.00	87	EV312615	CART KIT MRS 350 GPD BASE W/CC	\$1,204.00	—
EV311450	VALVE,CHECK, 3/4" NPT FEMALE	\$76.30	—	EV312696	CABLE ASSY, ARC SUPPRESSOR, LS	\$76.30	—
EV311469	B SPACER SS-IMF	\$7.50	83	EV312808	VALVE, SOLENOID, 24 VDC	\$322.00	55
EV311479	VALVE, TEMPERING, 1/2" NPT	\$757.00	57	EV312811	SHROUD, MR-600, VAC FORM ABS	\$449.00	—
EV311484	VALVE SOLENOID	\$275.00	—	EV312815	POWER SUPPLY, 24VDC, 10AMP	\$423.00	—
EV311533	GAUGE PRES 2" 100PSI BK MNT	\$178.00	—	EV312818	PUMP, MRS-600HE	\$844.00	55
EV311534	MRS CONTROL ASSY	\$1,397.00	—	EV312824	ADAPTER, 3/8" STEM X 1/2" BARB	\$15.90	—
EV311537	BOX BRACKET SINGLE FOR OPM	\$45.70	—	EV312827	RESTRICTOR, BLUE, 735 ML/MIN	\$12.60	55
EV311543	CART KIT MRS 225 GPD BASE	\$783.00	—	EV312828	RESTRICTOR, WHITE, 1052 ML/MIN	\$12.60	55
EV311584	FLOW RESTRICTOR, 18 GPD	\$23.60	—	EV312829	RESTRICTOR, GREY, 1577 ML/MIN	\$12.60	55
EV311626	FUSE MDL 5A 250V SLOW BLOW	\$16.50	—	EV312830	RESTRICTOR, RED, 125 ML/MIN	\$12.60	55
EV311634	CART KIT MRS 350 GPD BASE	\$1,036.00	—	EV312831	RESTRICTOR, BROWN, 189 ML/MIN	\$12.60	55
EV311652	FAUCET, AIR GAP	\$210.00	—	EV312832	RESTRICTOR, GREEN, 525 ML/MIN	\$12.60	55
EV311655	VALVE BALL, 1/4 NPTF X 3/8 PI	\$40.80	58	EV312833	PLUG, 1/4" OD	\$3.80	55
EV311673	SWITCH LEVEL WITH CONNECTOR	\$270.00	—	EV312839	VALVE, CONTROL, 1/4 QC	\$49.50	—
EV311674	PUMP DELIVERY WITH CONNECTOR	\$1,192.00	—	EV312840	VALVE, CHECK, 1/4" QC	\$67.80	—
EV311703	QC STANDARD FITTING PACK	\$202.00	—	EV312952	PRESSURE TRANSDUCER, 0-150 PSI	\$491.00	—
EV311747	PLUG 3/4" NPT SCHD 80 PVC	\$16.50	—	EV313151	PUMP, MRS-600HE-II, PERMEATE	\$555.00	55
EV311835	ADAPTER, STEM 3/8"	\$8.40	—	EV313152	PUMP, MRS-600HE-II, BOOST	\$555.00	55
EV311840	IN-CLIP2 100/C	\$4.70	75	EV313196	KIT,PLBG W/PRV, ROMATE, HE-II	\$377.00	57
EV311842	IN-UV-BAL 25/C	\$97.00	—	EV313304	KIT, SOL VALVE, 24VDC 3/8 JG	\$338.00	—
EV311879	REDUCER, NIPPLE, 3/4X3/8	\$16.80	—	EV313518	RETAINING PIN	\$5.00	—
EV311891	TANK, 19 GALLON, FLOTEC	\$401.00	—	EV313526	1/2" X 1/4" QC FITTING 2/BAG	\$29.50	33
EV311984	MEDIA - CATION RESIN	\$646.00	—	EV313527	1/2" X 3/8" QC FITTING 2/BAG	\$29.50	33
EV312135	CONNECTOR, FAUCET, 1/4"	\$16.00	—	EV313534	FTNG, 1/2" BARB W/O-RINGS	\$13.30	75
EV312138	BRKT, QL3B, POWDER COATED	\$18.70	—	EV313535	ELBOW, 1/2" BARB W/O-RINGS	\$23.90	—
EV312148	FAUCET BASE SET, 8 COLORS	\$246.00	—	EV313537	ACCUMULATOR TANK, 6 GAL	\$723.00	—

(Continued on next page.)

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV313548	PLUG, INLET, 1/2" W/O-RINGS	\$15.40	75	EV907995	ESP 950 W/O PRECOAT P/F	\$896.00	-
EV313549	PLUG, OUTLET, 1/2" W/O-RINGS	\$13.10	75	EV910001	A-10 FILTER HOUSING 1PK	\$66.40	71
EV313550	FTNG, 3/4" BARB W/O-RINGS	\$14.20	75	EV910002	A-11 FILTER HOUSING 1PK	\$57.60	71
EV313552	VALVE, BALL, 1/2" W/O-RINGS	\$38.00	75	EV910003	A-20 FILTER HOUSING 1PK	\$87.20	71
EV313589	FTNG, 1" BARB W/O-RINGS	\$16.90	75	EV910006	IN-10 1/4" JG FITTING 6PK	\$42.20	73
EV313600	ELBOW, 3/4" BARB W/O-RINGS	\$25.20	75	EV910007	IN-12 1/4" FPT FITTING 6PK	\$42.20	73
EV313609	VALVE, BALL, 3/8" W/O-RINGS	\$38.00	75	EV910008	IN-10 1/4" FPT FITTING 6PK	\$33.20	73
EV313716	PLUG, INLET, 1/2" W/ 1/8"NPT	\$27.30	75	EV910010	CGS-10 SYSTEM	\$176.00	72
EV313759	PRESSURE SWITCH, 1/8NPT, 10PSI	\$796.00	-	EV910012	CGS-12 SYSTEM	\$290.00	72
EV313786	PRESSURE RELIEF VALVE, 104PSI	\$306.00	-	EV910020	CGS-20 SYSTEM	\$263.00	72
EV313861	ADAPTOR, 3/4MGHT X 3/4MGHT	\$2.90	75	EV910022	CGS-22 SYSTEM	\$475.00	72
EV314117	KIT, PLMBG W/PRV, ROMATE UNIV	\$533.00	57	EV910023	CGS23 20" PARALLEL PLUMBED HSG	\$457.00	72
EV314191	CONTROLLER, MRS-600	\$716.00	-	EV910024	202 PARALLEL PREFILTER	\$1,238.00	67
EV314367	KIT, PLBG W/PRV, HE-II, 1-1/4"	\$471.00	57	EV910031	CB20-124E 1/C	\$340.00	21
EV314368	KIT, PLBG W/PRV, UNIV, 1"	\$533.00	57	EV910032	CB-302E WATER FILTER 1PK	\$1,382.00	12, 21
EV314550	CLIP, MOUNTING X2.5	\$3.00	73	EV910034	CB20-302E UNIT ONLY	\$743.00	21
EV314907	MRS CONTROLLER SERVICE KIT	\$814.00	55	EV910037	CB20-312E (3 BOWL/SER/PAR)	\$2,079.00	12, 21
EV314952	POWER SUPPLY UPGRADE KIT	\$368.00	49	EV910050	CGS-55 SYSTEM	\$627.00	70
EV433910	CLARIS CART S	\$228.00	-	EV910051	CB20-124E WITH CARTRIDGES 1/C	\$663.00	12, 21
EV433911	CLARIS CART M	\$320.00	-	EV910056	CB20-124E W/EC204 PREFILTER	\$581.00	-
EV433912	CLARIS CART L	\$409.00	-	EV910067	IN-6PG-S 6 PK	\$32.60	73
EV433913	CLARIS CART X L	\$486.00	-	EV910068	IN-10CK 6/C	\$34.70	73
EV433914	CLARIS CART XXL	\$747.00	-	EV910069	IN-10CS 6/C	\$21.50	73
EV433931	CLARIS FLOW METER US	\$371.00	17	EV910070	CB20-312E HOUSING 1PK	\$1,282.00	21
EV433932	CLARIS FLOW METER (700 LPM)	\$372.00	17, 40	EV910071	IN-10CC 6/C	\$34.70	73
EV433940	CLARIS TEST KIT	\$61.90	6, 17, 40	EV910072	IN-10NS5 6/C	\$28.30	73
EV433950	CLARIS HOSE 3/8 X 3/8	\$76.30	-	EV910076	IN-15CF 6/C	\$59.70	-
EV433952	CLARIS HOSE SET 10CM, 3/8 X 1/2	\$81.50	17, 40	EV910086	IN-12 1/4" JG FITTING 6PK	\$49.80	73
EV433980	CLARIS ULTRA CARTRIDGE 250	\$260.00	9, 17	EV910091	HFC-10 1PK	\$249.00	42
EV433981	CLARIS ULTRA CARTRIDGE 500	\$362.00	9, 17	EV910094	SO-24 FILTER 1PK	\$334.00	71
EV433982	CLARIS ULTRA CARTRIDGE 1000	\$499.00	9, 17	EV910124	CGSYS 22CS5 SYSTEM	\$637.00	-
EV433983	CLARIS ULTRA CARTRIDGE 1500	\$594.00	9, 17	EV910502	CC1E REPLACEMENT CARTRIDGE 1PK	\$373.00	21, 86
EV433984	CLARIS ULTRA CARTRIDGE 2000	\$880.00	9, 17	EV910521	CC1E CC3E CARTRIDGE KIT	\$741.00	21
EV433986	CLARIS PRIME	\$794.00	9, 17, 40	EV910534	CB20-312E REPL CARTRIDGE KIT	\$1,054.00	21
EV433990	Clariss GEN2 Head 3/8" BSP	\$135.00	17, 40	EV910535	CB20-312E SPECIAL WAB KIT	\$618.00	-
EV433991	Clariss GEN2 Head 3/8" NPT	\$135.00	17, 40	EV910537	CB20-302E SPECIAL WAB KIT	\$362.00	-
EV433992	Clariss GEN2 Head 3/8" QCF	\$135.00	17, 40	EV910541	SO-10 COSTGUARD CART 6/C	\$42.90	71, 81, 90
EV544600	TUBING, 3/8", PE, BLUE	\$2.50	87	EV910542	SO-20 6/C	\$67.60	71, 81, 90
EV589600	VALVE STEM SUB-ASSEMBLY	\$13.40	87	EV910545	SO-204 CARTRIDGE 4PK	\$149.00	81, 91
EV650020	POCKET TDS METER HM TDS-3 1PK	\$73.20	6	EV910811	CGT-10 12/C	\$24.50	72, 90
EV650021	HF SYSTEM SANITIZING KIT	\$364.00	-	EV910813	CGT-10S 12PK	\$32.50	72, 90
EV650022	FILTER BOWL COVER SLEEVE 10"	\$33.90	67	EV910815	CG5-10 12/C	\$28.70	72, 90
EV650023	FILTER BOWL COVER SLEEVE 20"	\$57.50	67	EV910817	CG5-10S 12PK	\$39.10	72, 90
EV650080	WATER SAMPLE BOTTLE 16 OZ	\$10.60	-	EV910825	CG5-20 6/C	\$47.00	72, 90
EV701558	DISPLAY RACK, END CAP	\$1,446.00	-	EV910827	CG5-20S 6/C	\$60.20	72, 90
EV800279	TRI WALL BAFFLE	\$1.30	-	EV910832	CGT-20 6/C	\$40.30	72, 90
EV900085	FAUCET, HOT/COLD POLISHED SS	\$489.00	68	EV910833	CGT-20S 6PK	\$53.60	72, 90
EV900086	FAUCET, HOT/COLD BRUSHED SS	\$489.00	-	EV910853	CG53-10 12/C	\$29.90	72, 90
EV907909	ESP950 REPLACEMENT TANK	\$658.00	-	EV910857	CG53-10S 12PK	\$40.30	72, 90

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV910863	CG53-20 6PK	\$57.90	72, 90	EV929422	HI FLOW CSR 20" PF TWIN HEAD	\$1,055.00	77, 80
EV910867	CG53-20S 6/C	\$71.40	72, 90	EV929423	HI FLOW CSR 20" PF TRIPLE HEAD	\$1,288.00	77, 80
EV918901	C3-TW FILT 1 PK	\$1,195.00	-	EV929424	HI FLOW CSR 20" PF QUAD HEAD	\$1,624.00	77, 80
EV925100	C3-PM FILT OEM 12PK	\$1,202.00	-	EV930090	HQS-WF SYSTEM	\$321.00	-
EV925617	QL1 HEAD 24PK	\$43.90	78	EV930095	HQS-WF SYSTEM WITH UV PACKAGE	\$733.00	-
EV925618	QL1 HEAD 3/8" NPT 24PK	\$42.00	78	EV930099	HQS-WF SYSTEM W/UV COW	\$596.00	-
EV925619	QL1 HD RVRSD W 3/8" FPT 24PK	\$42.00	78	EV931830	EVERPURE WATER CHILLER	\$1,044.00	68
EV925620	QL1 HEAD WITH 1/4" JG 24PK	\$43.90	78	EV931840	EVERPURE INSTANT HOT	\$437.00	68
EV925712	QL3 HO-P W/O BKT 12PK	\$77.50	-	EV932401	INSURICE SINGLE-I2000(2)	\$432.00	10, 36
EV925801	QL3 HEAD 1PK	\$101.00	-	EV932402	INSURICE TWIN-I2000 (2)	\$746.00	10, 36
EV925812	QL3 H/OP W/BKTW/FIT 12PK	\$118.00	-	EV932421	INSURICE SINGLE PF-I2000(2)	\$681.00	10, 34, 36
EV925912	QL3 HO-P W/BKT 12PK	\$103.00	-	EV932422	INSURICE TWIN PF-I2000(2)	\$1,009.00	10, 34, 36
EV925914	QL3 HO-P W/BRKT MTD 12PK	\$81.60	78	EV932460	INSURICE SINGLE 4SI	\$384.00	11, 35
EV925924	QL3B HEAD ASSY 12PK	\$62.40	78	EV932461	INSURICE PF SINGLE 4SI	\$583.00	11, 34, 35
EV925930	QL3B W.BRKT NARROW, 12 PK	\$62.40	-	EV932470	INSURICE SINGLE 7SI	\$500.00	11, 35
EV927200	QL3-BH(2) WATER FILTER SYST	\$207.00	10, 13	EV932471	INSURICE SINGLE PF 7SI	\$699.00	11, 34, 35
EV927218	QL2 HEAD W/BRKT 12PK	\$51.10	78	EV932472	INSURICE TWIN 7SI	\$829.00	11, 35
EV927222	QC7I TWIN HEAD ONLY 1PK	\$546.00	14, 15, 77, 79	EV932473	INSURICE TWIN PF 7SI	\$1,027.00	11, 34, 35
EV927223	QC7I TRIP HEAD ONLY 1PK	\$775.00	15, 77, 79	EV932474	INSURICE TRIPLE 7SI	\$1,038.00	11, 35
EV927224	EVERPURE SERIES HEAD	\$280.00	79	EV932475	INSURICE TRIPLE PF 7SI	\$1,243.00	11, 34, 35
EV927226	HEAD TWIN RO QC	\$279.00	-	EV932476	INSURICE QUAD 7SI	\$1,232.00	11, 35
EV927227	QC7I TWIN HEAD W/O GAUGE	\$464.00	-	EV932477	INSURICE QUAD PF 7SI	\$1,432.00	11, 34, 35
EV927228	QC7I TRIPLE HEAD W/O GAUGE	\$682.00	-	EV932503	INSURICE TRIPLE-I4000 (2)	\$1,198.00	11, 36
EV927241	QC7I SINGLE HD ONLY 1PK	\$309.00	13, 15, 77, 79	EV932504	INSURICE QUAD-I4000 (2)	\$1,629.00	11, 34, 36
EV927369	CART, MR-20, 1 PACK	\$276.00	56, 82	EV932523	INSURICE TRIPLE PF-I4000(2)	\$1,428.00	11, 34, 36
EV927391	CART, ROM 10, 1 PACK	\$421.00	-	EV932744	INSURICE PF QUAD 4FC-S	\$1,865.00	11, 34, 37
EV927393	CART, ROM 20, 1 PACK	\$604.00	-	EV932773	INSURICE PF TRIPLE 7FC-S	\$1,762.00	11, 34, 37
EV927501	QC7I SINGLE-MC(2)	\$410.00	10, 19	EV932774	INSURICE PF QUAD 7FC-S	\$2,360.00	11, 34, 37
EV927502	QC7I TWIN-MC(2)	\$737.00	10, 19	EV932801	COLD/INSURICE 1-MC(2)	\$670.00	10, 18, 19
EV927503	QC7I TRIPLE-MC(2)	\$1,070.00	10, 19	EV932802	COLD/INSURICE 2-MC (2)	\$990.00	10, 18, 19
EV927560	QL2-OCS(2) WATER FILTER 1PK	\$142.00	10, 13	EV932803	COLD/INSURICE 3-MC (2) W/20" PREFLT	\$1,356.00	10, 18, 19
EV927570	QL2-OW 200L WTR FLTR 1PK	\$222.00	66	EV932805	HIGH FLOW CSR TRIPLE-MC(2)W/LPA	\$1,805.00	11, 44
EV927601	QC7-DM FILTER 1PK	\$312.00	-	EV932806	HIGHFLOW CSR TRIPLE-MC(2)W/O LPA	\$1,552.00	11, 43, 44
EV927841	QC7I 7CLM+/7SI DIO	\$2,031.00	11, 24	EV932823	COLD/INSURICE SYSTEM 3 W/10" PREFLT	\$1,078.00	-
EV927842	QC7I XCLM+/7SI DIO	\$2,187.00	11, 24	EV932844	COLD/INSURICE QUAD 4FC	\$1,768.00	10, 18, 20
EV927890	HYBRID MANIFOLD	\$1,153.00	-	EV932873	COLD/INSURICE TRIPLE 7FC	\$1,767.00	10, 18, 20
EV927891	QC7I DIO HEAD ONLY 1PK	\$1,099.00	24, 79	EV932874	COLD/INSURICE QUAD 7FC	\$2,217.00	10, 18, 20
EV928801	C5-TW FILT 1PK	\$1,237.00	-	EV932944	HF CSR QUAD 4FC	\$2,052.00	11, 43, 45
EV929301	COLD/INSURICE SINGLE 10" PF HD	\$435.00	77, 80	EV932973	HF CSR TRIPLE 7FC	\$2,094.00	11, 43, 45
EV929302	COLD/INSURICE TWIN 10" PF HEAD	\$676.00	77, 80	EV932974	HF CSR QUAD 7FC	\$2,552.00	11, 43, 45
EV929303	COLD/INSURICE TRPL 10" PF HEAD	\$909.00	77, 80	EV933042	TWIN CSR	\$1,315.00	11, 44
EV929304	COLD/INSURICE QUAD 10" PF HEAD	\$1,269.00	77, 80	EV933043	TRIPLE CSR W/10" PREFILTER	\$1,706.00	-
EV929321	COLD/INSURICE SNGL 20" PF HEAD	\$515.00	77, 80	EV933611	QC7I QUAD HEADER ONLY	\$1,103.00	18, 19, 77, 79
EV929322	COLD/INSURICE TWIN 20" PF HEAD	\$758.00	77, 80	EV933650	SURGE TANK RETRO FIT KIT	\$772.00	87
EV929323	COLD/INSURICE TRPL 20" PF HEAD	\$988.00	77, 80	EV933651	SURGE TANK RETRO FIT KIT	\$1,076.00	87
EV929324	COLD/INSURICE QUAD 20" PF HEAD	\$1,323.00	77, 80	EV933652	EXTRA CAP PRFLTR SURGE TNK KIT	\$2,150.00	67
EV929402	HI FLOW CSR 10" PF TWIN HEAD	\$976.00	77, 80	EV933722	DUAL HIGHFLOW COLD/INSURICE M-XC(2)	\$4,995.00	-
EV929403	HI FLOW CSR 10" PF TRIPLE HEAD	\$1,233.00	77, 80	EV933726	HIGH FLOW CSR QUAD UNIMOUNT	\$2,231.00	-
EV929404	HI FLOW CSR 10" PF QUAD HEAD	\$1,544.00	77, 80	EV933744	DUAL HIGHFLOW COLD/INSURICE S-MC(2)	\$4,709.00	-

(Continued on next page.)

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV934710	HF CSR PLUS-XC(2)2SR-X W/O LPA	\$2,849.00	-	EV960586	AC ² Cartridge 6pk	\$63.30	-
EV934711	HF CSR PLUS-XC(2) 2SR-X W/LPA	\$3,102.00	-	EV960601	7SI CARTRIDGE 1PK	\$248.00	9, 35, 36, 81, 85
EV934720	HIGHFLOW CSR PLUS-XC(2)W/O LPA	\$2,448.00	11, 43	EV960651	4SI, CART 1PK	\$116.00	8, 35, 36, 81, 85
EV934721	HIGHFLOW CSR PLUS-XC(2) W/LPA	\$2,691.00	11	EV960700	7-DBG CART 1PK	\$195.00	86
EV943710	HIGH FLOW CSR W/PRE-FIL	\$2,149.00	11, 43, 44	EV960701	7DM CART 1PK	\$226.00	86
EV943711	HF CSR W/PRE-FILTER/LPA	\$2,392.00	11, 44	EV960702	7-NE CARTRIDGE 1PK	\$197.00	86
EV943713	7TO HIGH FLOW CSR W/PF	\$2,436.00	-	EV960703	7-OF CARTRIDGE 1PK	\$220.00	86
EV943730	ENDURANCE HF TWIN SYSTEM	\$2,482.00	12, 47	EV960704	7-SO CARTRIDGE 1PK	\$176.00	86
EV943731	ENDURANCE HF TRIPLE SYSTEM	\$2,707.00	12, 47	EV960705	7-TO CARTRIDGE 1PK	\$164.00	-
EV943732	ENDURANCE HF QUAD SYSTEM	\$2,933.00	12, 47	EV960710	ESO 6, EVERPLUS, 1PK	\$184.00	9, 15, 81, 86
EV943740	ENDURANCE SC TWIN SYSTEM 1.0	\$4,354.00	12, 48	EV960720	ESO 1PK	\$195.00	-
EV943741	ENDURANCE SC TRIPLE SYS 1.1	\$4,586.00	12, 48	EV960725	ESO 7, EVERPLUS, 1PK	\$203.00	9, 15, 81, 86
EV943742	ENDURANCE SC HF QUAD SYS 1.1	\$4,817.00	12, 48	EV960741	6TO-BW CARTRIDGE 1PK	\$154.00	56, 82
EV943750	ENDURANCE TKO FILTER	\$769.00	12, 47, 67	EV960746	6TO-BW CARTRIDGE 6PK	\$145.00	-
EV943760	ENDURANCE RETRO KIT TRIPLE	\$1,817.00	47	EV960756	7-TO CARTRIDGE 6PK	\$156.00	86
EV943765	ENDURANCE RETRO KIT QUAD	\$2,077.00	47	EV960800	JT SANITIZING CART 1PK	\$99.40	42
EV943770	BOWL KIT E-SERIES ENDURANCE	\$99.10	47	EV960810	QC2 JT CARTRIDGE 1PK	\$99.40	42
EV943771	BOWL KIT K-SERIES ENDURANCE	\$286.00	47	EV960820	CB20BB DISINFECTION KIT	\$614.00	-
EV950300	WATERBLOCK	\$59.70	-	EV961100	4H CART 6PK	\$89.90	8, 84
EV950305	WATER BLOCK, 25PK	\$61.40	75	EV961222	I2000(2) CART 1PK	\$146.00	9, 36, 81, 84
EV950320	WATERBLOCK RESET DEVICE	\$33.30	-	EV961227	I2000(2) CART 6PK	\$138.00	-
EV950325	WATER BLOCK RESET DEVICE, 25PK	\$33.90	75	EV961232	I4000(2) CART 1PK	\$165.00	9, 36, 81, 84
EV953405	EC205 19-1/2" 20PK	\$19.70	-	EV961237	I4000(2) CART 6PK	\$156.00	-
EV953412	EC110 CARTRIDGE 12PK	\$8.70	20, 35, 37, 45, 67, 81, 83, 90	EV961250	BH(2) CART 1PK	\$119.00	9, 14, 66, 81, 84
EV953420	A- EC210 CARTRIDGE 20PK	\$15.20	-	EV961251	BH(2) CART 6PK	\$113.00	-
EV953425	EC225 19-1/2" 20PK	\$18.10	-	EV961255	MC(2) CART 6PK	\$122.00	-
EV953426	EC210 CARTRIDGE 6PK	\$16.10	19, 20, 23, 35, 36, 37, 44, 45, 46, 67, 81, 83, 90	EV961256	MC(2) CART 1PK	\$129.00	9, 18, 19, 44, 56, 81, 82, 83, 84
EV953440	B- EC110 CARTRIDGE 40/PK	\$7.70	-	EV961266	2K PLUS CARTRIDGE 6PK	\$77.40	8, 66, 84
EV953503	EC103 CARTRIDGE 40PK	\$11.20	-	EV961276	4K PLUS CARTRIDGE 6PK	\$97.10	8, 66, 84
EV953710	FC10, EVERPURE 12/C	\$90.70	67	EV961310	XC(2) CART 1PK	\$161.00	9, 19, 44, 81, 83, 84
EV953720	FC20, EVERPURE 12/C	\$146.00	67	EV961321	MH(2) CART 1PK	\$165.00	9, 13, 14, 81, 84
EV958801	OB558-TW CART 1PK	\$209.00	-	EV961326	MH(2) CART 6PK	\$156.00	-
EV958901	358-TW CART 1PK	\$214.00	-	EV961397	XC(2) CART 6PK	\$152.00	-
EV959000	359-PM CART 12PK	\$135.00	-	EV961406	MCP CARTRIDGE 6PK	\$150.00	-
EV959006	4C-X CARTRIDGE 6PK	\$73.20	86	EV961705	2CB5 CARTRIDGE 6PK	\$57.50	8, 56, 82, 85
EV959112	359-DC CART 12PK	\$191.00	-	EV961706	2CB5-K CARTRIDGE 6PK	\$65.20	8, 14, 85
EV959206	ADC CARTRIDGE 6PK	\$74.80	-	EV961716	4CB5 CARTRIDGE 6PK	\$98.10	8, 19, 39, 44, 56, 82, 85
EV960100	4C CART 6PK	\$71.20	-	EV961721	4CB5-S CARTRIDGE 1PK	\$115.00	-
EV960112	AC REPLACEMENT CART 6PK	\$60.20	66	EV961722	2CB5-S CARTRIDGE 6PK	\$62.70	8, 14, 81, 85
EV960146	4DC CART 6PK	\$93.80	-	EV961726	4CB5-S CARTRIDGE 6PK	\$108.00	8, 14, 36, 81, 85
EV960550	4C ² Cartridge 1pk	\$74.90	8, 66, 84	EV961736	4CB5-K CARTRIDGE 6PK	\$117.00	8, 14, 85
EV960556	4C ² Cartridge 6pk	\$74.90	-				
EV960570	4H ² Cartridge 1pk	\$94.70	8, 66, 84				
EV960576	4H ² Cartridge 6pk	\$94.70	-				
EV960580	AC ² Cartridge 1pk	\$63.30	9, 66, 84				

EVERPURE® 2019 FOODSERVICE PRICE LIST / INDEX

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER	PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV961776	7CB5-K CARTRIDGE 6PK	\$159.00	8, 85	EV969000	2053 MPC 6PK	\$74.00	-
EV961802	OCS(2) CART 1PK	\$67.20	9, 14, 66, 81, 84	EV969156	2FC CART 6PK	\$83.20	8, 66, 84
EV961807	OCS (2) CART 6PK	\$63.70	-	EV969166	2FC5 CART 6PK	\$81.30	8, 84
EV961811	CARTRIDGE, 7CB5 1PK	\$139.00	8, 19, 39, 44, 81, 83, 85	EV969176	2FC-S CART 6PK	\$92.60	8, 13, 14, 66, 84
EV961813	OCS (2) CART 12PK	\$63.70	-	EV969186	2FC5-S CART 6PK	\$89.90	8, 14, 56, 82, 84
EV961816	7CB5 CARTRIDGE 6PK	\$128.00	-	EV969221	4FC CART 1PK	\$163.00	8, 20, 45, 81, 83, 84
EV961821	7CB5-S CARTRIDGE 1PK	\$149.00	8, 36, 81, 85	EV969231	4FC-S CART 1PK	\$182.00	8, 37, 81, 84
EV961826	7CB5-S CARTRIDGE 6PK	\$142.00	-	EV969261	7FC CART 1PK	\$262.00	9, 20, 45, 81, 83, 84
EV961836	2CB-GW CARTRIDGE 6PK	\$66.30	8, 14, 85	EV969265	SEN CARTRIDGE 1PK	\$262.00	47, 53
EV961901	OW 200L CARTRIDGE 1PK	\$145.00	-	EV969266	SEN+ CARTRIDGE 1PK	\$285.00	53, 56, 82
EV961906	OW 200L CARTRIDGE 6PK	\$136.00	9, 66, 84	EV969271	7FC-S CART 1PK	\$285.00	9, 37, 81, 84
EV962700	NE-CC FILTER ASSEMBLY 1PK	\$281.00	-	EV969310	4FC-L CARTRIDGE	\$117.00	8, 66, 85
EV962703	CART, MR-225, 1 PACK	\$648.00	56, 82	EV969316	4FC-LS CARTRIDGE	\$122.00	8, 66, 85
EV962704	7 TO BW CART 1 PK	\$164.00	56, 82	EV969321	4FC5 CART 1PK	\$155.00	8, 20, 39, 45, 56, 81, 82, 83, 84
EV962705	7 CC BW CART 1 PK	\$188.00	56, 82	EV969331	4FC5-S CART 1PK	\$171.00	8, 37, 56, 81, 82, 84
EV962707	CART, MR-350, 1 PACK	\$867.00	56, 82	EV969340	7FC-L CARTRIDGE	\$163.00	9, 66, 85
EV962711	CART, MR-100, 1 PACK	\$563.00	53	EV969346	7FC-LS CARTRIDGE	\$188.00	9, 66, 85
EV962722	MR-600F CARTRIDGE	\$1,054.00	53, 56, 82	EV969361	7FC5 CART 1PK	\$248.00	9, 20, 39, 45, 81, 83, 84
EV962714	CARTRIDGE, 2SR-BW 1PK	\$151.00	47, 48, 56, 82	EV969371	7FC5-S CART 1PK	\$272.00	9, 37, 81, 84
EV962715	GS-215R0-H INLINE FILTER KIT	\$65.40	55, 56, 82	EV971000	2055 ELE & MPC	\$510.00	-
EV962716	7FS-BW CARTRIDGE 1PK	\$208.00	56, 82	EV975111	EFS 5002-K REPL CART 6PK	\$92.40	82
EV962723	MR-600-1 CART 1PK	\$990.00	-	EV976100	XCLM+ CARTRIDGE	\$279.00	9, 19, 23, 46, 81, 85
EV962745	4CC CART 1PK	\$134.00	56, 82	EV976111	QC7I SINGLE-XCLM+	\$524.00	10, 23
EV962828	QUAD MC(2) REPL CART KIT	\$563.00	83, 84	EV976112	QC7I TWIN-XCLM+	\$970.00	10, 23
EV962829	QUAD XC(2) REPL CART KIT	\$673.00	83, 84	EV976113	QC7I TRIPLE-XCLM+	\$1,421.00	10, 23
EV962830	QUAD PLUS XC(2) REPL CART KIT	\$764.00	-	EV976114	QC7I QUAD-XCLM+	\$1,741.00	10, 23
EV962831	DUAL HIGH FLOW MC(2) CART KIT	\$948.00	-	EV976121	COLDRINK1-XCLM+	\$742.00	10, 23
EV962832	DUAL HIGH FLOW XC(2) CART KIT	\$1,164.00	-	EV976122	COLDRINK2-XCLM+	\$1,242.00	10, 23
EV962833	7 TO QUAD REPL CART KIT	\$662.00	-	EV976123	COLDRINK3-XCLM+	\$1,671.00	10, 23
EV962870	CART KIT TWIN ENDURANCE	\$971.00	47, 83	EV976124	COLDRINK4-XCLM+	\$1,995.00	10, 23
EV962871	CART KIT TRIPLE ENDURANCE	\$1,202.00	47, 83	EV976132	HIGH FLOW CSR TWIN-XCLM+	\$1,538.00	11, 46
EV962872	CART KIT QUAD ENDURANCE	\$1,435.00	47, 83	EV976133	HIGH FLOW CSR TRIPLE-XCLM+	\$1,896.00	11, 46
EV962880	CART KIT, ENDURANCE SC TWIN	\$579.00	48, 83	EV976134	HIGH FLOW CSR QUAD-XCLM+	\$2,167.00	11, 46
EV962881	CART KIT, ENDURANCE SC TRIP	\$810.00	48, 83	EV977100	7CLM+ CARTRIDGE	\$224.00	8, 19, 23, 46, 81, 85
EV962882	CART KIT, ENDURANCE SC QUAD	\$1,042.00	48, 83	EV977111	QC7I SINGLE-7CLM+	\$468.00	10, 22
EV962891	ENDURANCE SC UF MEMBRANE	\$1,381.00	48, 83	EV977112	QC7I TWIN-7CLM+	\$857.00	10, 22
EV963001	959-PM CARTRIDGE 1PK	\$395.00	-	EV977113	QC7I TRIPLE-7CLM+	\$1,255.00	10, 22
EV963406	OW2-PLUS CARTRIDGE 6PK	\$89.20	9, 66, 84	EV977114	QC7I QUAD-7CLM+	\$1,519.00	10, 22
EV963426	2-H-L, CART 12PK	\$71.20	8, 66, 85	EV977121	COLDRINK1-7CLM+	\$687.00	10, 22
EV963506	OW4-PLUS CARTRIDGE 6PK	\$111.00	9, 66, 84	EV977122	COLDRINK2-7CLM+	\$1,131.00	10, 22
EV963526	4-H-L, CART 6PK	\$93.90	8, 66, 85	EV977123	COLDRINK3-7CLM+	\$1,504.00	10, 22
EV963701	MICROGUARD PRO 2 CARTRIDGE 6PK	\$147.00	9, 66	EV977124	COLDRINK4-7CLM+	\$1,774.00	10, 22
EV963702	MICROGUARD PRO 4 CARTRIDGE 6PK	\$164.00	9, 66	EV977132	HIGH FLOW CSR TWIN-7CLM+	\$1,425.00	11, 46
EV965000	953 MPC 12PK	\$51.60	-				
EV965410	7F CARTRIDGE 1PK	\$260.00	-				
EV965500	BW SANITIZING CART 1PK	\$103.00	-				
EV966824	BW 4400 CARTRIDGE 1PK	\$169.00	56, 82				

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV977133	HIGH FLOW CSR TRIPLE-7CLM+	\$1,729.00	11, 46
EV977134	HIGH FLOW CSR QUAD-7CLM+	\$1,944.00	11, 46
EV978110	EFS 8002 REPL CART 6PK	\$95.40	82
EV978112	EFS 8002-S REPL CART 6PK	\$106.00	82
EV979580	E10 PREFILTER 10" W/EC110	\$127.00	67
EV979581	PRE-FILTER KIT	\$199.00	49
EV979585	E-SERIES 20" OPAQUE W/ ECP1-20	\$212.00	-
EV979590	E20 PREFILTER 20" W/EC210	\$203.00	24, 67
EV979700	KLEENSTEAM SYSTEM	\$1,304.00	-
EV979720	SR-X FEEDER W/DELMING KIT	\$344.00	12, 41
EV979721	KLEENSTEAM II SINGLE	\$1,158.00	12, 39
EV979722	KLEENSTEAM II TWIN	\$1,254.00	12, 39
EV979723	KLEENSTEAM II TWIN W/OSCALKLN	\$1,177.00	-
EV979740	7CB5 TWIN W/CHECK VALVE	\$727.00	39
EV979750	MODEL CT KLEENSTEAM	\$815.00	12, 39
EV979782	SC1011 STEAM/COMBI FILT SYS	\$578.00	72
EV979783	SC1021 STEAM/COMBI FILT SYS	\$636.00	72
EV979831	SCALEKLEEN 1.75OZ E/S/F 96PK	\$5.90	42
EV979833	SCALEKLEEN 7OZ E/S/F 24PK	\$12.00	42
EV979835	SCALEKLEEN 2.2LB E/S/F 4PK	\$46.80	42
EV979838	QC AS SERIES H/O W/FV, 1 PK	\$180.00	-
EV979843	SCALEOUT SCALE CONTROL FEEDER	\$184.00	-
EV979845	SR-X FEEDER	\$303.00	41
EV979870	2SR-BW ENDURANCE FEEDER SYS	\$351.00	12, 41, 47
EV979875	2SR-BW QL2 FEEDER SYS	\$227.00	12, 41
EV979902	SCALESTICK 10" 12PK	\$114.00	39, 41, 72, 81
EV979910	HTS-10 KLEENWARE SYSTEM 1PK	\$1,167.00	-
EV979911	HTS-11 KLEENWARE SYSTEM 1PK	\$669.00	12, 71
EV979912	HTS-10 KLEENWARE 4PK	\$1,142.00	-
EV979922	HT-10 CARTRIDGE 6PK	\$557.00	71, 81
EV979932	SS-IMF 12PK	\$93.90	41, 44, 45, 46, 81, 83
EV979942	SS-XL 6PK	\$369.00	39, 41, 44, 45, 46, 81, 83
EV982010	EVP LONGREACH FAUCET KIT	\$145.00	68
EV996100	SIMPLIFLOW SFM-S1-U	\$238.00	74
EV996150	SIMPLIFLOW SFM-S1-S	\$262.00	74
EV996200	SIMPLIFLOW SFM-T2-U	\$429.00	74
EV996400	SIMPLIFLOW SFM-Q4-U	\$837.00	74
EV997005	UV SYSTEM S50-PA 110V 6GPM	\$969.00	-
EV997006	UV SYSTEM S50-PA/2 220V 5GPM	\$939.00	-
EV997007	MRS-100 RO SYSTEM, 115 VAC	\$2,187.00	12, 49
EV997008	MRS-225 RO SYSTEM, 115 VAC	\$2,262.00	12, 49
EV997009	MRS-225CC RO SYSTEM, 115 VAC	\$2,400.00	-
EV997010	MRS-100CC RO SYSTEM, 115 VAC	\$2,326.00	-
EV997017	MRS-350 RO SYSTEM, 115 VAC	\$2,541.00	-
EV997018	MRS-350CC RO SYSTEM, 115 VAC	\$2,677.00	-
EV997019	MRS-225CCBL 115VAC	\$2,551.00	12, 49
EV997020	MRS-350 W/SUB-MICRON BLEND115V	\$2,793.00	12, 49
EV997038	MRS-600HE-115VAC, US	\$5,455.00	12, 55
EV997039	7CB5 HF TRPL REPL CRT KIT	\$460.00	-
EV997042	TRIPLE MC(2) REPL CART KIT	\$444.00	83, 84

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV997054	MRS-600HE-II, 115 VAC, US	\$5,936.00	12, 55
EV997055	FAUCET, ANTIQUE BRASS, EVP	\$234.00	-
EV997056	FAUCET, CHROME, EVP	\$189.00	68
EV997057	FAUCET, ANTIQUE WINE, EVP	\$189.00	-
EV997059	FAUCET, BRUSHED NICKEL, EVP	\$189.00	68
EV997060	FAUCET, OIL RUBBED BRONZE, EVP	\$189.00	68
EV997061	FAUCET, SATIN NICKEL, EVP	\$189.00	68
EV997073	MRS-100BL RO SYS, 115V, US	\$2,438.00	12, 49
EV997076	MRS-225BL RO SYS, 115V, US	\$2,513.00	12, 49
EV997095	HE-II UPGRADE KIT FULL 115V	\$1,975.00	55
EV997096	HE-II UPGRADE KIT FULL 115V	\$1,390.00	55
EV997363	MRS-100CC-BL	\$2,507.00	12, 49
EV997365	MRS-350CC-BL	\$3,555.00	12, 49
EV997500	LVRO-75HE RO SYSTEM	\$890.00	12, 49, 66
EV997510	LVRO-75HE RO SYSTEM W/FAUCET	\$946.00	12, 49, 66
EV997520	Conserv LT-S	\$1,508.00	12, 51
EV997600	Conserv 75S	\$1,928.00	12, 51
EV997625	CONSERV 75S CART KIT	\$428.00	51
EV997700	CONSERV 75E RO SYSTEM	\$2,142.00	12, 52
EV997725	CONSERV 75E CART KIT	\$542.00	52
EV997750	CONSERV HE-3 SYSTEM	\$10,200.00	12, 53
EV998011	SOFTENER, WS-45, 115V/60HZ	\$2,537.00	70
EV998020	SOFTENER, ECES-300-2S	\$7,585.00	-
EV998021	SOFTENER, ECES-450-2S	\$12,914.00	-
EV998022	SOFTENER, ECES-300-3S	\$17,014.00	-
EV998023	SOFTENER, ECES-450-3S	\$19,881.00	-
EV998024	SOFTENER, ECES-600-3S	\$19,693.00	-
EV998025	SOFTENER, ECES-750-3S	\$25,636.00	-
EV998026	ASSM, BRINE TANK, 30X48	\$1,698.00	-
EV998027	ASSM, BRINE TANK, 30X60	\$2,071.00	-
EV998028	ASSM, BRINE TANK, 39X48	\$2,138.00	-
EV998029	ASSM, BRINE TANK, 39X60	\$2,184.00	-
EV998030	ASSM, BRINE TANK, 50X60	\$2,584.00	-
EV998031	SOFTENER, CES-2850M-102, 1840BT	\$4,075.00	-
EV998032	SOFTENER, CES-3900E-341	\$18,364.00	-
EV998033	SOFTENER, CES-3900E-512	\$21,707.00	-
EV998034	SOFTENER, CES-3900E-682	\$21,617.00	-
EV998035	SOFTENER, CES-3900E-853	\$27,773.00	-
EV998058	SOFTENER WS-30E, 120V/50-60HZ	\$2,483.00	70
EV998059	SOFTENER WS-30E, 230V/50HZ	\$2,483.00	70
EV998232	SOFTENER, CES-2750 E-45	\$2,845.00	70
EV998233	SOFTENER, CES-2750 E-60	\$3,177.00	70
EV998234	SOFTENER, CES-2750 E-90	\$3,686.00	70
EV998331	SOFTENER, CES-2850 E-60	\$3,900.00	70
EV998332	SOFTENER, CES-2850 E-90	\$4,521.00	-
EV998333	SOFTENER, CES-2850 E-120	\$4,757.00	70
EV998334	SOFTENER, CES-2850 E-150	\$6,632.00	70
EV998422	SOFTENER, CES-2900M-136	\$5,736.00	70
EV998423	SOFTENER, CES-2900M-171	\$7,028.00	-
EV998425	SOFTENER, CES-2900M-341	\$9,765.00	-
EV998426	SOFTENER, CES-2900M-512	\$14,841.00	-
EV998432	SOFTENER, CES-2900E-136-DA	\$9,966.00	-

PART NUMBER	DESCRIPTION	2019 LIST PRICE EA	PAGE NUMBER
EV998433	SOFTENER,CES-2900E-171-DA	\$12,309.00	-
EV998434	SOFTENER,CES-2900E-239-DA	\$14,185.00	-
EV998435	SOFTENER,CES-2900E-341-DA	\$16,481.00	-
EV998436	SOFTENER,CES-2900E-512-DA	\$27,032.00	-
EV998442	SOFTENER,CES-2900E-136-DP	\$10,575.00	-
EV998443	SOFTENER,CES-2900E-171-DP	\$12,996.00	-
EV998444	SOFTENER,CES-2900E-239-DP	\$14,898.00	-
EV998445	SOFTENER,CES-2900E-341-DP	\$17,222.00	-
EV998446	SOFTENER,CES-2900E-512-DP	\$27,808.00	-
EV998503	SOFTENER,CES-9000M-101	\$5,339.00	-
EV998510	SOFTENER, CES-9000 E-30	\$4,061.00	70
EV998511	SOFTENER, CES-9000 E-45	\$4,390.00	70
EV998512	SOFTENER, CES-9000 E-60	\$5,140.00	70
EV998600	SOFTENER,CES-9500M-68	\$6,564.00	-
EV998601	SOFTENER,CES-9500M-101	\$7,480.00	-
EV998602	SOFTENER,CES-9500M-135	\$8,033.00	-
EV998603	SOFTENER,CES-9500M-169	\$10,831.00	-
FE4620YYAB	DEAD END PLEATED	\$593.00	47, 67, 81
SH143495	LUBRICANT,SILICONE, PACKET	\$1.90	-
SH144368	SPANNER WRENCH SW-4 (20"BB)	\$12.00	87
SH257384	GASKET,SANTOPRENE, 5/32"	\$2.50	-
SLV10-CA41	PMP ASSY, 12V 40 PSI, NSF	\$177.00	-
SLV10-CB41	PMP ASSY, 24V 40 PSI, NSF	\$276.00	-
SVA00R1	VENT, AIR, STANDARD, 6/C	\$96.70	29
SVA00R3	VENT, AIR, 3/8B SS EL, 6/C	\$107.00	-
WB2-LVPO-01	2 GAL. WB2 W/LVPO-F1	\$1,079.00	31, 32
WB2-LVPO-02	MEDIUM LVPO 3/8 BARB AU	\$1,141.00	31, 32



System Tested and Certified by NSF International against NSF/ANSI Standards 42 and 53 for the reduction of:

Standard No. 42 –
Aesthetic Effects
Chemical Reduction
Taste and Odor
Chlorine
Mechanical Filtration
Nominal Particulate Class I
99.2% reduction of
particles one-half micron
and larger in size
Standard No. 53 –
Health Effects
Mechanical Filtration
Turbidity
Cyst



The Risk of Counterfeit Filter Cartridges

- Everpure® heads and cartridges are certified as systems by NSF. Using counterfeit filters results in a loss of this valuable industry certification.
- Without NSF certification, there is no assurance of performance and quality could be suspect.
- For over 85 years, Pentair® Everpure has been providing quality filtration products for customers around the world, and today we're a leading brand of water treatment for foodservice. We're trusted by many of the world's largest foodservice and specialty beverage chains, as well as hundreds of thousands of independent operators.
- The majority of our cartridges are certified by NSF. This provides assurance that the system has been independently evaluated to confirm its performance.
- Certified Everpure filtration products have been submitted for testing under NSF/ANSI Standards 53 and 42.
- The certification is displayed on the cartridge's label along with the applicable NSF claims.

For further information on NSF certification, please contact Technical Service at 800.942.1153/630.307.3000 or consult the NSF website, www.nsf.org.



The importance of NSF Certification

There are important reasons to look for NSF Certification when purchasing a water filter:

- **Performance claims may be based on internal testing only.** Do you have access to all the testing procedures used? Was testing done to industry standards?
- **Sometimes stated capacities are misleading** because they may be based on only chemical (chlorine) reduction and don't take particulates into consideration. Particulates have an important role in how long a filter will last. Most often, a filter plugs from dirt before the chemical capacity is used up.
- **In capacity claims, it's not always clear what percentage of chemical contaminants are actually reduced.** For example, if there is only a 50% reduction in chlorine then higher capacities can be claimed. But is removal of only half the chlorine acceptable for quality beverages?

NSF Certification ensures that:

- The contaminant reduction claims certified are true and accurate.
- The materials of construction do not add anything unwanted to the water such as lead.
- The system is structurally sound.
- Advertising claims are true and accurate.

What is NSF?

- Founded in 1944, NSF International is a not-for-profit organization that provides public health and safety risk management solutions to companies, governments and consumers around the world.
- Its main business is to bring together experts in public health, manufacturing, and sanitation from government, industry, academia and the public to develop and administer performance standards for products which have some impact on sanitation and public health.
- NSF maintains state-of-the-art laboratories where products can be tested according to set standards.

For water filters, look for these certifications:*

- **NSF/ANSI Standard 42: Aesthetic Effects**
For water treatment systems designed to reduce specific aesthetic or non-health-related contaminants (chlorine, taste & odor, and particulates).
- **NSF/ANSI Standard 53: Health Effects**
For water treatment systems designed to reduce specific health-related contaminants, such as *Cryptosporidium*, *Giardia*, lead, volatile organic chemicals (VOCs), MTBE (methyl tertiary-butyl ether).

*It's important to read the small print when evaluating a product certification. Within Standards 42 and 53 there are different classes and contaminant removals to consider. Even though a filter is certified for a standard, it may not be certified for all of the reductions possible within that standard.

FILTRATION BENEFITS FOR OPERATORS

A few of the ways that water filtration benefits foodservice operations:

Beverage quality

- **Coffee:** better extraction for less bitterness or astringency
- **Espresso:** smooth and rich flavor, perfect cream
- **Iced Tea:** clean taste, no cloudiness
- **Drinking Water:** no chlorine taste or smell, improved safety
- **Fountain Beverage:** better fizz and flavor
- **Ice:** hard, crystal-clear cubes
- **Brewed Tea:** better extraction of flavor, perfect color

Less downtime and longer life for foodservice equipment

- **Coffee Brewers:** reduced scale on heating elements and fewer issues with valves, solenoids and reservoirs
- **Espresso Brewers:** reduced scale on heating elements, reduced stress cracking on boilers, better pressure
- **Fountain Beverage Systems:** better water pressure, improved gas pump efficiency
- **Ice Machines:** reduced scale and downtime due to freeze-up and bridging
- **Steam and Combi Ovens:** less limescale, less corrosion, and better steam consistency
- **Warewashing:** spot-free dishes and glassware, better energy efficiency

Sustainability

- **Energy Savings:** hard water and the resulting scale can reduce energy efficiency in equipment by 50% or more, costing over \$1,000 annually in higher utility bills
- **Water Waste:** high efficiency reverse osmosis from Pentair Everpure can save an operator over 100,000 gallons annually from going to drain as waste water versus conventional RO systems
- **Reduced Waste:** eliminating bottled water in favor of on-site filtered tap water can reduce the 22 billion water bottles going to landfills today

Pentair® Everpure® is water. Whether you need filtration, softening or reverse osmosis, we have a solution. Our entire existence revolves around providing the best, most consistent water anywhere. That's why so many foodservice operators depend on us to solve their water problems. Pentair Everpure has been a leading global provider of quality water solutions to the foodservice industry for more than 80 years.

PENTAIR EVERPURE SOLUTIONS OFFER:

Consistency. Remove or reduce unwanted minerals, particulates and chemicals so your water is sparkling clean, every time.

Confidence. Pentair Everpure products are proven effective. That's why you can find our products in foodservice operations around the world.

Solutions. Our Total Water Management Program can solve your water problems. We'll analyze your operation, provide recommendations, and install the right products so your water is problem-free. And we'll help you stay that way with our maintenance program.

Satisfaction. Everpure water is better all around, which means you'll have a more cost-efficient and high performing operation, and your customers will have a superior overall experience.



EVERPURE-SHURFLO WORLD HEADQUARTERS, 1040 MUIRFIELD DRIVE, HANOVER PARK, IL 60133 USA • WWW.PENTAIR.COM
800.942.1153 (US ONLY) • 630.307.3000 MAIN • 630.307.3030 FAX • CSEVERPURE@PENTAIR.COM EMAIL

EVERPURE-SHURFLO AUSTRALIA, 1-21 MONASH DRIVE, DANDENONG SOUTH, VIC 3175 AUSTRALIA
011.1300 576 190 TEL • 011.61.39.562.7237 FAX • AU.EVERPURE@PENTAIR.COM EMAIL

EVERPURE-SHURFLO CHINA, 21F CLOUD 9 PLAZA, NO 1118, SHANGHAI, 200052, CHINA
86.21.3211.4588 TEL • 86.21.3211.4580 FAX • CHINA.WATER@PENTAIR.COM EMAIL

EVERPURE-SHURFLO INDIA, GREEN BOULEVARD, B-9/A, 7TH FLOOR - TOWER B SECTOR 62, NOIDA - 201301
91.120.419.9444 TEL • 91.120.419.9400 FAX • INDIACUSTOMER@PENTAIR.COM EMAIL

EVERPURE-SHURFLO EUROPE, PENTAIR WATER BELGIUM BVBA, INDUSTRIEPARK WOLFSTEE, TOEKOMSTLAAN 30, B-2200 HERENTALS, BELGIUM
+32.(0).14.283.504 TEL • +32.(0).14.283.505 FAX • SALES@EVERPURE-EUROPE.COM EMAIL

EVERPURE-SHURFLO JAPAN INC., HASHIMOTO MN BLDG. 7F, 3-25-1 HASHIMOTO, MIDORI-KU, SAGAMIHARA-SHI KANAGAWA 252-0143, JAPAN
81.(0)42.775.3011 TEL • 81.(0)42.775.3015 FAX • INFO@EVERPURE.CO.JP EMAIL

EVERPURE-SHURFLO SOUTHEAST ASIA, 390 HAVELOCK ROAD, #04-01 KING'S CENTRE, SINGAPORE 169662
65.6768.5800 TEL • 65.6737.5149 FAX • CSEVERPURE@PENTAIR.COM EMAIL

Pentair trademarks and logos are owned by Pentair plc or its affiliates. Third party registered and unregistered trademarks and logos are property of their respective owners. Because we are continuously improving our products and services, Pentair reserves the right to change specifications without prior notice. Pentair is an equal opportunity employer.

EV7017-75 JA19 © 2019 Pentair Filtration Solutions, LLC. All Rights Reserved.